HUMAN

GENETICS

VOLUME 12

December 1960

NUMBER 4
PART 2 (OF 2 PARTS)

Subject Index for Bibliography of Human Genetics in Volumes 1-8
Richard H. Post

Published Quarterly by

THE AMERICAN SOCIETY OF HUMAN GENETICS

# THE AMERICAN JOURNAL OF HUMAN GENETICS

is a quarterly record of research, review and bibliographic material relating to heredity in man, and to the applications of genetic principles in medicine, anthropology, psychology, and the social sciences. It is owned and controlled by the American Society of Human Genetics, and is edited by a staff appointed by its Board of Directors.

### Editor:

ARTHUR G. STEINBERG Western Reserve University Cleveland 6, Ohio

#### Associate Editors:

HORACE W. NORTON University of Illinois NEWTON E. MORTON University of Wisconsin HERMAN M. SLATIS Argonne National Laboratory

JOHN B. GRAHAM University of North Carolina F. CLARKE FRASER McGill University VICTOR A. MCKUSICK
Johns Hopkins University
Medical School

Subscription, per volume, \$10.00

Single numbers \$3.00

THE American Journal of Human Genetics is published quarterly at Baltimore, Md. in MarchJune, September, and December. A volume will consist of four numbers, totaling approximately 400 pages. Subscription and other business communications should be addressed to the
Treasurer, Dr. H. Warner Kloepfer, Tulane University, New Orleans, La. Remittance for subscriptions from countries other than the United States must be payable in U. S. currency or its
full equivalent. Checks or money orders should be made payable to the American Society of
Human Genetics.

Copyright, 1961, by the American Society of Human Genetics. All rights reserved.

Made in United States of America

Becond-class mail authorised at Baltimore 3, Maryland

## SUBJECT INDEX\*

of the BIBLIOGRAPHY OF HUMAN GENETICS for volumes 1 through 8

The Subject Index for volumes 9 and 10 appeared in the December issue of 1957 and 1958, respectively. The Bibliography was discontinued after the issue of September, 1959.

Richard H. Post
Department of Human Genetics,
University of Michigan Medical School

00

ch. xi-

he

its of

<sup>\*</sup> Supported in part by research grant C-3874 from the National Cancer Institute, Public Health Service



#### RICHARD H. POST

Department of Human Genetics, University of Michigan Medical School

abnormality

see also acrocephalosyndactyly, agenesis, anomalies, anus, deformity, diaphragm, dysostosis, hydrocephalus, iliac horns, malformation, microcephaly, monsters, perodactylia, pterygium colli, pyloric stenosis, supernumerary ears, toe anus & rectum, 1:111, Suckling

congenital, incidence, 2: 289, Miller developmental, multiple, 1: 230, Weber diaphragm, 5: 288, Mertins fetal, 6: 367, Grebe genital, 3: 88, Matheson head, 7: 200, Horlacher in homogeneity tests, 1: 226, Haldane

linkage detection, 4: 147, Bailey oesophagus, 7: 224, Crichlow teeth, 5: 102, Hausser twins' fetuses, 8: 204, Taniguchi

abnormality of fingers

see also clinodactyly, clubbing, ectrodactyly, hyperphalangy, polyphalangy, thumb

finger-V degeneration, 3:393, Arens ABO

see also hemolytic disease of newborn, incompatibility

A behavior in AB, 4: 227, Molla, 5: 288, Molla

anti-B, physiology, 6: 297, Jacquot-Armand

B agglutinin, 2: 105, Krah

B isohemagglutinin, 3: 85, Filitti-Wurmser chemical structure, ABO & Lewis, 4: 227, Manski

complexities, 2: 410, Grubb, 2: 103, Grubb fertility, 6: 295, Allan, 8: 201, Kirk, 5: 407, Kirk

gene freq. ests., 3: 193, Stevens geographic distribution (see blood groups) H (Anti-O), 2: 207, Jakobowicz, 5: 190,

Ottensooser H (Anti-O) of eels, 2: 204, Cazal hemolytic disease & anti-C, 8: 205, Unger heredity, 7: 91, Wiener

Supported in part by the National Institutes of Health, grant number C-3873.

in blood platelets, 8: 200, Gurevitch incompatibility, 6: 298, Matsunaga incompatibility, 0, 7: 88, Crosby incompatibility, Rh, 2: 204, De Kromme, 4: 386, Gurevitch, 6: 301, Wiener,

7: 227, Walsh incompatibility, subgroups of A, 2: 285,

Cazal isohemagglutination, physico-chem., 6: 296, Filitti-Wurmser

iso-immunization, A & B, 1: 226, Hubinont

MN, combination frequencies, 1: 224, Boltz

multiple alleles, 6: 301, Wiener

"new" blood-group character, 5: 405, Bhende

O & S, ontogeny, 4: 149, Formaggio paternity tests, 5: 103, Lons phenotype dosage, determination, 2: 213, Siövall

progress, 7: 224, De Orbe Machado rare agglutinins, 8: 57, Henninot secretor factor, 5: 105, Sanger selection & polymorphism, 8: 197, Brues selection in infant deaths, Scotland, 4: 390, Struthers

serology, A & B substs., 5: 102, Gibbons serology of AO & BO, 6: 297, Gosse sex ratio, 4: 383, Allan, 5: 105, Sanghvi,

7: 225, Johnstone speech, 1: 106, Darlington

statistical analysis, 4: 389, Stevens vegetable reagents, 2: 208, Koulumies, 6: 368, Krupe

ABO & disease, 8: 196, Aird, 8: 198, Dickins, 8: 203, Richardson, 8: 203, Roberts see also hemolytic disease of the newborn

cancer, 7: 447, Aird, 7: 449 Green, 7: 452, Roberts

hemolytic anemia & O, 6: 367, Hunt hemophilia, 8: 55, Beaumont

ABO & Rh

hemolytic disease of newborn, A<sub>1</sub>A<sub>2</sub>, 8: 200, Heisto

hemolytic disease of newborn in Toronto, 7: 88, Donohue ABO & Rh, continued

incompatibilities, hemolytic disease of newborn, 2: 410, Lucia, 2: 285, Boorman

relations, Swiss isolate, 6: 299, Moor-Jankowski

ABO linkage

nail-patella syndrome, 8: 203, Renwick phenylketonuria, 4: 388, Penrose red hair, 2: 411, Penrose

ABO subgroups

A, 1: 112, Witebsky, 3: 89, Puschel, 8: 203, Prade

A1, A2 titration, 2: 209, Molla

A<sub>2</sub> substance, physiology, 1: 228, Oliver-Gonzalez

A2, 3: 89, Moullec

antiglobulin test, A<sub>1</sub> & A<sub>2</sub>, 6: 470, Jungwirth

A<sub>0</sub>, new subgroup, 5: 286, Grove-Rasmussen

determination, 7: 452, Rickels private factors, 6: 296, Dunsford

ABO substances

A-substance, size & shape, 5: 104, Pardee A-substance, physiology, 2: 284, Aminoff lipoid physiol., 3: 86, Hamasato O; hog H-substance, 2: 284, Annison polysaccharides, 3: 86, Hamasato similarities to plant agglutinins, 7: 448,

abortion

see also ABO incompatibility, blood group incompatibility

causes, 2: 207, Kaeser, 2: 410, Hirszfeld ova, 3: 300, Pescetto, 3: 397, Monie ova developmental anomalies, 7: 90,

Ruzicska Rh incompatibility, 1: 107, Glass serology of fetus, 5: 102, Hirzfeld

acanthrocytosis

an erythrocytic malformation, 5: 191, Singer

ache, leg, 1: 108, Jeppson

acholuric jaundice

see jaundice, spherocytosis

achondroplasia, 2: 205, Fairbank, 4: 226, Jackson, 5: 286, Grebe

see also osteogenesis imperfecta
DZ twins, discordant, 6: 300, Slungaard
w. morbus cordis & ectodermal dysplasia,

4: 226, Keizer

achromatopsia

see also color blindness, complete unilateral, 5: 287, Knoll

acid, nucleic

in testis, 3: 295, Giarola aclasis, diaphysial, 1: 107, Fairbank acne in MZ twins, 8: 198, Conraths

acrocephalosyndactyly, 3: 85, Cometta & oxycephaly, 3: 296, Moffie

developmental mechanism, 2: 286, Degenhardt

acrodermatitis enteropathica, 3: 90, Romeo acrogeria

in new synd. chain, 5: 290, Touraine acromegaly, 3: 297, Blickenstorfer, 6: 468, Blickenstorfer

see also osteomegaly acro-osteolysis, 5: 188, Giaccal, 8: 57, Harms acropathy

ulcerous, synd., 4: 223, Boudin acropathy, ulcerous, 4: 228, Passouant adaptability

twins, 8: 199, Glass Addison's keloid see morphea

adenoma

see also fibroadenoma large intestine, 6: 299, Pereira pancreas: hypoglycemia, 5: 106, Vesalio

Guzman pituitary, 8: 202, Matarazzo

small intestine, 1: 231, Williams adenoma sebaceum, EEG

mental deficiency, epilepsy, 5: 409, Solomons

adenomatosis, 3: 192, Reichman adiposis neonatorum

necrosis, 4: 387, Jersild

Adler's blood anomaly, 3: 194, Undritz adrenal medulla

see pheochromocytoma

adrenocortical insufficiency, 5: 289, Roberts adrenogenital syndrome

MZ twins, 8: 196, Baroldi

pseudo-hermaphroditism, 7: 451, Prader afibrinogenemia, 4: 148, Bucek, 7: 223, Caussade, 6: 297, Frick

agenesis

digits, face, cerebrum, 5: 188, Inglis gonadal, 8: 198, Ehrengut

age, parental

effects on offspring, 7: 224, Cowdry agglutinability

erythrocytes, 3: 91, Wall
physiology, 1: 109, Ludewig
agglutinins, fractionation
third order antibodies, 1: 108, Hill
agglutinins, natural vs. induced
physiol. difference, 3: 190, Millet
agglutinogens
mosaic structure, 5: 191, Wiener
agglutinogens & isohemagglutinins

agglutinogens & isohemagglutinins physiol. & chem., 3: 187, Filitti-Wurmser aggression, psycopathological MZ twin. 4: 390. Wheelan

aging

n-

eo

8.

ns

twins, 2: 104, Kallmann Albers-Schoenberg disease

see also osteopetrosis, marble bones dis. malignant, 1: 112, Uehlinger

albinism, 2: 292, Wallner, 4: 390, Trevor-Roper & carcinoma, lower lip, 2: 291, Thompson

& carcinomas in bros., 5: 101, Curban & multiple xanthomas, 5: 286, Graciansky incidence, Nigeria, 5: 186, Barnicot MZ twins, 6: 470, Hanhart ocular; female heterozygote, 3: 395, Falls

albinism, partial white skin spotting, 7: 449, Jahr

albinism, special type clin. & incidence, Panama Indians, 3: 87, Keeler

alcaptonuria, 3: 88, Martin, 5: 286, Galdston, 6: 295, Black

& arthroses, 7: 90, Prochazka autopsy, histolog., 7: 448, Debenedetti experimental, 1: 112, White complications, 6: 365, Barondes infantile, & diabetes, 7: 227, Saldun de

Rodriguez alcoholism, 1: 112, Williams, 1: 231, Williams, 2: 282, Williams

etiology, 2: 214, Williams alkali-resistant hemoglobin

in normal Greek children, 7: 224, Choremis allelism

anti-F(Rh), 6: 300, Sanger blood groups, 2: 292, Whiting hemophilia, 7: 87, Brinkhous methodology, DZ twins, 3: 398, Rife multiple, ABO, 6: 301, Wiener

allergy

see also asthma, favism & poliomyelitis, 2: 289, Locke constitution, 3: 90, Rost, 4: 229, Szentivanyi, 4: 386, Hanhart favism, 4: 388, Murano rhinopathy, 8: 197, Clerici tuberculin, 3: 299, Palmer twins, 5: 187, Carbonera, 5: 407, Klein alopecia, 3: 188, Hadida

w. dystrophia myotonica, 2: 103, Gotfredsen

w. uveitis & poliosis, 4: 233, Benedict alopecia areata, 2: 104, Hendren, 4: 147, Bereston

Alpert's syndrome

see acrocephalosyndactyly amaurotic idiocy, 6: 468, Avcin see ulso lipoidosis

cerebral lipids, 7: 88, Cumings w. pigment deposit, 8: 59, Moschel amaurotic idiocy, infantile (Tay-Sachs dis-

ease), 2: 202, Bamatter, 4: 384, Bjelkhagen, 5: 284, Bauza, 8: 199, Gourley, 8: 201, Klein

pathogenesis, 4: 383, Baffi variation, 6: 296, Bogaert

amaurotic idiocy, juvenile, 7: 227, Thiebaut amaurotic idiocy, late, 2: 214, Wagner, 5:

189, Jervis, 5: 191, van Bogaert clinico-histopathology, 7: 449, Klien like Alzheimer's disease, 7: 225, Loken precocious senility, 4: 224, Cares w. gargoylism, 5: 189, Levy amblyopia

phenocopy, optic nerve atrophy, 2: 207, Hambresin

sex-linked, w. nystagmus & astigmatism, 2: 409, Cuendet

amelogenesis imperfecta, 4: 229, Stones amentia

w. deafness & retinal pigment degen., 3: 191, Peterson

amino acid composition hemoglobin A, F & S, 8: 58, Husman of 4 hemoglobins, 8: 200, Huisman

of 4 hemoglobins, 8: 200, Huisman sicklemics & normals, 3: 192, Schroeder amino acid excretion

see also Beta, Wilson's dis.
cancer patients, 7: 449, Eades
cystinuria, 8: 200, Harris
& glycosuria, 8: 200, Juillard
dwarfsen in glycogenosis & cystinosis, 2:

205, Fanconi Fanconi synd. w. dwarfism & cystine storage dis., 7: 87, Bickel amino acid excretion, continued in hepatolenticular degeneration, 5: 288,

Nayrac

amino acids

in vitro, 3: 295, Giarola

kidney defect, 8: 201, Luder

amyloidosis, atypical, 5: 186, Andrade amyotonia congenita, 2: 108, Turner

& muscular atrophy, 3: 185, Brandt amvotrophia

& ataxia, 5: 289, Sanguineti

amyotrophia, spinal

in children, 4: 228, Radermecker

amyotrophia syndrome

w. mental defect, 4: 224, Chessa-Perle

amyotrophic lateral sclerosis & multiple sclerosis, 8: 201, Kurland

amyotrophy

Charcot-Marie & Déjerine-Sottas types, 2: 206, François

w. spastic paralysis & pes cavus, 2: 287, Garland

anatomical resemblances, 3: 296, Rössle androgynism, 3: 90, Soyer

anemia

see also elliptocytosis, hypochromic aregenerative, & isoimmunization, 1: 230, Smith

erythrodontia & porphyria, 8: 61, Weremowicz

neurological synd., 1: 106, Canelas anemia, aplastic

w. complications, 5: 290, Volpe

w. congen. abnormalities, 4: 231, Levy, 7: 225, Lynch

anemia, hemolytic, 6: 367, Irby

alkaline-resistant hemoglobin, 6: 470, Gouttas

blood group O, 6: 367, Hunt

clinical, serologic, var., 7: 225, Klinowska defective hemoglobin synthesis, 3: 190, Mills

diag. by electrophoresis, 7: 447, Bergen diag. var. forms, 6: 301, Young

nonspherocytic, 2: 285, Crosby

peculiar to Philippines, 7: 227, Stransky w. atypical hemmagglutinins, 1: 108, Kuhns

w. rare antibodies, 6: 470, Kuhns

w. thalassemia & sicklemia, 4: 390, Stur-

anemia, hypochromic, 1: 228, Mills anemia, hypoplastic

see Fanconi's syndr.

anemia infantum pseudoleukaemica see Jaksch's anemia

anemia, leucopenia, thrombopenia combination, 7: 223, Bernard

anemia, microcytic, constitutional, 4: 384, Bussi

anemia, pernicious, 3: 394, Debré, 5: 406, Delbeke, 7: 225, Lamy

MZ Negro twins, 5: 287, Holly

anemias, various, 2: 106, Rohr, 6: 369, Olmer anencephaly

& other anomalies, 2: 287, Giordano, 6: 298, MacMahon

etiology, 3: 89, Polman

incidence, 2: 286, Dexeus Trias de Bes

recurrent, 2: 410, Feuerlicht

sex ratio, 5: 288, MacMahon twins, 7: 450, Lin

twins, MZ, 8: 55, Bauwens, 2: 206, Grebe, 3: 91, Wiese

anenzymia catalasea

new constit. abnormality, 5: 104, Nakamura

aneurvsm

arterial, w. arachnodaetyly, 6: 301, Traisman

arterio-venous, hand, foot, 5: 290, Selby lung, 2: 106, Ravina

angioid degeneration

retinal, 3: 399, Streiff, 4: 389, Streiff angioma

cerebral, 4: 225, Griepentrog

lung, 2: 106, Ravina angioma, cerebellar

see Lindau-von Hippel disease angiomatosis, cystic, retinal, 7: 89, Merle angioneurotic edema, 1: 111, Sheldon glottis, 2: 288, Hamburger

angiosclerosis of choroid, 5: 291, Waardenburg

anhidrosis

in hypotrichosis, 2: 287, Friederich anhidrotic ectodermal dysplasia, 2: 213, Upshaw

see also ectodermal dysplasia Negro case, 4: 388, Metson

syndrome, 2: 108, Upshaw

animal genetics

& orthodonties, 2: 410, Gruneberg aniridia

w. cataract, in isolate, 2: 290, Pfandler

w. ectopia lentis & glaucoma, 1: 106, Callahan

ankyloglossia, 6: 470, Hermans

ankylosing spondylarthritis, 2: 202, Arlet, 3: 394, Coste, 6: 299, Revault

ankylosing spondylitis, 3: 187, Fraser, 3: 90, Riecker, 2: 108, Tegner

anodontia, 1: 225, Erwin

facial growth, 6: 471, Sarnat anomalies, anatomical

see also club foot, lung, metopic suture,

bones & nails, 3: 91, Wildervanck ear muscles, in synd., 2: 207, Hanhart face, eye, neck w. deafness, 8: 198, France-

schetti foot, 6: 300, Shands

r

hand & foot lobster-claw, 5: 290, Selby jaw & tooth, 3: 397, Maronneaud

lethal, 6: 297, Grebe, 6: 470, Grebe, 7: 88, Grebe

varied, & microphthalmia, 1:108, Kronenberg

vertebra, 6: 300, Siehl

anomalies, developmental, 2: 206, Grünfelder

anomalies, fetal

twin pregnancies, 3: 296, Marmey anomalies, heart, 1: 109, Lutembacher see also cyanosis

anomalies of ova, developmental etiol., abortions, 7:90, Ruzicska anomaly

see also Pelger's nuclear anomaly anophthalmos

& microphthalmos, 2: 107, Sjögren anorexia & hyperorexia, 5: 191, Tolstrup anthropological traits

twins, 4: 230, Verschuer

ABO & speech, 1: 106, Darlington anthropology of blood groups, 2: 409, Boyd, 2: 411, Mourant, 3: 299, Mourant anthropology, physical

see also race, distribution, physical anthropology, and specific names of races & areas

& genetics, 4: 389, Strandskov anthropometry, 1: 108, 5: 188, Howells see also face, stature

relatives, 2: 104, Huizinga, 3: 87, Huizinga antibodies, multiple, cases, 3: 400, Waller antibodies, third order, 1: 108, Hill

anticipation in diabetes: critique, 5: 191, Steinberg antigens

in human milk, 6: 370, Speiser anti-S & s, 3: 298, Coombs

anus

abnormalities, congen., 1: 111, Suckling atresia, 1: 112, Wigers

imperforate, 8: 197, Cochran

imperforate, & rectal fistulae, 2: 211, Robertson

anus vestibularis, 4: 389, Seitz

aortic arch anomalies, 2: 292, Wilson aplasia

see also myelomatosis

of kidney, in MZ twins, 5: 191, Waardenburg

of prepuce, 4: 387, James

aplastic anemia

see also anemia, aplastic

arachnodactyly, 2: 288, Hnátek

see also Marfan's syndr. & heart symptoms, 3: 192, Revnolds

in synd. w. ataxia, dementia & epilepsy, 2: 210, Myle

ocular anomalies, 3: 193, Sloboziano w. aneurysm of aorta, 6: 301, Traisman w. dwarfism, malformations, 5: 289,

Risetti

areflexia see Roussy-Levy synd.

arm & hand

malformation, 7: 450, Martin

arterial disease

see also hypertension

arteries

carotid, tumors, 1: 230, Sprong arteriosclerosis, 3: 188, Israel

& hypercholesterolemia, 3: 91, Thannhauser

arteriovenous anastomosis MZ twin, 8: 203, Rankin

artery

see aneurysm

arthralgia, periodic, 3: 398, Reimann

arthritis, 8: 204, Stecher

see also ankylosing, hemarthrosis, osteoarthritis, spondylarthritis

& alcaptonuria, 7: 90, Prochazka arthrodysplasia

iliac horns & nail dystrophy, 1: 230, Thompson

arthrogryposis

twin case, 3: 296, Oleaga, 4: 386, Hillman arthromyodysplasia

Turner & Bonnevie-Ullrich synds., 3: 398, Rossi

arthro-onychodysplasia, 2: 285, Brixey

arthrosis

see pseudarthrosis

artificial insemination, 1: 229, Ramos, 2: 108, Sundfor, 3: 84, Anderes, 3: 86, Halbrecht

current practises, 2: 288, Guttmacher

in Hungary, 3: 88, Mészáros

legal & medical, 2: 208, La Loggia

legal & social, 1: 224, Binney

legal, social, moral, religious, 2: 210, Nicolle

pros & cons, genetic, 2: 290, Rabasa Roman Catholic position, 2: 211, Pius XII

standardization of donors, 3: 90, Russell urology, 1: 225, Brodny

ascertainment methodology recessives, 4: 383, Bailey

ascites

w. telangiectasia & hepatosplenomegaly,3: 393, Ashby

association

abnor. elbow, knee & nails, 2: 292, Wildervanck, 4: 388, Mosbech

achondroplasia, ectodermal dysplasia & morbus cordis, 4: 226, Keizer

achromatopsia & otosclerosis, 2: 411, MacGregor

adenoma, epilepsy & ment. def., 5: 409, Solomons

albinism & carcinoma, 2: 291, Thompson allergy & poliomyelitis, 2: 289, Locke

amblyopia & optic atrophy, 2: 207, Hambresin

amino-aciduria & hepatolenticular degeneration, 5: 288, Nayrac

amyotrophia & ataxia, 5: 289, Sanguineti anencephaly & Klippel-Feil synd., 8: 55, Bauwens

aniridia & cataract, 2: 290, Pfandler anodontia & ectodermal dysplasia, 6: 471, Sarnat

anomalies of vertebrae, 6: 300, Siehl

anomalies, various, & microphthalmia, 1:
108, Kronenberg

anophthalmos & microphthalmos, 2: 107, Sjögren

arachnodactyly & aneurism of aorta, 6: 301, Traisman

areflexia, ataxia, club foot & scoliosis, 6: 299, Pintus

arteriosclerosis & hypercholesterolemia, 3: 91, Thannhauser

ascites, hepatosplenomegaly & telangiectasia, 3: 393, Ashby ataxia & atrophy, 6: 370, Stucki

ataxia, cataract & oligophrenia, 3: 90, Sjögren

ataxia, cataract & mental defic., 2: 290, Richards

ataxia, cataract & odd eye sympts., 6: 469, Decock

ataxia, cochlear & retinal degen., 3: 298, Francois

ataxia, paranoia & retinitis pigmentosa, 6: 473, Winnik

ataxia & paraplegia, 4: 226, Landau

ataxia, var. disorders & malformation, 6: 299, Mutrux

atrophoderma, pseudopelade & chondrodystrophy, 2: 204, Curth

blepharophimosis, ptosis & other eye abnorms., 3: 189, Klein

blepharoptosis & muscular sclerosis, 5: 287, Lowenthal

Bonnevie-Ullrich & Turner synds., 4: 390, Veyt

Bonnevie-Ullrich, Turner, etc., 3: 398, Rossi

brachydactyly & diencephalosis, 4: 226,

cancer & hypertension, 1: 225, Dhotel

cataract & dyst. myotonica, 1:107, Farber cataract in Rothmund's & Werner's synds., 2:103, Franceschetti

cataract & mental defic., 5: 103, Kirman cataract, microcornea & pupillary membrane, 2: 214, Waardenburg

cerebellar synd. & vestibular synd., 2: 102, Devic

chorio-retinal degeneration & Stargardt's dis., 2: 206, Francois

cleft palate & Marfan's synd., 2: 106, Ross

coloboma & deformities of hand, face, forearm, 6: 472, Tower

color blindness & optic atrophy, 8: 58, Jaeger

coronary dis., xanthomatosis & hypercholesteremia, 5: 190, Pomerantz

cranial lacunae & neurofibromatosis, 1: 226, Gilbert-Dreyfus

cretinism & mongolism, 2: 287, Gronemeyer

cystinuria & retinitis pigmentosa, 1: 225, Brooks

deafness & rétinal dystr., 4: 386, Holmgren dermatosis & lupus erythematosis, 4: 230, Tikhonov-Bugrov

deuteranopia & Leber's dis., 2: 210, Paufique

diabetes & taste blindness, Negros, 3: 193, Terry

diabetes insipidus & osteomegalic dystrophy, 6: 368, Mamou

diabetes insipidus & retinitis pigmentosa, 2: 214, Zondek

dislocation & hypoplasia of radius, patella, nails, 1: 231, Wildervanck

dysmorphia, deafness & other anomalies, 8: 198, Franceschetti

dysphoria & Rh, 3: 185, Bindewald

dysproteinosis, plasmocytomatosis & nephroproteinosis, 6: 468, Cacciari dystrophia myotonica & retinitis pigmentosa, 2: 103, Gotfredsen

Ehlers-Danlos & Groenblad-Strandberg synds., 2: 204, Cottini

elliptocytosis & icterus, 5: 406, Druez

epidermolysis bullosa & enamel dystr., 3: 87, Knierer

epilepsy & choreoathetosis, 5: 105, Pryles epilspsy, jaw dis. & myoclonus, 3: 92, Yde

epiphyseal dystr. & synostosis, 1: 226, Giraud

exostosis & fragilitas ossium, 4: 385, Dominguez

r

eye paralysis, paraplegia & cerebral disorders, 4: 223, Alajouanine

feeblemindedness & paraplegia, 5: 188, Heuyer

Franceschetti & Vogt synds., 3: 190, Ludwig

Friedreich's ataxia optic & cochlear atrophy, 6: 368, Morsier

Fuch's atrophy & retinitis pigmentosa, 2: 203, Bourquin

galactosemia & liver degen., 5: 102, Haas glycosuria & aminoaciduria, 8: 200, Juillard

gynecomastia & genital abnormalities, 7:
451, Peters

hairiness & polydysplasia, 3: 186, Delbos hemoglobinopathies & hemolytic disorders, 8: 204, Singer

hemophilia A & parahemophilia, 7: 451, Oeri

hemophilia & hematoma, 2: 203, Bischoff hemophilia & PTC deficiency, 8: 200, Hill hepatosteatosis & congen. jaundice, 4: 386, Holzel

Hunt's myoclonus & ataxia, 8: 55, Agostini

hydrophthalmia & microcornea, 8: 199, François

hyperlipemia & xanthomatosis, 7: 89, Lever

hypoplasia of femur, muscular dystrophy & osteochondritis of hip, 5: 288, Pfandler

keratodermia & optic atrophy, 2: 205, Dimsdale

Kidd & secretor factor, 6: 300, Sanger

lipofibromatosis & Meleda's dis., 4: 148, Dassen

Lobstein's dis. & thrombasthenia, 5: 102, Gautier

macular lesions & retinal periphlebitis, 8: 196, Barut

Marfan & Danlos synds., 3:398, Roederer mental defect & muscular atrophy, 4: 224, Chessa-Perle

morbus cordis & myoclonus, 1: 107, Elliott musc. dyst. & retinitis pigmentosa, 3: 192, Reinberg

myoclonic epilepsy & obesity, 3: 184, Andre van Leeuwen

myotonia & synostosis, cranial, 6: 472, Strahm

neural muscle atrophy & Friedreich's ataxia, 8: 198, Conrad

neurofibromatosis & myotonia atrophica, 8: 201, Kissel

neurofibromatosis & pseudoarthrosis, 2: 104, Jacobs

neurofibromatosis & sarcoma, 5: 190, Preston

neurofibromatosis & skeletal deformity, 3: 192, Sillevis Smitt

neurofibromatosis & tuberous sclerosis, 1: 147, Borberg

neurofibromatosis & osteitis fibrosa cystica, 7: 450, Kohn

obesity, diabetes & fibromas, 4: 152, Touraine

odontogenesis & osteogenesis, 1: 231, Winter

oligophrenia & schizophrenia, 5: 289, Schachter

ophthalmoplegia & retinal degen., 2: 285, Chamlin

opthalmoplegia, myopia & other dysplasias, 3: 192, Salleras association, continued

optic atrophy & Recklinghausen's disease, 2: 102, Dressner

osteosclerosis & central nervous system degen., 8: 197, Cartellieri oxycephaly & acrocephalosyndactyly, 3:

296, Moffie oxycephaly & cutis frontis, 3: 87, Kara-

banow paraplegia, amyotrophy & pes cavus, 2:

287, Garland Pelger's anomaly & blood dyscrasias, 5: 284, Alder

periodic defect & mental defect, 8: 198, Couston

pigmentation & nail dystrophy, 8: 202, Moon-Adams

polycythemia & leukemia, 3: 189, Lawrence

polydactyly, dwarfism & pituitary disorder, 4: 228, Richet

porphyria, erythrodontia & anemia, 8: 61, Weremowicz

Recklinghausen's, Dupuytren's & Charcot-Marie diseases, 5: 106, Ventura retinitis pigmentosa & deafness, 2: 202.

retinitis pigmentosa & deafness, 2: 202,
Appelmans

retinitis pigmentosa, epilepsy & melancholia, 8: 61, Sciorta

schizophrenia & epilepsy, 3: 296, Mitsuda sex-linked amblyopia, astigmatism & nystagmus, 2: 409, Cuendet

spastic paralysis, oligophrenia, dystrophy & cataract, 2: 204, Cordier syndactylism & labile factor deficiency,

3: 394, De Vries tapeto-retinal degen. & Stargardt dis., 1:

225, François telangiectasia & hemoptysis, 5: 102,

Hastings-James
thalassemia & hepatitis, 5: 286, Englert

thalassemia & pernicious anemia, 2: 204, Crosby

thrombasthenia & Lobstein's dis., 5: 286, Gautier

tongue frenulum & tooth absence, 3: 86, Garate

tuberculosis & sarcoidosis, 2- 203, Bickerstaff

tuberculosis & sicklemia, 6: 301, Vandepitte

Turner's synd. & deafness, 3: 398, Perrault uveitis, poliosis & alopecia, 4: 223, Benedict

uveitis, poliosis & vitiligo, 4: 231, Flynn vitiligo, retinitis pigmentosa sine pigment, 6: 469, Gordon

xanthomas & albinism, 5: 286, Graciansky xanthoma tuberosum, hyperlipemia & lipemia, 2: 202, Alvord

asthenia, hypoplastic

constitutional, 2: 105, Mall

asthma, bronchial, 5: 289, Schwartz

astigmatism, X-linked

w. nystagmus & amblyopia, 2: 409, Cuendet

asymmetry

see also situs inversus, unilaterality finger ridge counts, 6: 297, Holt, 7: 88, Holt

atavism

see also ear muscles, pupillary membrane

ataxia, 1: 112, Virgili, 4: 152, Schut amyotrophia, 5: 289, Sanguineti

cataract & mental defic., 2: 290, Richards cataract & odd eye sympts., 6: 469, Decock

deafness & muscular wasting, 3: 190, Matthews

myoclonus, 8: 55, Agostini

ocular & mental disorders, 6: 471, Mutrux paraplegia, 4: 226, Landau

tapeto-retinal & cochleo-vestibular degeneration, 2: 206, François, 3: 298, François

var. disorders & malformations, 6: 299, Mutrux

ataxia, cerebellar

see also Roussy-Levy synd.

of Pierre Marie, 7: 90, Nayrac spastic, atypical, 2: 285, Chiaramonti

spastic paralysis & atrophy, 1: 227, Kilbourne

ataxia, Friedreich's, 6: 367, Jimenez Espinosa

cardiopathy, 5: 190, Masten

chorio-retinal disorders, 2: 107, Stadlin neural muscular atrophy, 6: 370, Stucki, 8: 198, Conrad

ataxia, spasmodie, 8: 198, De Benedetto ataxia, spino-cerebral

in synd. w. cataract & oligophrenia, 3:90, Sjögren

ataxias, various, 8: 203, Schut

ataxia syndrome with epilepsy clin. & autopsy, types, 4: 225, Ford w. dementia & arachnodactyly, 2: 210,

atelectasis, lamellar, 8: 203, Pohlen atherosclerosis, 2: 101, Adlersberg, 8: 57,

coronary, over age 60, 5: 100, Boas

see also choreoathetosis double, 3: 194, van Bogaert athletics & constitution, 8: 199, Grebe

anal, 1: 112, Wigers biliary, 5: 291, Whitten atrophoderma

w. pseudopelade & chondrodystrophy, 2: 204, Curth

atrophy

ataxia & spastic paralysis, 1: 227, Kilhourne

cerebellar, 3: 301, Staal muscular, progressive, 4: 224, Brown muscular, progressive, infantile, 2: 101, Brandt, 2: 203, Brandt

atrophy, muscular, progressive see Werdig-Hoffman's

atrophy, neuro-muscular & Friedreich's ataxia, 8: 198, Conrad

atrophy, optic see also optic atrophy

atrophy, optic & cochlear w. Friedreich's ataxis, 6: 368, Morsier atrophy, spinal progressive, muscular, 4:

151, Poirier auricular sinus, 3: 190, Monie Australian aborigines

blood groups, 8: 204, Simmons

autonomic dysfunction see also dysautonomia

w. defective lacrimation, 5: 190, Riley azygos lobe

lung anomaly, 1-109, Macholda baldness, 3: 188, Hadida, 3: 397, Light see also alopecia

Banti's disease, 5: 188, Hauge Rh incompatibility, 2: 210, Nussy Barraquer-Ferre disease, 1: 227, Keizer Basques

blood groups & types, 2: 204, Chalmers Rh, 2: 209, Moulinier

Bechterew's disease

see spondylarthritis ankylosis

behavior, 4: 225, Hall, 4: 230, Ullman, 5-406, David, 8: 196, Anastasi twins, 8: 199, Glass, 8: 204, Spindler beta-amino-isobutyric acid excretion trait, 6: 296, Calchi-Novati

Biermer's disease

see also anemia, pernicious, 7: 225, Lamy, 3: 394, Debré

bile duct atresia, 5: 291, Whitten

hyperbilirubinemia, 2: 288, Jamra binomial distribution, 1: 225, Finney biochemistry, 1: 110, Rimington, 4: 224,

Butenandt, 7: 90, Sanz Muñoz alcoholism, etiology, 2: 214, Williams melanin, 2: 289, Lerner, 7: 88, Fitzpatrick mitosis, growth regulation, 5: 102, Dustin Recklinghausen's dis., 3: 399, Telfer

multiple, & fecundity, 3:89, Nichols statistics, twins, England, 4: 389, Stocks birth sequence & sex, 3: 395, Gini birth weight, 5: 104, Penrose cousins, 8: 203, Robson

bleeding diseases, 6: 471, Rocha, 7: 227, Soulier, 7: 451, Pitney

see also afibrinogenemia, atelectasis, endothelial, hemophilia, parahemophilia, thrombopathy

capillary fragility, 5: 408, Monto factor V deficiency, 7: 225, Kingsley factor VII deficiency, 7: 453, Witte hypoproconvertinemia, 7: 453, Wurzel labile factor deficiency, 3: 394, De Vries PTA, 7: 452, Rosenthal terminology, 7: 89, MacFarlane

various, 7: 87, Aggeler blepharophimosis, ptosis other eye abnorms., 3: 189, Klein

blepharoptosis w. muscular sclerosis, 5: 287, Lowenthal

blindness see also color blindness, night blindness nyctalopia, Oguchi's disease

hemeralopia, 8: 201, Latte Iceland, causes & freq., 7: 448, Björnsson pseudoglioma, 1: 231, Wilson

blood cell anomalies

see also Pelger's nuclear anomaly various, man & mammals, 3: 297, Undritz, 5: 284, Adler

blood diseases & disorders, 6: 472, Tetry, 8: 199, Grasset

\*\*see also hemorrhagic syndromes
leukemics' relatives, 7: 449, Kaliampetsos
mononucleosis, 5: 189, Karst
in race mixture, 5: 100, Ashman

various, 5: 289, Rabasa

blood factor individual factors, 6: 366, Grabowska new, agglutinable malaria, 3: 85, Butts S and s, 4: 387, Levine U, 6: 301, Wiener

Vel, 8: 201, Levine

blood group chimera, 5: 406, Dunsford blood group determination, 2: 209, Moullec, 6: 299, Mourant

Rh & MN, 7: 451, Piertrusky blood group incompatibility see also ABO incompatibility abortion & sterility, 8: 199, Grubb, 4: 152, Sjöstedt

neuroses, 4: 388, Nunes

blood group, new, 4: 227, Levine blood groups, 1: 109, Mather, 6: 473, Wiener, 7: 227, Tortora

see also anthropology, immunology, incompatibility

anthropology, 3: 188, Harris, 3: 299, Mourant

clin., genetics, race, 6: 471, Rosenfield combinations, 2: 409, Bertinshaw combinations, 6 systems, 2: 107, Sanger comprehensive exposition, 5: 409, Race eight systems, inheritance, 5: 408, Race embryonic development, 5: 291, Wildhagen

gene freq. est., 4: 149, Fisher genetics, 1: 110, Roberts, 5: 286, Elbel Ken, 1: 108, Hubinont linkage, 5: 407, Holt

linkage w. red hair, PTC, eye color, 6: 297, Hauge

mental defectives, 3: 299, Pantin multiple antibodies in 1 serum, 2: 285, Collins

multiplicity, 1: 110, Race new discoveries, 8: 60, Race ontogenesis, 4: 152, Sander

paternity tests, 4: 149, Forbes, 4: 225, Frazkowska-Stochowa, 4: 383, Anonymous

paternity tests & criminal law, 5: 100, Andresen

private, & A subgroups, 6: 296, Dunsford race diffs. & mixture, 2: 203, Boyd races, 2: 409, Boyd, 2: 411, Mourant race, structure & definition, 4: 384, Boyd rare, 7: 450, Logican rare antigen in Negros, 3: 299, Ikin recent research, 4: 386, Holländer S, new, 3: 88, Manz Ss: physiol., 3: 88, Morgan statistical analysis, 3: 298, Fisher techniques for dried blood, 3: 399, Thiery tissue graft, classif., 3: 295, Baroni twin zygosity diag., 3: 184, Assus Wra, new, rare, 6: 367, Holman blood groups & disease see also ABO & disease; sicklemia

ABO, 8: 198, Dickins, 8: 203, Richardson, 8: 203, Roberts
cancer, 7: 450, Mourant
gastric cancer, 8: 202, Muller
hemopathies, 3: 186, Colarusso
influenza, 3: 298, Howe
leprosy, 5: 190, Netto
mental deficiency, 4: 229, Soulairac
relationship, 8: 205, Woolf
retrolental fibroplasia, 6: 369, Paul
Rh, 4: 152, Trampuz
sicklemia, 8: 205, Vulpis
sicklemia, 80. India, 5: 103, Lehmann

blood groups & selection

see also heterospecific pregnancy
blood groups, geographical distribution

Africa, Bantus, ABO, MN, Rh, P, 3: 300, Shapiro Bantus, homogeneity, 4: 229, Shapiro

Bushmen, 6: 302, Zoutendyk Congo, lower, ABO, Rh, 3: 296, Lambotte

Congo, Rh (D factor), 2: 291, Vandepitte

Egypt, 3: 85, Donegani Ewes, ABO, Rh, 3: 84, 4: 383, Armattoe Sudan, 6: 300, Rife Tunis, 7: 226, Moullec

America, Argentina, Rh. 1: 227, Lebron ABO, Rh. 3: 184, Battaglia

Brazil, Rh, 1: 229, Ribeiro, 3: 299, Lacaz

ABO, 5: 104, Mellone, 6: 369, Novais 4 races, 2: 204, Da Silva 3 races, 4: 149, Figueiredo

Brazil, Indians, 1: 110, Ottensooser, 2: 204, Da Silva, 2: 290, Ottensooser

Canada, ABO, Rh, 2: 102, Chown Canada, Indians, serology, 6: 296, Chown

Dominican Republic, ABO, MN, Rh, 3: 393, 4: 223, Alvarez

Eskimo, MN, Rh, 1: 109, Matson

Guadeloupe, Negros, 4: 150, Languillon Mexico, 5: 100, Arteaga

Surinam, Negros, 8: 197, Butts

United States, 3: 298, Hervey

Indians, Navaho, 2: 203, Boyd, 5: 285, Collier, 7: 226, Matson Mexicans, Texas, 8: 201, King

Negros, Rh, 2: 212, Santos, 2: 212, Sacks

MNS, 3: 397, Neel; new, 4: 227, Miller

ABO, MN, Rh, 8: 202, Moore New York, rare, 3: 400, Wiener

Uruguay, 3: 185, Caragna Venezuela, Rh, 8: 204, Suarez

Asia, Ceylon, 6: 368, Koch China Rh 1: 231 Vi 2: 290

China, Rh, 1: 231, Yi, 2: 290, Pan ABO, MN, Rh, 3: 192, Simmons new, 4: 227, Miller

India, Rh, MNS, 2: 211, Prasad ABO, 2: 212, Sarkar

ABO, sicklemia, 5: 103, Lehmann Indonesia, ABO, Rh, MN, 3: 300,

Simmons Iraq, Rh, 2: 208, Kayssi

Thailand, ABO, Rh, MN, 2: 211, Phansomboon

Vietnam, Rh, 7: 447, Baylet

Australia, whites, 2: 409, Bryce, 2: 412, Simmons

Le, Ss, 3: 300, Simmons

natives MNS, 2: 290, 3: 398, Sanger, 8: 204, Simmons

Rh, MNS, Le, 2: 412, Simmons

Europe, Austria, Kell, 3: 193, 3: 399, Speiser

Fy, 7: 452, Speiser

Basques ABO, MN, Rh, 2: 204, Chalmers

Rh, 2: 209, Moulinier

Denmark, Rh, 7: 224, Gürtler

Finland, MNS, 8: 202, Makela

France, Rh, 2: 285, Cazal, 2: 409, Cazal, 3: 298, de Lestrange, 7: 88, Goudemand; Kell, 7: 448, Cazal

Germany, Rh, 5: 189, Jungwirth, 7: 227, Schröder

Greece, ABO, Rh, 4: 228, Pangalos Hungary, Rh, 3: 84, Backausz

Iceland, 2: 286, Donegani

Italy, Rh, 2: 290, Rondinini, 2: 411, Morganti, 3: 296, Maurizi, 3: 398, Pontecorvo, 4: 227, Morganti, 4: 151, Pontecorvo, 5: 408, Olivelli

Rh, ABO, 4: 228, Payretti

Rh, MN, P, 4: 223, Belsasso

ABO, 4: 225, Formentano, 8: 196, Astore, 8: 202, Palagi

MNS, 4: 224, Ceppellini Kell, 6: 370, Tansella

Norway, ABO, 3: 86, Henriksen; Rh. 5: 188, Hartmann

Spain, Rh, 2: 410, Guasch; Rh, ABO, 5: 405, Cameroni:

Rh, ABO, MNS, 3: 84, Agosti

Switzerland, Fy, 4: 386, Hollander; Lu, 8: 200, Hollander Wales, ABO, language, 4: 231, Mourant

Yugoslavia, Rh, 4: 151, Pontecorvo; Rh, ABO, 5: 188, Jankovic

Jews, India, 8: 199, Gurevitch Iraq, 8: 200, Gurevitch

Jerusalem, Rh, 4: 386, Gurevitch

Tripoli, 8: 199, Gurevitch Yemen, 5: 101, Brzezinski

Oceania, Maoris, w. S & T, 3: 399, Sim-

Marshall Is., 5: 191, Simmons Melanesia, ABO, MN, Rh, 1: 230, Sim-

mons
Micronesia, 6: 300, Simmons

New Guinea, MNS, 2:290, 3:398, Sanger Philippines, 1:230, Silva world, ABO, 3:184, Ashman

ABO, 3: 397, McArthur ABO & selection, 8: 197, Brues

type study, 3: 397, MacReady Rh, MN, 1: 109, Mourant

blood groups, isoagglutination

Wassermann reagent, 3: 296, Milgrom blood platelets

& ABO antigens, 8: 200, Gurevitch

blood pressure see also hypertension

longevity, 5: 291, Weiss

blood vessel

see also hemangioblastoma

blood vessel, sclerosis

choroidal, 5: 291, Waardenburg

blue sclera, 1: 231, Wicinski
see also osteogenesis imperfecta
etiology, 6: 472, Stankovic
body build, 8: 199, Gunther
see also anthropometry

Boeck's sarcoid, 5: 286, Gilg, 5: 287, Klingmüller, 6: 301, Voltz

bone anomaly

see also anomaly, craniosynostosis bridge on first vertebra, 8: 204, Selby cervical ribs, 2: 290, Purves congenital, 3: 91, Wildervanck bone cysts, 3: 187, Gieseking

bone deformity

see also spondylosis

bone disease

see also ankylosing spondyloarthritis, hyperostosis, marble bones disease, osteopecilia

Loser-Debray synd., 2: 204, Dana

bone disorder

see also diaphyseal sclerosis, dystropy, fragility

growths, 8: 203, Pawlowska hypoplasia of orbit, 8: 205, Urrets

bone dysplasia, 3: 300, Pfandler see also dyschondrosteosis, dysostosis long bones, crania, 8: 58, Jackson

bone granuloma, 3: 298, Creyssel histiocytic or eosinophilic, 3: 394, Creyssel

bone growth

see also hyperostosis bone marrow hypoplasia see Fanconi synd.

bone, maxillary

hyperplasia, myeloplastic, 3:394, Despons bone necrosis

see osteochondritis dissecans

& hemolytic anemia, from sicklemiathalassemia, 6: 300, Reich

Bonnevie-Ullrich syndrome, 2: 105, Lamy, 2: 212, Scarzella, 2: 292, Werthemann, 3: 85, Chytilova, 4: 150, Holtermuller, 4: 150, Keizer, 5: 106, Spiegl, 5: 290, Van Geertruyden, 5: 291, Zunin, 5: 406, Carletti, 5: 407, Keizer, 7: 226, Pennati, 8: 56, Cordonnier

& related dysplasias, 3:301, Ullrich & Turner synd., 2:412, Ullrich, 3:398, Rossi, 4:390, Veyt

club-foot & hand, 3: 300, Reiniger nose deformity, 4: 388, Nieuwenhuizse Bourneville's disease fundus lesions, 2: 210, Presme & Montoux skin lesions, 2: 208, Leuret

brachydactyly, 3: 187, Exposito & diencephalosis, 4: 226, Keizer

brain degeneration with epilepsy clin. & autopsy, types, 4: 225, Ford brain disease

see also Jakobs-Creutzfeldt dis.

brain problems, 3: 187, Galgano brain sclerosis

Krabbe's infantile form, new type, 2: 410, De Lange

brain tumor

see also hemangioblastoma & mental disturbances, 2: 412, Wanner twins, 6: 470, Kuhnen

branch block

see heart block

breast

gynecomastia, 7: 451, Peters breast cancer, 2: 205, Doan, 2: 211, Reed, 4: 151, Morse, 4: 152, Woolf, 8: 56, Bucalosi

menopause & onset age, 2: 284, Anderson brittle bones

see osteogenesis imperfecta

Brocq's disease

erythroderma, 6: 367, Hustakova bronchial asthma, 5: 289, Schwartz

bronchial tree forms

MZ twins, 4: 223, Ando bronchiectasis, 2: 213, Torgersen

see also Kartagener's syndrome bronze cirrhosis, 3: 189, Lesieur

Brooke's tumor

epithelioma adenoides cysticum, 3: 397, Moncorps

brucellosis, 7: 90, Spink

bullae

see also epidermolysis bullosa, pemphigus

bullosa, 3: 299, Katzenellenbogen

epidermal, 1: 110, Neimann, 8: 199, Guglielmo

bundle branch block see heart block

Bushmen

blood groups, 6: 302, Zoutendyk

Caffey's syndrome

see also hyperostosis

calcification

hypocalcemia, 2: 101, Aimes & sclerosis, 4: 226, Hengeveld petrosphenoidal ligament, 2: 213, Stanton calcinosis interstitialis universalis diff. diag. myositis, 2: 214, Vogt callus formation, 6: 470, Hilton

canus formation, 6: 470, fiftion
in osteogenesis imperfecta, 6: 472, Strach
cancer, 2: 204, Clemmesen, 2: 204, Cornil,
2: 210, Oliver, 2: 213, Strong, 2:
284, Anonymous, 3: 88, Lohéac, 3:
194, Vandenberg, 3: 393, Breider,
3: 397, MacDonald, 6: 295, Blond,
6: 298, Macklin, 6: 469, Denoix, 6:
471, Rubsamen

see also carcinoma

amino acid excretion, 7: 449, Eades & ABO, 7: 447, Aird, 7: 449, Green, 7:

& ABO, 7: 447, Aird, 7: 449, Green, 452, Roberts

& blood groups, 7: 450, Mourant & hypertension, 1: 225, Dhotel

& mitosis, 2: 212, Schairer; 3: 91, 3: 193, Timonen

& mitosis: colchicine, 3: 397, Levine & mitosis: figures, 3: 193, Therman

& mitosis: specificity, 2: 208, Lettré

& mutation, 2: 107, Schinz, 2: 211, Rajewsky, 2: 213, Strong, 6: 365, Blum, 8: 196, Bauer, 8: 197, Burdette

breast, 2: 205, Doan, 2: 211, Reed, 4: 151, Morse, 4: 152, Woolf, 8: 56, Bucalosi

breast: menopause & onset age, 2: 284, Anderson

cervix, 3: 190, Lombard colon polyps, 8: 205, Vigoni duodenal, 2: 213, Unger

fibroadenoma, mammary, 3: 90, Smorlesi gastric, 7: 449, Girard

gastric, & blood groups, 8: 202, Muller in leukemic's relatives, 7: 449, Kaliampetsos

methodology, 2: 290, Oliver ovarian, 2: 289, Liber

physiological, 2: 209, Michaelis

precancerous synd. of warts, keratosis, etc., 3: 188, Hufnagel

racial variation, 3: 295, Farías Rodríguez sex differences in freq., 6: 366, Denoix stomach, 7: 453, Videbaek

uterus, 1: 106, Botella Llusia, 2: 203, Brobeck, 8: 59, Mayer

Capdepont disease, 3: 186, Corbeil, 5: 105, Raison

capillary disorder

see also hemangioblastoma capillary fragility, 5: 408, Monto carcinoma, 4: 229, 6: 369, Schönbauer

cervix, 3: 186, Cobb

cervix, in MZ twins, 3: 193, Stocking colon, & hyperthyroidism, 2: 204, Cheskin

cutaneous, in albino bros., 5: 101, Curban gastro-intestinal, 3: 92, Woolf jejunum, 3: 398, Pridgen

lower lip & albinism, 2: 291, Thompson cardiomegaly, 1: 107, Evans, 4: 384, Bland, 7: 224, De Matteis twins, 5: 409, Tumay

cardiopathy

& Friedreich's ataxia, 5: 190, Masten DZ twins, 5: 285, Bertoye

cardio rheumatism, 5: 190, Salazar Mallen caries, 2: 412, Stranski, 3: 395, Grahnen, 4: 227, Leimgruber, 4: 383, Aye

twins, 2: 411, Rittinen

carriers

hemophilia, 3: 295, Coari

negative eugenics in isolates, 2: 104, Hofsten

cartilage dysplasia

see also dyschondrosteosis syndrome, 1: 225, François

cataract, 2: 208, Marner, 2: 284, Biró, 6: 469, Fiahlo

& dystrophia myotonica, 1: 107, Farber & idiocy, 1: 229, Schachter

congenital, 1: 228, Margerin, 8: 197, Bret congenital & juvenile forms, 2: 106, Sebo congenital, dominant, 4: 149, François nuclear, 3: 87, Lee

variation in sibship, 2: 211, Redl

w. aniridia in isolate, 2: 290, Pfandler w. ataxia & mental defic., 2: 290, Richards

w. ataxia & odd eye sympts., 6: 469, Decock

w. ataxia & oligophrenia, synd., 3: 90, Sjögren

w. hydrophthmus in Italian isolate, 6: 297, 7: 88, Gianferrari

w. mental deficiency, 5: 103, Kirman

w. microcornea & pup. membr., 2: 214, Waardenburg

w. paralysis, oligophrenia & cranial dystrophy, 2: 204, Cordier

w. retinitis pigmentosa, 2: 103, Gotfredsen

w. Rothmund's & Werner's synds., 2: 103, Franceschetti

Catholic, Roman

statement on genetics, 6: 296, Dobzhansky cellano, 1: 108, Levine, 4: 387, Levine cerebellar ataxia, spasmodic

atypical, 2: 285, Chiaramonti

cerebellar atrophy, 3: 301, Staal cerebellar degeneration

synd. w. heterotopia, retinitis, mental defic., 3: 298, Hagen

cerebellar hemangiomata, 4: 390, Tonning cerebellar syndrome

unusual, 7: 226, Pappworth

cerebellar-vestibular syndrome, 2: 102, Devic

cerebello-vestibular atrophy

Holmes synd., 2: 209, Mayoux cerebral angioma, 4: 225, Griepentrog cerebral palsy, 5: 284, Alder

Rh hemolytic disease, 3: 399, Sobel cerebral sclerosis, diffuse, 6: 469, Erak cerebral spastic paralysis

MZ twins, 3: 188, Ingelrans

cerebro-spinal degeneration, 6: 369, Raybaud

cervical ribs, 2: 290, Purves

cervix carcinoma, 3: 186, Cobb, 3: 190, Lombard

in MZ twins, 3: 193, Stocking

Charcot-Marie disease, 2: 206, François, 3: 397, Ostergaard Jensen

atypical, 2: 285, Chiaramonti

diff. diag., Friedreich's dis., 3: 87, Kissel peroneal type, 2: 288, Jacobs

w. Recklinghausen's & Dupuytren's dis., 5: 106, Ventura

cheilitis glandularis

in neuro-ectodermal synd., 2: 209. Michatowski

cherubism

fibrous dysplasia of jaws, 3: 189, Jones childhood deaths

17 uncommon causes, 1: 230, Wergeland children, growth, 1: 108, Hughes chimera, blood group, 5: 406, Dunsford Chinese

PTC taste deficiency, 2: 409, Barnicot cholecystatony, 1: 224, Bonnet cholecystitis

w. hemolytic jaundice, 2: 286, deWeerd cholelithiasis, 4: 384, Conti cholesterol

see hypercholesterolemia physiol. in xanthoma, 3: 85, Fowlkes calcific aortic stenosis, 7: 448, Boas cholinesterase

in psychiatric disorders, 4: 149, Glasson chondrodysplasia, 1: 107, Fairbank, 4: 386, Grebe neurologic complications, 4: 152, Slepian w. various dystrophies, 3: 396, Layani chondrodystrophia, 6: 297, Fraser

see also dysplasia epiphysialis, achondroplasia

mutation rate, Sweden, 5: 285, Böök w. atrophoderma & pseudopelade, 2: 204, Curth

chondro-osseous defect

nomenclature & rare case, 4: 150, Jackson chondro-osteo-dystrophy, 4: 230, Brailsford chondrosarcoma of ilium

& exostoses, 4: 151, Monro

chorea, Sydenham's, 4: 152, Schachter choreoathetosis

w. epilepsy, 5: 105, Pryles chorio-retinal changes

in Friedreich's ataxia, 2: 213, Stadlin chorioretinal focus

& eye dis., MZ twins, 2: 287, Granstrom choroidal angiosclerosis, 5: 291, Waardenburg

choroideremia, 2: 289, McCulloch, 3: 397, Lowe, 5: 191, Sorsby

choroiditis, 3: 191, Pajtáš

choroidoretinal aberrations & night blindness, 2: 410, Falls

Christmas disease

see hemophilia B chromatography, paper

metabolic patterns & disease, 3: 301, Williams

chromosome deletion, 5: 409, Race in Rh, 3: 89, Race, 3: 398, Race

chromosome markers, 2: 205, Franceschetti & retinitis pigmentosa, 3: 300, Rywlin, 6: 367, Klein

chromosome number

polyploidy, 4: 150, Lams

somatic, variation, 3: 193, Timonen, 3: 301, Therman

chromosomes

electron microscopy, 3: 298, Denues heteropycnosis, 3: 84, Barigozzi man & monkey, 8: 56, Darlington map, 1: 111, Schultz molecular structure, 7: 447, Ambrose theory of sex, 4: 147, Bogomolov tumor cells, 8: 58, Koseki

chronic disease

hered., & prevention, 5: 408, Neel Chvostek's sign

MZ twins, 4: 150, Klotz

circulatory system

see also endothelial

stenosis, aqueduct of Sylvius, 2: 101,

Bickers

circumscribed scleroderma see also morphea cirrhosis, biliary

& xanthomatosis, 3: 189, Lever cirrhosis, bronze, 3: 189, Lesieur

cirrhosis, hepatic, 2: 202, Anonymous, 3: 295, Farina, 4: 389, Schindler

cleft palate

& parental age, 5: 287, McEvitt etiology, 8: 57, Gabka

incidence, 3: 295, Haym Marfan's synd., 2: 106, Ross

cleft palate, hare lip mat. age & parity, 2: 289, Makowsky cleidocranial dysostosis, 3: 300, Scott, 3: 394, Delon, 4: 152, Sandler, 4: 226, Jackson, 4: 384, Cole

climacteric psychosis, 5: 287, Knoll clinical medecine, 1: 105, 1: 109, Myasnikov, 1: 109, Musella, 1: 110, Myasnikov,

1: 109, Musella, 1: 110, Myasnikov, 3: 193, Stolinsky dominant traits, 1: 107, Fraser

dominant traits, 1: 107, Fraser genetic method, 4: 147, Böök human genetics, 2: 205, Dell'Acqua, 4: 149, Fraser

recessive traits, 2: 103, Fraser clinics, heredity, 4: 231, Dice clinodactyly, 8: 202, Marinis

clubbed fingers & toes, 2: 214, Wurl

w. osteopathia, 5: 101, Crecelius club foot

see also Roussy-Levy synd. incidence, 4: 229, Stewart Coats' disease, 3: 191, Pajtáš cobalt metabolism

thalassemia, 4: 225, Heilmeyer

cochlear atrophy

see also atrophy in neuro-ectodermal synd., 2: 209, Michatowski

w. tapeto-retinal deg. & ataxia, 2: 206, 3: 298, François

colloid

pseudo-milium, 2: 284, Anonymous

& first arch synd., 7: 224, François w. deformity of hand, face, 6: 472, Tower colon polyposis, 2: 212, Schantz, 3: 186, Clark, 4: 149, Dye, 5: 289, Schaffer polyposis, colon & rectum, 8: 205, Woolf polyps & cancer, 8: 205, Vigoni colon, carcinoma

& hyperthyroidism, 2: 204, Cheskin colon, hypertrophy megacolon, 2: 102, Elzas color blindness

see also Daltonism aspects, 3: 194, Willmer case of Goethe, 2: 209, Matthaei

deuteranopia & Leber's dis., 2: 210, Paufigue

experiences of patients, 7: 450, Mitchell family, 1: 225, Dittmer

forms, 3: 191, Müller, 3: 396, Heinsius, 4: 150, Jaeger

incomplete, 2: 412, Waardenburg, 3: 188, Jaeger

physiology, 3: 89, Motokawa, 4: 225, Ebe protanopia & red blindness, 2: 290, Pickford

red-green: of heterozygotes, 1:229 Pickford total, 3:396, Jaeger, 7:453, Walls total; & otoselerosis, 2:411, MacGregor variation, measurement, 1:110, Pickford, 8:202, Motokawa

w. optic atrophy, 8: 58, Jaeger color blindness & hemophilia crossing-over, 3: 397, 5: 104, Murakami color vision, 6: 299, Pickford & color blindness, 2: 207, Hartridge factor analysis, 2: 288, Jones tests, 7: 88, Hardy, 7: 224, Gürtler tests of defectiveness, 7: 223, Bally

oma
see eclampsia
ongenital dislocation of him 4: 149

congenital dislocation of hip, 4: 149, Dindo consanguinity see also isolate

& perinatal mortality, 2: 291, Sutter Roman Catholics of Cologne, 2: 210, Panse

tuberculosis, 5: 290, Turpin constitution, 3: 398, Olavide, 3: 398, Ostertag

see also sexual precocity

"anenzymia catalasea", a new abnormality, 5: 104, Nakamura asthenic, 2: 105, Mall

athletes, 8: 199, Grebe critique, 2: 410, Karlik, 5: 188, Hunt constitution, continued developmental physiology, 8: 59, Kret-

schmer

dwarfism, 8: 58, Kirchhoff endocrine problems, 8: 58, Jahn

enlargements of local body sections, 6: 367, Grebe

factorial study of types, 5: 188, Howells growth, 6: 366, de Toni

obesity, 6: 300, Scholten

ocular signs, 5: 187, Dunphy constitution & disease, 1: 229, Ostertag, 5:

104, Perret, 6: 369, Reynolds diabetes, obesity, hypertension, 8: 196,

Bauer schizophrenia, 5: 105, Rego skin allergy, 3: 90, Rost somatotyping, 3: 190, Morris

tuberculosis, 3: 394, Burkhardt constitution & neuroses, 1: 227, Kretschmer contraception & eugenics, 5: 188, Gutt-

contracture

see Dupuytren's contracture finger V, 1: 109, Marton convulsion

macher

& sex ratio, 6: 299, Ounsted coproporphyria, 8: 196, Berger cornea

see also microcornea

degeneration, 2: 287, Glees, 6: 367, Gruber degeneration, crystalline, 4: 385, Forni, 5: 187, Franceschetti

degeneration, posterior limiting membrane, 3: 85, Forni

keratitis & nervous dis. in isolate, 2: 288, Jequier

post-corneal membrane degen., 3: 298,

corneal dystrophy, 1: 111, Silva, 2: 101, Anonymous, 5: 406, François

granular, 8: 56, Bourquin Groenouwova type, 3: 85, Dolének

marginal, posterior, 2: 213, Streiff Meesmann-Wilke type, 3: 300, Paufique parenchymatous, dominant, 8: 198, Des-

vignes rare form, 8: 204, Stocker

Fuch's, 5: 288, Mortelmans

corneal dystrophy synd., 1: 225, François corneal endochelium

defects, 4: 231, Levitt corneal xanthoma, 2: 291, Sysi coronary atherosclerosis

over age 60, 5: 100, Boas coronary disease, 2: 101, Adlersberg

w. hyperlipemia & xanthoma, 2: 202,

w. hypertension, diabetes & obesity, 7: 452. Thomas

w. xanthomatosis & hypercholesteremia, 5: 190. Pomerantz

counseling, 4: 231, Dice, 6: 297, Herndon, 8: 60, Pfändler

Finland, 3: 298, Heino

risk figures, 4: 148, Carter, 4: 384, Böök coxo-femoral dystrophy, 1: 224, Arslanian cranial synostosis, 8: 199, French w. epiphyseal dystr., 1: 226, Giraud

craniofacial dysostosis, 2: 286, Flippen, 6: 468. Bercher

in neuro-ectodermal synd., 2: 209, Micha-

mult. anomaly synd. w. dwarfism, 7: 452, Russell

cranio-stenosis

w. vitamin-D resistant rickets, 7: 87, Coleman

cranium

lacunae w. neurofibromatosis, 1: 226, Gilbert

cretinism, 6: 367, James, 8: 205, Zondek cretinism & mongolism, 2: 287, Gronemeyer cretins, goitrous, 3: 193, Stanbury

Creutzfeldt-Jakobs disease spastic pseudosclerosis, 3: 87, Jacob

crossing over

hemophilia, color blindness, 3: 397, 5: 104, Murakami

Crouzon's disease

see cranio-facial dysostosis cubitus vagus

see Turner's synd.

cutaneous & periosteal hypertrophy, 7: 87, Binder

cutaneous atrophy, w. senescence

new syndrome chain, 5: 290, Touraine cutaneous carcinomas

in albino bros., 5: 101, Curban

cutaneous embryopathy, 8: 196, Alvarez Cascos

cutaneous fibromas

w. diabetes & obesity, 4: 152, Touraine cutis frontis gyrata, 3: 85, Franceschetti & oxycephaly, MZ twins, 3: 87, Karabanow

cyanosis, 1: 109, Lutembacher cyanosis, methemoglobinemic, 2: 409, Beritič, 3: 297, 4: 224, 8: 198, Codounis cystic fibrosis of pancreas, 2: 105, Lowe, 2:

410, Lejmbach

acute form, 7: 450, Levesque

twins, 2: 204, Corner, 8: 60, Raubitschek cystine storage disease

Fanconi synd. w. aminoaciduria & dwarfism, 7: 87, Bickel

cystinosis, 5: 285, Brown

dwarfism, renal rickets, 1: 112, Ullrich w. glycogenosis, aminoaciduria & drawfism, 2: 205, Fanconi

cystinuria, 4: 148, Dent

amino acid excretion, 8: 200, Harris & retinitis pigmentosa, 1: 225, Brooks cysts

bone, 3: 187, Gieseking

kidney, 2: 211, Rall, 5: 186, Alderman, 7: 87, Arrigoni

see also polycystic kidney dis. liver; twins, 3: 193, Sylvest

polycystic affections, 2: 291, Szabados sebaceous, benign, 2: 202, Amerlinck cytology

see also mitosis

heteropycnosis in chromosomes, 3: 84, Barigozzi

cytomegalic inclusion-body disease twins, 7: 447, Bellamy

Daltonism, 2: 203, Belmonte, 2: 203, Campos two different types in relatives, 2: 205, Franceschetti

Danlos syndrome

see Ehler-Danlos syndrome

Darier's disease, 8: 203, Reynaers

see keratosus follicularis erythroderma, ichthyosiform, 7: 89, La-

Darwinism & speciation, 7: 225, Kozo-Polianskii

day blindness hemeralopia, 8: 201, Latte deafness, 2: 105, Lamy, 3: 91, Vuillemey, 4: 148, Calvet

see also tune deafness

ataxia & muscular wasting, 3: 190, Matthews

hemolytic disease of newborn, 3: 295, Calvet, 4: 226, Johnsen, 7: 224, Fisch I.Q. levels, 3: 89, Oléron

Lawrence-Moon synd., 2: 285, Burns

Menière's syndrome, 2: 203, 2: 285, Brown

mute MZ twins, discordant, 7:91, Wildervanck

MZ twins, discordant, 2: 208, Luchsinger, 8: 202, Matzker

ontogeny, 6: 300, Secrétan pathology, 3: 189, Kinney

pedigrees, 2: 104, Hopkins

retinal pigment degen. & amentia, 3: 191, Peterson

syndrome, 5: 106, Waardenburg

syndrome, MZ twins, 7: 223, Balavoine syndrome w. various anomalies, 8: 198, Franceschetti

Turner's synd., 3: 398, Perrault

varieties, 2: 208, Lehmann

deafness, congenital

retinal dystrophy (Sjogren), 4: 386, Holmgren

Rh hemolytic dis., 4: 148, Calvet

sex linkage possibility, 5: 187, De Vido deafness, nerve, 5: 101, Dolowitz

etiology, 3: 188, Goodhill Rh, 3: 86, Goodhill

deafness, nuclear

hemolytic disease of newborn, 4:385, Dublin

deaths, childhood & infant

17 uncommon causes, 1: 230, Wergeland ABO, 4: 390, Struthers

defects

see also abnormalities

congenital, non-genetic, 4: 225, Fraser

defective development, teeth embryology, 7: 451, Politzer

deformity

see also Madelung's deformity, spondylosis, toe, tongue

face, hand & forearm w. coloboma, 6: 472, Tower

nose, 4: 388, Nieuwenhuizse pes cavus, 2: 287, Garland

skeletal, & neurofibromatosis, 3: 192, Sillevis

skeletal, various, w. mandibular-facial dysostosis, 2: 206, Franceschetti

dysostosis, 2: 206, Franceschetti upper extremities, 2: 203, Birch-Jensen

Déjerine-Sottas disease, 3: 298, 4: 148, Creutzfeldt

amyotrophy, 2: 206, Francois

dementia, senile, 2: 102, Cresseri dementia syndrome w. epilepsy

clin. & autopsy, types, 4: 225, Ford

demonomania, 8: 56, Delay

Denmark

epidermolysis bullosa, incidence, 6: 365,

dental arcade variation

twins, 2: 411, Rittinen

dental development, 8: 200, Hals

dental-osseous dysplasia

see also cleido-cranial dysostosis

dentinogenesis imperfecta, 1: 229, Roberts, 4: 229, Stones, 5: 408, Potts, 7: 225, Ivancie

dentition, 2: 212, Schachter, 1: 228, Nicolas, 5: 287, Hervé

dentition abnormalities, 5: 102, Hausser twins, 6: 298, Kloeppel, 8: 200, Hertel

dentition, precocious, prenatal

twins, 6: 468, Briasco depression, psychotic

in MZ twins, 3: 190, Lustig

dermatitis

see also acrodermatitis

dermatoglyphs, 2: 108, Turpin finger ridges, 2: 205, Fischer

finger ridge count, asymmetry, 7: 88, Holt palms & intelligence, 2: 205, 2: 410, 3: 395, Fang

palms & mongolism, 2: 106, Penrose, 2: 286, 2: 409, Cummins

parent-child ridge count, 6: 365, Baitsch paternity tests, 3: 297, Brodhage, 3: 400, Wendt

race, 2: 292, Wolfe

race, British, 1: 226, Holt

race, Eskimo, 3: 184, Auer

race, Guayaki Indians, 2: 210, Oetting

race, Sudanese, 6: 300, Rife

simian line or crease, 6:301, Tillner

dermatology, 2: 108, 2: 214, van Campenhout, 2: 213, 5: 409, Touraine, 8: 198, Donati

dermatomyositis

& endocrine therapy, 6: 301, Wedgewood dermatosis

see also ichthyosis, kerato-, xeroderma unusual form, 7: 226, Pagliari

w. lupus erythematosis, 4: 230, Tikhonov detection, heterozygote, 8: 197, Boyd deuteranopia & Leber's dis., 2: 210, Paufigue developmental abnormalities

see also agenesis, myelomeningocoele, sexual precocity, spina bifida

multiple, 1: 230, Weber ova, in abortion etiol., 7: 90, Ruzicska spinal cord & column, 1: 227, Jackson teeth, embryology, 7: 451, Politzer developmental genetics, 1: 110, Ravin dextrocardia

with & without situs inversus, 6: 298, Lowe

diabetes, 1: 106, Burnstein, 2: 207, Harris, 2: 288, Harris, 4: 152, Thöne, 4: 223, Bartels, 4: 390, Watson, 5: 191, Thompson, 5: 191, Wilder

see also galactosemia, pentosuria age of onset, 3: 193, Thompson & goiter: PTC taste, 2: 207, Harris & sex-linked growth retardation, 3: 186,

Commons anticipation, critique, 3: 193, Steinberg, 5: 191, Steinberg, 5: 284, Anony-

mous, 8: 204, Steinberg constitution of parents, 2: 106, Pavel

ECG newborn, mother d.m., 7: 87, Bjorklund etiology, 2: 209, Munro

high fertility, 7: 227, Tombleson hypertension, coronary dis., 7: 452, Thomas

incidence, Denmark, 6: 469, Dreyer infantile, w. alcaptonuria, 7: 227, Saldun insulin resistant, 3: 184, Arrick insulin shock, var., 2: 214, Winkler juvenile, 8: 197, Casa parental consanguinity, 1: 226, Harris

prediction testing, 8: 57, Fajans

renal, 7: 452, Rieppi

sex differences, 2: 104, Harris sex incidence, 4: 386, Harris, 5: 405, Brakier

sex-linkage, 4: 147, Barker twins, 7: 447, Allan

w. taste blindness, Negros, 3: 193, Terry diabetes & obesity, constitutional

hypertension & obesity, 8: 196, Bauer w. cutaneous fibromas, 4: 152, Touraine diabetes insipidus, 3: 395, Dölle, 6: 299,

Pender, 8: 61, West, 8: 201, Levinger, 8: 202, Moelig, 8: 203, Romero Velasco

& hypercholesteremic xanthomatosis, 7: 224, Gilbert-Dreyfus

& retinitis pigmentosa, 2: 214, Zondek hypogonadism, 8: 202, Marinosci osteomegalic dystrophy, 6: 368, Mamou urinary tract changes, 3: 194, Weller diacyclothrombopathy a new thrombocytic dis., 2: 290, Revol diaphragm abnormality, 5: 288, Mertins see also hernia diaphysial aclasis, 1: 107, Fairbank

diaphysial sclerosis

multiple, 2: 106, Ribbing diencephalosis & feeblemindedness w. brachydactyly, 4: 226, Keizer

digestive disorders, 1: 105, Bateman, 2: 214,

Vague microcythemia, 2: 411, Mattei digital formulae, 1: 226, Huizinga digital osteoarthritis

Heberden's nodes, 7: 227, Stecher discriminatory analysis, 2: 106, Quenouille disease, 5: 103, Kemp

see also genetotrophic dis.
compulsive, 7: 90, Rüdin
genetically significant, 6: 470, Gripenberg
model experiments, mammals, 7: 450,
Nachtsheim

Swedish isolate, 4:384, Book dislocation

hip, 2: 102, Dubousquet shoulder, juvenile, 4: 387, Massotti disorders, hereditary

& family size, 2: 286, de Delbue disorders of growth, 6: 367, Hanhart disseminated lupus erythematosis see erythema

disseminated sclerosis No. Ireland, 7: 450 Millar

Scotland, 7: 449 Hadley distribution, geographic

see also blood groups, dermatoglyphs, hemoglobin, sicklemia, thalassemia, albinism, Nigeria, 5: 186, Barnicot hemoglobin C & D, Uganda, 7: 449, Jacob hemoglobin C, Negros So. Africa, 7: 448, Brain

hemoglobinopathies, Sudan, 7: 452, Roberts

muscular atrophy, No. Ireland, 8: 204, Stevenson

PTC taste, Denmark, 4: 388, Mohr PTC taste, Malayans, 8: 201, Lugg sclerosis, No. Ireland, 7: 450, Millar sclerosis, Scotland, 7: 449, Hadley sicklemia & blood groups, South India, 5: 103, Lehmann

dolichocolon

megacolon, 2: 102, Elzas

dominance

blood groups, 2: 292, Whiting clinical med., 1: 107, Fraser ocular, theory, 3: 301, Walls dropsy of eye

see hydrophthalmia

Duffy, 2: 288, Ikin, 3: 90, Rosenfield, 3: 186, Cutbush

& hemophilia, 3: 299, James, 3: 301, van Creveld

& Kell, 7: 447, Barandun anti-Fy<sup>b</sup> discovery, 3: 396, Ikin distribution, geographical, 3: 300, Race family analysis, 4: 231, Race interaction w. Rh, 6: 299, Mohr quantitative aspects, 5: 409, Race transfusion reaction, 5: 287, Hutcheson duodenal cancer, 2: 213, Unger duodenal ulcers, 4: 387, McCormack, 8: 199, Grebe

separateness from gastric, 4:385, Doll Dupuytren's contracture, 3:396, Laane, 8: 197, Bosch

w. Charcot-Marie & Recklinghausen's dis., 5: 106, Ventura

dwarfism, 2: 287, Gusinde, 4: 227, Laurance & constitution, 8: 58, Kirchhoff cystinosis, renal rickets, 1: 112, Ullrich Fanconi synd. w. cystine storage dis. & aminoaciduria, 7: 87, Bickel

Mauria syndrome, 1: 108, Havránek dwarfism & cranio-facial dysostosis mult. anomaly synd., 7: 452, Russell

dwarfism, hypophysial, 8: 58, Kirchhoff w. hexadactylism, 4: 228, Richet w. mult. malformations, 5: 289, Risetti

dwarfism, renal MZ twins, 3: 299, Milne dysautonomia, 7: 450, Moloshok

see autonomic dysfunction dyschondrosteosis, 5: 103, Kaplan, 7: 448, Bertaud

dyscrasias, blood

& Pelger's anomaly, 5: 284, Alder dyslexia, 1: 226, 3: 188, 4: 386, Hallgren dysmorphia, cervico-oculo-facial w. deafness, 8: 198, Franceschetti

dysostosis
see also cranio-facial, gargoylism, man-

dibular-facial dysostosis, cleidocranial, 3: 394, Delon, 4: 152, Sandler, 4: 384, Cole

dysostosis, epiphysial, 3: 191, Pelikan

dysostosis multiplex

lipochondrodystrophy, 3: 395, Giampalmo dysphoria

Rh, 3: 185, Bindewald dysplasia

see also anhidrotic, chondrodysplasia, ectodermal, epidermal neuroectodermal, 3: 193, Tegelaers cranial, Bonnevie-Ullrich, 3: 301, Ullrich epiphyseal, 5: 406, Emr epiphysialis punctata, 1: 107, Fairbank

epiphyseat, 6: 400, Emr epiphysialis punctata, 1: 107, Fairbank fibrous, of jaws, 3: 189, Jones hyperplastic hairiness, 3: 186, Delbos long bones, crania, 8: 58, Jackson metaphyseal, 6: 470, Hermel periosteal, 7: 89, Kaplan

pigment, 2: 214, van Bogaert w. myopia & ophthalmoplegia, 3: 192,

Salleras dysplasia of Capdepont, 3: 186, Corbeil dysplastic osteopathy, 4: 384, Crecelius dysproteinemia, 2: 104, Homburger dysproteinosis

w. plasmocytomatosis & nephroproteinosis, 6: 468, Cacciari

dysraphia, 7: 223, Bergonzi dystonia musculorum deformans, 5: 101, Corner

dystrophia musculorum, 4: 150, Levison dystrophia myotonica

& cataract, 1: 107, Farber congenital defects, 7: 448, Caughey retinitis pigmentosa, 2: 103, Gotfredsen dystrophia unguis, 3: 297, Sprafke dystrophy

see also corneal, muscular, myotonic bullosis, epidermal, 1: 110, Neimann coxo-femoral, 1: 224, Arslanian cranial, w. spastic paral., oligophrenia & cataract, 2: 204, Cordier

divided patella, 2: 206, Franciosi epiphyseat w. synostosis, 1: 226, Giraud facial hypotelorism, 8: 61, Schachter neuro-vascular, 2: 214, Wadulla retinal, pigmented, 5: 106, Sjogren dystrophy syndrome

dermo-chondro-corneal, 1: 225, Francois ear disorders

see also labyrinthine sclerosis ear-eye syndrome, 3: 298, Francois ear lobes, race mixture, 8: 57, Gates ear muscles, 2: 105, Linder

anomalies, in synd., 2: 207, Hanhart ears, supernumerary, 2: 105, Miller

eclampsia, 5: 405, Bassett, 6: 366, Cimberle ectodermal

see also neuroectodermal

ectodermal atrophy

nails, eyebrows, lashes, 1: 224, Borner ectodermal dysplasia, 3: 92, Zoon, 3: 298, Ellingson, 8: 201, Klein

see also anhidrotic

anhidrotic synd., 1: 230, Tanissa, 4: 231, Metson, 5: 409, Verger, 7: 89, Marans

hidrotic & anhidrotic, 8: 199, Gotz oligodontia, 8: 61, Stern pigmental, 2: 214, van Bogaert w. achondroplasia & morbus cordis, 4: 226, Keizer

w. anodontia, 6: 471, Sarnat ectodermal syndrome

canities, tooth aplasia, hyperhidrosis, 2: 101, Book

ectodermo-neural dysplasia, 3: 193, Tegelaers

ectopia lentis, 7: 450, Lafont see also Marfan's synd. in aniridia, 1: 106, Callahan ectrodactyly, 4: 151, Mac Kenzie

edema, angioneurotic, 1: 111, Sheldon glottis, 2: 288, Hamburger edema, facial

Melkerson synd., 6: 469, Cavalca

Ehlers-Danlos syndrome, 1: 227, Johnson, 2: 288, Jaerger, 3: 296, Lépinay, 4: 230, Vazquez, 6: 300, Reynaiers, 7: 447, Berardi

& Groenblad-Strandberg synd., 2: 204, Cottini

one twin, 6: 366, Dorsch possible mechanism, 4: 387, Kanof w. Marfan's synd., 3: 398, Roederer elbows, abnormal

w. knees & nails abnor., 2: 292, Wildervanck, 4: 388, Mosbech

electrodermatogram

smith

sex & bilateral diffs., 7: 223, Baitsch variation & heritability, 7: 447, Baitsch electroencephalography

Huntington's chorea, 4: 225, Harvald Negros & whites, 6: 299, Mundy-Castle sex differences, 6: 300, Smith

electrolysis, erythrocytes antibody-sensitized cells, 3: 395, Gold-

electrophoretic patterns individual variation, 6: 468, Bernfield elliptocytosis, 1: 106, Bernard, 1: 226, 2: 206, Guasch, 3: 194, Undritz, 7: 224, Dreyfuss, 8: 200, Hedenstrom, 8: 201, Letman

& hemolytic icterus, 5: 406, Druez & other hemolytic diseases, 7: 90, Motul-

linkage w. blood groups, 6: 297, Goodall, 6: 298, Lawler

w. hemolytic anemia: splenectomy, 8: 59, Lipton

Ellis-Van Creveld syndrome see also ectodermal dysplasia

embryology, 1: 227, Irwin

embryopathy, cutaneous, 8: 196, Alvarez Cascos

enamel

amelogenesis, 4: 229, Stones

dystrophy, w. epidermolysis bullosa, 3:87, Knierer

hypoplasia, 2: 290, Rushton

encephalitis, 5: 188, Heuyer from vaccine, 6: 295, André-Balisaux

encephalopathy diff. diag. schizophrenia, 8: 202, Parfitt

endochondral dysostosis see also gargoylism

& granulation of leukocytes, 6: 370, Ullrich

Pfaundler-Hurler synd., 7: 224, David endocraniosis

sex & intersex, 7: 226, Paltrinieri

endocrine disorders

see also acromegaly & constitution, 8: 58, Jahn

gout, 1:231, Wolfson

endocrine syndrome see hemochromatosis

endogamy

see also isolates

endothelial defects, 3: 397, Lloyd, 4: 387, Levitt

cornea, 4: 231, Levitt

enzyme

anenzymia, 5: 104, Nakamura enzyme formation, 8: 198, Davis

enzyme-treated red cells

in Rh sensit. tests, 3: 301, Wiener

eosinophilia, 1:111, Sumita

hypereosinophilia, 3: 295, di Guglielmo leukemic, 2: 206, Gray

Loeffler's syndrome, 4: 229, Shechter

epidermal dysplasia

in precancerous synd., 3: 188, Hufnagel verruciform, 8: 200, Hermann

epidermolysis, 8: 199, Guglielmo

epidermolysis bullosa, 1: 225, Duyzings, 2: 213, Thompson, 3: 299, Katzenellenbogen, 4: 388, Noojin, 7: 225, McDaniel

congenital, 7:90, Rohmer, 7:226, Neyroud Denmark, incidence, 6:365, Bulow differential diagnosis, 6:472, Vogel

dystrophy, 2: 288, Jaeger, 5: 286, Fröhlich, 5: 407, Laplane, 7: 449, Enell, 8: 55, Baumann, 3: 87, Knierer, 6: 297, Imperato

mutation rate, Sweden, 5: 285, Book obstetric problems, 6: 473, Winckelmann epilepsy, 2: 412, Svendsen, 3: 184, Anonymous, 3: 299, Lennox, 6: 471, Michaux, 7: 447, Alstrom, 8: 201, Kim-

& myoelonus of jaw muscles, 3: 92, Yde & schizophrenia, 3: 296, Mitsuda & thalassemia, 5: 288, Portier comprehensive study, 4: 383, Alström in tuberous sclerosis, 2: 205, Fontan maternal & fetal factors, 7: 451, Pasamanick

mental hygiene, 4: 386, Gordon sterilization question, 4: 387, Lundin twins, 3: 189, Kammerer, 5: 101, Castells, 6: 298, Lennox, 8: 201, Lennox

twins, MZ, 4: 148, Daly, 8: 59, Lamy w. ataxia, dementia & arachnodactyly, 2:

210, Myle w. choreoathetosis, 5: 105, Pryles

w. melancholia & retinitis pigmentosa,
 8:61, Sciorta

epilepsy, electroencephalographs mental deficiency, adenoma, 5: 409, Solo-

twins, 2: 289, Little

epilepsy, myoclonic, 4: 152, Solé Sagarra clin., anat., 7: 448, De Ajuriaguerra gladular obesity, 3: 184, André van Leeuwen

Negros 8: 200, Janssen
p...the.ogy, 1: 109, Morse
epilepsy, myoclonic & dementia
clin. & autopsy, types, 4: 225, Ford
epiphysial chondro-dysostosis, 3: 191, Peli-

ken epiphysial dysplasia, 1: 107, Fairbank, 5: 406, Emr

w. cranial synostosis, 1: 226, Giraud

epistaxis

w. telangiectasia, 2: 287, Gambacorta epithelial dystrophy

see also corneal dystrophy epithelioma adenoides cysticum

Brooke's tumor, 3: 397, Moncorps erythema

chronic, twins, MZ, 5: 407, Grünhagen exudative, twins, MZ, 2: 214, van Door-

lupus, 3: 394, Davis, 4: 230, Tikhonov nodosum, 4: 385, Fry erythrocyte

> see also methemoglobinemia, microcythemia, ovalocytosis, Pelger's anomaly

ABO substances, 3: 86, Hamasato agglutination, 1: 109, Ludewig, 3: 91, Wall agglutinogens, mosaic structure, 5: 191, Wiener

antibody-globulin coating test, 5: 409, Wiener

antibody-sensitized cells, 3: 395, Gold-smith

antigens, physiol., 3: 191, Moskowitz acanthrocytosis, 5: 191, Singer giant size, multinuclear, 4: 390, Wolff polysaccharides, 3: 86, Hamasato

erythrocyte, enzyme-treated in Rh sensitization tests, 3: 301, Wiener erythrocyte, malformation & disease

fragility in ABO hemolytic disease, 3: 398, Robinson

retinitis pigmentosa, 2: 284, Bassen Rietti-Greppi-Micheli synd., 2: 409, Bussi sicklemia, 2: 210, Neuda, 2: 411, Serra, 3: 192, Schneider

thalassemia mechanism, 3:86, Hamilton methemoglobinemic cyanosis, 8:198, Codounis

erythroderma, icthyosiform, 4: 225, Fitzgerald

Brocq's dis., 6: 367, Huštáková bullous type, Darier's dis., 7: 89, Lapiere erythrodontia

w. porphyria & anemia, 8: 61, Weremowicz

Eskimos

MN & Rh, 1: 109, Matson eugenics, 7: 89, Kallmann see also intelligence, fertility & psychiatry, 7: 449, Kallman & selection, 1: 230, Stern

dermatoglyphs, 3: 184, Auer

contraception, 5: 188, Guttmacher in Czechoslovakia, 4: 223, Batkis in Finland, 5: 100, Anonymous, 5: 288, Pequingnot

in France, 5: 408, Osborn in Germany, sterilization, 5: 191, Schubert in North Carolina, sterilization, 4: 149, Gamble

positive, 4: 231, Osborn preventive medicine, 5: 407, Herndon risk figures, counseling, 4: 148, Carter sterilization, fertility, 5: 187, Cook rare traits in isolates, 2: 104, Hofsten evolution

human, future, 1: 108, Haldane mutation & selection, 8: 202, Nachtsheim excretion patterns, 7: 87, Berry exophthalmos, 1: 227, Lisch exostoses

& chondrosarcoma of ilium, 4: 151, Monro fragility of bones, 4: 385, Dominguez Navarro

multiple, 1: 107, Fairbank, 4: 226, Jackson

osteogenic dis., 3: 187, Desgrez extremities

see also finger, keratosis, toe deformities, 2: 203, Birch-Jensen eyebrows, lashes, stunted

w. nail atrophy, 1: 224, Börner eye color, 2: 104, Hruby

linkage w. red hair, PTC, blood groups, 6: 297, Hauge

progressive changes, 2: 106, Riddell eye disorders, 2: 211, Riddell, 8: 197, Capalbi see also choroidal, coloboma, cornea, hydrophthalmia, macula, ptosis, retina, retrolental fibroplasia

anterior segment, 1: 107, Falls fistulas & supernumerary lacrimal canals 2: 212, Sedan

in Friedreich's ataxia, 2: 107, Stadlin in Marcus Gunn syndrome, 1: 107, Falls in Niemann-Pick disease, 7: 225, Mala-

in Swiss isolate, 2: 210, 2: 290, 2: 411, Pfändler

megalopapilla, 2: 287, Franceschetti review, 3: 295, Del Rio Cabañas eye muscle defect

motility, atypical, 2: 106, Pau & nystagmus, 2: 207, Hufler

new Rh agglutinin, 6: 300, Sanger, 7: 89, Jones face & jaw

see also mandibular-facial dvs. Chvostek's sign, 4: 150, Klotz form, 5: 407, Korkhaus, 8: 197, Cauhepe ocular hypotelorism, 8: 61, Schachter w. neuro-dystrophies, 6: 468, Bercher

w. ocular complications, 5: 286, Franceschetti

factor analysis

color vision, 2: 288, Jones

intelligence, MZ twins, 8: 56, Blewet family size

& hered. disorders, 2: 286, de Delbue in successive generations, 5: 405, Berent

Fanconi's anemia, aplastic see anemia, aplastic

Fanconi syndrome, 1: 110, Rohr, 4: 384, Baumann, 5: 101, Dimson, 5: 105, Reinhold

cystine storage disease, aminoaciduria & dwarfism, 7:87, Bickel

far sightedness

histol. & physiol., 3: 398, Richter

fascia contracture see Dupuytren

fat, 2: 208, Lauter

hair, chem., 6: 339, Nicolaides

fat metabolism

see also hyperlipemia, lipo-, steatorrhea

fat vaculoes of leucocytes in musc. dyst., 6: 470, Jordans

favism

& allergy, 4: 388, Murano hematology, 2: 409, Carcassi

feeblemindedness syndromes

& brachydactyly, 4: 226, Keizer & paraplegia in Schilder's disease, 5: 188, Heuyer

see keratoderma

femur

hypoplasia, 5: 288, Pfandler fertility

& ABO, 6: 295, Allan & hered. dis., 2: 286, de Delbue

& intelligence, 2: 203, Burt, 2: 291, Stern, 3: 400, Warburton, 4: 229, Shuey, 6: 468, Anonymous, 7:87, Asdell

eugenics, 5: 187, Cook

in successive generations, 5: 405, Berent iso-immunization, 5: 105, Rezende mental deficiency, 6: 300, Reed multiple births, quintuplets, 3:89, Nichols

O & A women, 5: 407, Kirk

fetal injury

by transfusion, 5: 103, Langendorfer fibrinogen

see also afibrinogenemia

deficiency, 2: 290, Revol, 5: 190, Ratnoff fibroadenoma, mammary

cancer-like, 3: 90, Smorlesi

fibrocystic disease

see cystic fibrosis

fibromas, cutaneous

w. diabetes & obesity, 4: 152, Touraine fibromatosis, 3: 296, Lagroua-Weill-Hallé fibroplasia, retrolental

blood groups, 6: 369, Paul

fibrosis, pulmonary

MZ twins, 3: 191, Peabody

fibrous dysplasia of jaws, 3: 189, Jones fibrous swelling of jaw, 3: 297, Caffey Fiessinger-Leroy-Reiter syndrome, 4: 225,

Fabregoule

finger

middigital hair, 1: 224, Bernstein

finger abnormality

clinodactyly, 8: 202, Marinis

clubbed, 2: 214, Wurl clubbed, w. osteopathia, 5: 101, Crecelius

ectrodactyly, 4: 151, MacKenzie perodactylia, 8: 56, Degenhardt

V, contracture, 1: 109, Marton

V, degeneration, 3: 393, Arens finger length, 1: 226, Huizinga

finger prints

see also dermatoglyphs mongolism, 3:396, Holt

quantitative survey, 1: 226, Holt

finger ridge count

parent, child, 6: 365, Baitsch

paternity determination, 3: 297, Brodhage Finland

eugenics, 5: 100, Anonymous, 5: 288, Pequingnot

somatic diseases & counseling, 3: 298, Heino

fistulas, lower lip, 3: 189, Koechlin

fistulas, ocular

& supernumerary lacrimal canals, 2: 212, Sedan

fitness, 1: 229, Penrose

parental & fraternal correlations, 1: 226, Haldane

Folling's disease

see phenylpyruvia

foot anomalies, 6: 300, Shands

foot deformity

incidence, 4: 229, Stewart

form, 3: 296, Reeve

fragility, bones, 8: 203, Righini

see also osteogenesis imperfecta, osteo-

exostosis, 4: 385, Dominguez Navarro synd. & treatment, 5: 188, Hernberg

fragility, red cell

hemolytic disease, Rh(D), 7: 449, Green-

Franceschetti's syndrome, 1: 224, Brégeat, 2: 103. Franceschetti see also mandibular-facial dysostosis

incomplete expression, 2: 103, Halberg

frenulum linguae syndrome & tooth absence, 3: 86, Garate

Friedlander's bacillus meningitis twins, 1: 111, Schwartzman

Friedreich's ataxia

see also ataxia

cardiopathy, 3: 190, Lorenz

chorioretinal changes, 2: 213, Stadlin diff. diag., Charcot-Marie dis., 3: 87, Kis-

paranoia & retinitis pigmentosa, 6: 473, Winnik

w. optic & cochlear atrophy, 6: 368, Morsier

frontal bone

see also metopic suture hyperostosis, 2: 202, Appel

Fuchs' atrophy

w. retinitis pigmentosa, 2: 203, Bourquin Fuch's dystrophy

corneal, 3: 397, Lloyd, 5: 288, Mortelmans funduscopic changes

& diseases, 4: 152, Woltman

dystrophy, unusual, 2: 213, Sorsby

lesions in Bourneville's dis., 2: 210, Pesme

galactosemia, 8: 200, Holzel & liver degen., 5: 102, Haas

gall bladder

absence, 3: 87, Kobacker cysts, 1: 224, Bonnet

Galton laboratory, prospectus, 1: 110, Pen-

ganglioneuroblastoma, 4:153, Zimmerman gargoylism, 4: 226, Jackson, 7: 224, Cunningham, 7: 224, David, 8: 200, Jans-

seune

see also lipoidosis & corneal dystrophy, 5: 406, François & granulation of leukocytes, 6: 370, Ullrich

clinical & diag., 4: 386, Jackson late form, 2: 214, Wiedemann

twins, opp. sexes, 7: 224, Craig w. late amaurotic idiocy, 5: 189, Levy

gastric cancer, 7: 449, Girard, 3: 92, Woolf & blood groups, 8: 202, Muller

gastric ulcers, 8: 199, Grebe separateness from duodenal, 4: 385, Doll gastro-intestinal diseases

acrodermatitis, 3: 90, Romeo gastro-intestinal hemorrhage

telangiectatic, 7: 449, Hardt, 8: 62, Wil-

Gaucher's disease, 2: 101, Anderson, 2: 213, Strengers, 8: 57, Dworkin see also lipoidosis

& Niemann Pick's, 7: 227, Rodríguez Acuña

infantile, 2: 108, Stransky Negro case, 1: 225, Choisser

gene frequencies

analysis tech. in handedness, 2: 290, Rife estimation methods, 7: 223, Boyd race mixture & differences, 2: 203, Boyd selection, theoretical, 3: 298, Hofsten six blood group systems, 2: 107, Sanger stability in pops., 8: 203, Penrose genes

association, probabilities, 5: 103, March-

and di-genic dystrophy, 4: 228, Pintus

distribution & probability, 5: 103, Ko-

role in development, 1: 110, Ravin structure of populations, 2: 412, Wright genetics

see also alleles, chromosome, random mating

in clinical research, 4: 147, Book pathways, theoretical, 6: 298, Lewis Roman Catholic statement, 6: 296, Dob-

zhansky medical practice, 3: 299, Neel genetotrophic disease, 3: 92, Williams alcoholism, 2: 292, Williams

nutrition, 7: 224, Elbert therapy, 6: 301, Williams

genital abnormalities, 3: 88, Matheson & gynecomastia, 7: 451, Peters

gerontodermia

new type progeria, 2: 101, Bamatter gingival hyperplasia, 2: 287, Garn

glandular abnormality see also acne, ectodermal dysplasia & tetanus, 3: 91, Uhlemann

Glanzmann syndrome

Rh & dysporia, 3: 185, Bindewald glaucoma, 2: 211, Posner, 4: 147, Biro, 4: 149, Francois, 4: 231, Frey, 8: 56,

Desvignes

in aniridia, 1: 106, Callahan incidence, 2: 211, Phelps in Negro, 4: 390, Venable senile, 8: 204, Tornquist

senile & presenile, 2: 108, Waardenburg, 3: 91, Waardenburg

glioma

Coats's disease, 3: 191, Pajtas pseudoglioma blindness, 1: 231, Wilson glioma, retinal, 4: 151, Rieger, 4: 229, Rieger, 8: 202, Musini

see also retinitis pigmentosa & run test for Mendelism, 8: 205, Vogel glottis

angioneurotic edema, 2: 288, Hamburger glucose

kidney defect, 8: 201, Luder

obesity-hyperglycemia synd., 6: 368, Mayer

glycogen disease of heart, 5: 285, Childs glycogenosis, 3: 188, Hořejší, 6: 472, Tishina w. aminoaciduria, cystinosis, & dwarfism, 2: 205, Fanconi

glycosuria

& aminoaciduria, 8: 200, Juillard renal, linkage, 3: 396, Houston goiter, 8: 205, Zondek

adenomatous in MZ twins w. schizophrenia, 6: 468, Aschner

& cretins, 3: 193, Stanbury

& diabetes: PTC taste, 2: 207, Harris

lingual, & rhinophyma, 5: 287, Kulenkampff

nodular, 2: 104, Jackson non-toxic, 6: 471, Pugh

gonadotrophin assay, 5: 289, Rollins gonads

& Laurence-Moon synd., 2: 287, Francke gout, 2: 202, Adlersberg, 3: 301, Smyth, 4: 152, Wilson, 8: 201, Lenzi

see also joint dis., osteoarthritis hyperuricemia, 2: 108, Stecher in baby girl, 3: 191, Rauch

in men & women, 1: 231, Wolfson

senescent, women, 2: 291, Violle uric acid excretion, 7: 228, Wilson granuloma, 3: 298, Crevssel, 7: 90, Schie

granuloma, 3: 298, Creyssel, 7: 90, Schier see also xanthoma

granuloma of bone

histiocytic or eosinophilic, 3:394, Creyssel green teeth

Rh incompatibility, 5: 103, MacRae Groenblad-Strandberg syndrome & Ehlers-Danlos synd., 2: 204, Cottini growth, 3: 296, Reeve

see also sexual precocity children, 1: 108, Hughes

disorders, 6: 367, Hanhart exceptional children, 3: 191, Olson

puberty, delayed, 5: 285, Decourt puberty, precocious, 1: 111, Schachter, 5: 287, Jacobsen

retardation, & diabetes, sex linked, 3: 186, Commons

twins, 6: 301, Tisserand-Perrier vertebral column, 5: 409, Tanner

growth & constitution, 6: 366, de Toni gynecology, 5: 103, Malcovati, 5: 189, Malcovati

gynecomastia

& genital abnormalities, 7: 451, Peters Hailey's disease, 1: 110, Rosenthal see pemphigus

hair

loss patterns, 3: 397, Light middle-phalangeal, 1: 224, Bernstein, 4: 385, Garn

ringed, 2:284, Ashley

hair disorder

see also baldness, ectodermal dysplasia, hypotrichoses, poliosis, trichorrhexus

hair fat

chem. composition variation, 6: 369, Nicolaides

hairiness

hyperplastic polydysplasia, 3: 186, Delbos hair pigment

see also red hair

dilution in phenylketonuria, 3: 394, Cowie microscopy, 8: 197, Birbeck premature greying synd., 2: 101, Book rase differences, 7: 226, Pezard

Hailervorden-Spatz disease see progressive rigidity hand

see also Dupuytren's contracture, finger, keratoderma, thumb

multiple malformations, 5: 407, Lehmann handedness, 1: 107, Eustis, 2: 284, Bakwin, 2: 290, 4: 229, Rife

haptene

Rh, 1: 106, Carter

Hardy-Weinberg law, modification small populations, 3: 88, Moree

harelip

etiology, 8: 57, Gabka incidence, 3: 295, Haym parental age, 5: 287, McEvitt

harelip & cleft palate

MZ twins, 3: 400, 4: 230, Wildervanck parity & mat. age, 2: 289, Makowsky

Hashimoto's disease

see struma lymphomatosa head abnormalities, 7: 200, Horlacher headache

see migraine

hearing disorders

retinitis pigmentosa, 2: 202, Appelmans Rh incompatibility, 7: 451, Rauch

heart

see also cyanosis, glycogen disease auricular sinus, 3: 190, Monis progr. musc. dystr., 4: 230, Zatuchni septal defect, interventricular, 2: 214, Vakil

septal defect, MZ twins, 4: 385, Forsyth symptoms in arachnodactyly, 3: 192, Reynolds

heart abnormality, 2: 103, Guggenheim rats & men, 2: 292, Wilson

heart asymmetry

dextrocardia 6: 298, Lowe

heart atrioventricularis

synd. w. absent spleen, etc., 6: 299, Polhemus

heart block, 4: 387, Martinez Aparicio etiopathology, 8: 202, Mosetti

heart disease, 2: 203, Campbell, 4: 385, Elshove, 5: 406, Fornara

see also morbus cordis, myocardiopathy sudden failures, 6: 370, Taschen

& mongolism, 5: 102, Granata etiology, 8: 203, Polani

MZ twins, discord., 5: 291, Wade

heart, enlarged, 4: 384, Bland see also cardiomegaly

heart lesions, 4: 389, Sorensen heart malformations & asymmetry, 2: 291, Torgersen parity & mat. age, 5: 103, MacMahon hebephrenia

twins, 3: 295, 5: 186, Boittelle

Heberdeen's nodes

see also joint diseases, osteoarthritis digital arthritis, 7: 227, Stecher

hemagglutinins

combination energy, 2: 205, Filitti-Wurmser

in spherocytosis & anemia, 3: 301, Wright titration technique, 2: 285, Carlinfanti origin of, natural, 3: 301, Wiener

hemangiectasis

causing limb hypertrophy, 7:90, Petschelt hemangioblastoma

cerebellar, 3: 297, Anonymous, 6: 365, Adams

cerebral, spinal, 2: 204, Craig

hemangioma of cerebellum, 4: 390, Tonning hemangioma of retina

see also Lindau-von Hippel disease

hemarthrosis

& sicklemia, 5: 101, Capriglione hematology, 7: 225, Lamy

hematoma

hemophilia & diabetes insipidus, 7: 225, Jamieson

Hematoma, sublingual

w. hemophilia, 2: 203, Bischoff

hematuria, 7: 226, Reyersbach

& telangiectasia, 1: 225, Campbell sicklemia, 7: 452, Vernier, 8: 58, Hoefnagel

hemeralopia, retinography, 8: 201, Latte hemiatrophy, facial

ocular complications, 5: 286, Franceschetti

hemochromatosis, 1: 108, Lawrence, 3: 90, Risolo

endocrino-hepato-myocardial, syndrome, 5: 408, Nussbaumer

hemoglobin

alkali-resistant, in normal children, 7: 224, Choremis

hemoglobin, abnormal

see also hemolytic anemia

hemoglobin, abnormal, C, 6: 300, Space biochem., clin. & genetic, 6: 299, Ranney distribution, Negros, So. Africa, 7: 448, Brain

four cases, 8: 200, Hartz incidence & clin. signif., 6: 472, Smith pathophysiology & formation, 8: 204, Thomas

pleurisy, anemia & CC, 7: 451, Portier hemoglobin, abnormal C & D

distribution, Uganda, 7: 449, Jacob hemoglobin, abnormal, C & S, 8: 203, Scott, 7: 450, Morgan

diff. diag. by paper EPH, 6: 369, Schneider

hemoglobin, abnormal, new, 3: 87, Itano, 4: 387, Kaplan, 7: 227, Terry & sickle cell hemoglobin, 4: 387, Kaplan

hemoglobin, abnormal, S, 4: 388, Neel amino acid composition, 8: 58, Husman detection, F & S, 6: 295, Beaven hemoglobin content, 3: 301, Wells in Negros, 8: 204, Singer S & A, 8: 59, Morgan

S & F, 4: 389, Singer

hemoglobin, abnormal, S & D interaction, 8: 204, Sturgeon

hemoglobins, abnormal, 7: 452, Sacks alkali-resistant F vs. thalassemia, 8: 203, Perosa

amino-acid composition of 4, 8: 200, Huisman

chromatographic studies, 8: 203, Prins distribution, Sudan, 7: 452, Roberts F & A in hemol. dis., 7: 90, Schulman hemoglobin molecule anomaly, 7: 451,

Pauling nomenclature, 6: 366, Chernoff paper electrophoresis, 7: 226, Motulsky present status, 7: 224, Elosegui types & clin. significance, 8: 203,

Schwartz varieties, 7: 228, White, 7: 447, Anony-

various combinations, 7: 450, Lawrence w. hemolytic disorders, 8: 204, Singer hemolysins, natural

origin of, rev., 3: 301, Wiener hemolysis, acute, 2: 284, Bernard hemolytic anemia

see also hemolytic disease of newborn, sicklemia, thalassemia

bone necrosis, 6: 300, Reich borderline cases, 7: 448, Codounis congenital, 3: 300, Shellhouse defective hemoglobin synthesis, 3: 190,

Mills hemoglobin molecule anomaly, 7: 451, Pauling

in newborn, 3: 187, Fois

non-spherocytic, 3: 87, Kaplan w. jaundice, 8: 60, Papazian hemolytic crisis

spherocytosis, 3: 88, Li

hemolytic disease, 4: 229, Silvestroni
see also elliptocytosis, spherocytosis
w. hemoglobinopathies, 8: 204, Singer

hemolytic disease of newborn, 1: 109, Mollison, 6: 296, Ceppellini, 7: 451, Rezende

see also heterospecific pregnancy, incompatibility, iso-immunization, jaundice, kernicterus

analysis of 50 cases, 2: 287, Ginsberg analysis of 66 cases, 8: 204, Tenney anti-human globulin serum, 2: 412, van

Loghem cause of isolates, 6: 297, Huser

deafness, 4: 226, Johnsen, 7: 224, Fisch

deafness, nuclear, 4: 385, Dublin diag. & treatment, 5: 104, Mollison

diag., progn. & prevention, 5: 105, Prokop first born, 3: 394, Dahr, 6: 468, Banssillon, 6: 472, Vries

frequency, 3: 399, Silvestroni, 5: 104, Pettenkofer

hemoglobins F & A, 7: 90, Schulman heterospecific pregnancy, 2: 206, Grundorfer

icterus, 1: 106, Brancato

incidence, 1: 228, Machado, 1: 231, Ziegler incidence in sisters' newborn, 5: 407, Gerrard

malformations, fetal, 1: 106, Biskind, 8: 199, Giocoli

maternal isoimmunization, 4: 225, Formaggio, 5: 106, Van Loghem, 6: 297, Goirand, 6: 366, Goirand

mental deficiency, 2: 287, Gerver, 3: 399, Soulairac, 4: 148, Desclaux, 4: 153, Zwerling, 4: 229, Soulairac

mortality changes, 3: 91, Vaughan multiple pregnancies, 1: 110, Sadowksy neuropsychological consequences, 2: 108, Turpin

newborn's group-specificity, 3: 394, Cavagnino

new knowledge, 5: 188, Guilhem paradoxes, 7: 88, Houel pathogenesis, 5: 287, Hirzfeld placenta studies, 2: 212, Schmidt pregnancy factors, 1: 109, Mullen premature delivery, 7: 91, Watson prognosis, 4: 148, Chown hemolytic diseases of newborn, continued Schwartzman phenomenon, 1:231, Wiener serological observ., 3:191, Nordmeyer statistics, 2:289, Lucia stillbirth, 7:223, Allen

transfusion as a factor, 7: 226, Mellone transfusion therapy, 2: 202, Allen, 7: 89, Katzenstein

twins, 4: 150, Kelly, 5: 290, Vaughan type, rare, 5: 100, Assus types & frequency, 2: 207, Hirszfeld

hemolytic disease of newborn, ABO, 1: 226, Hubinont, 1: 230, Tisdall, 2: 210, Paine, 2: 412, van Loghem, 3: 90, Revol, 4: 388, Provenzano, 5: 100, Bryce, 5: 101, Carriere, 5: 104, Pigeaud, 5: 186, Ballowitz, 5: 290, Trampuz, 7: 226, Revol, 7: 449, Hummel, 8: 61, Shumway

anti-A, 1: 224, Boorman, 1: 228, Mitchell, 1: 228, Mollison, 3: 296, Lambotte-Legrand, 3: 394, Chaptal, 3: 396, Lambotte-Legrand, 3: 399, Spielmann, 5: 101, Cazal, 5: 288, Phansomboon, 5: 408, Moulinier, 6: 469, Garmier, 7: 449, Kissmeyer-Nielsen

anti-A subgroups, 1: 224, Bock, 3: 192, Sachs, 3: 393, Berndt, 7: 449, Hubinot

anti-B, 3: 399, Siciliano, 4: 385, Frumin A-O incompatibility, 5: 100, Berger, 6: 295, Bennett

excess of O mothers, 8: 205, Unger heterospecific preg., 7: 452, Schiff 1480 cord bloods, 8: 60, Rosenfield prevention, 5: 187, Flynn spherocytosis, fragility, 3: 398, Robinson study of normal infants, 7: 228, Zuelzer transfusion therapy, 3: 90, Seigneurin

hemolytic disease of newborn, Duffy, 5: 287, Hutcheson

hemolytic disease of newborn, Kell, 4: 228, Prokop, 7: 223, Carneiro

hemolytic disease of newborn, Lewis, 4: 226, Kelus, 6: 368, Mellone

hemolytic disease of newborn, Lewis & Rh, 4: 224, Ceppellini

hemolytic disease of newborn, MN, 3: 90, Speiser, 4: 150, Lacaz, 7: 225, McIntyre

hemolytic disease of newborn, P, 3: 396, Krah

hemolytic disease of newborn, rare blood group Wr<sup>a</sup>, 6: 367, Holman hemolytic disease of newborn, Rh, 1: 231, Wiener, 2: 102, Broman, 3: 85, De Bellis, 3: 88, Lucia, 4: 226, Hirszfeld, 6: 301, Sussman, 7: 225, Jaffe, 8: 57, Gurevitch, 8: 201, Kelsall

abortion, 4: 228, Pothmann, 8: 198, Dahr abortion, mortality, malformation, 2: 208, Leopardi

antepartum factors, 2: 289, Lucia anti-C, 3: 184, Bakx, 7: 452, Unger, 8: 205, Wiener

anti-cE, 8: 58, Hoppe anti-C\*, 7: 224, Cazal

anti-D, 7: 224, Guasch, 7: 449, Greenwalt anti-E, 2: 213, Staveley

antiglobulin test, anti-D, 8: 57, Greenwalt

cerebral palsy, 3: 399, Sobel control, 7: 226, Roca de Vinals deafness, 3: 86, Goodhill, 3: 295, 4: 148, Calvet

early diag., 6: 369, Pohl
Egypt, 4: 225, El-Dewi
exchange transfusion, 5: 409, Wiener
first born, 2: 211, Rondinini, 4: 227, Meyer
histology, 5: 289, Puiggros Sala
incidence & effects, 4: 244, Bryce
intelligence impairment, 2: 287, Gilmour
kernicterus, 2: 203, Callegari
lipoid nephrosis, 2: 410, Fontaine
malformations, 3: 296, Martini
mother Rh", child Rh<sub>1</sub>, 2: 212, Sansone
necropsy, 3: 398, Ranstrom
neurological sequelae, 2: 286, Evans
placenta permeability, 2: 409, De

Kromme, 2: 412, van der Spek placenta's role, 2: 214, 3: 91, van Bolhuis rare case, 7: 226, Palagi 17 cases, 5: 101, Cazal statistical, 8: 198, Colucci stillbirth & hypofibrinogenemia, 5: 190, Ratnoff

strabismus, 3: 85, Corrado therapy, 7: 223, Callegari 3 racial groups, 3: 398, Pomerance titre & prognosis, 4: 232, Wiener titre; persistence of antibodies, 4: 230, Wiener

hemolytic disease of newborn, Rh & ABO, 1: 228, Lucia, 2: 214, van Lognem, 2: 284, Bielicka, 5: 100, Bauza, 6: 300, Speiser

frequency, 2: 285, Boorman nephropathies, 5: 408, Mittiga Rh, A<sub>1</sub>A<sub>2</sub>, 8: 200, Heisto Toronto, 7: 88, Donohue

transfusion therapy, 7: 223, Boorman hemolytic disease of newborn, Rh, ABO,

MN & Lewis, 3: 295, Anonymous hemolytic disease of newborn, S, 5: 189,

Levine hemolytic jaundice

infantile, 3: 188, Grundler

w. mongolism & diabetes, 8: 61, Sher hemopathies, 2: 204, De Guglielmo, 3: 191,

Quattrin & blood groups, 3: 186, Colarusso

& leukemia, 7: 225, Journoud hemopathies, atypical

constitutional jaundice, 3: 191, Quattrin hemophilia, 2: 106, Newton, 3: 192, Schmid, 7: 87, Beltrán, 7: 451, Pitney, 8:

196, Beaumont, 8: 204, Spaet see also parahemophilia, pseudohemophilia

& ABO, 8: 55, Beaumont

& color blindness, 3: 397, Murakami

& color blindness, crossing over, 5: 104, Murakami

& Duffy, 3: 299, James, 3: 301, van Creveld

& normal coagulation, 3: 397, Merskey atypical clotting, 6: 370, Spaet

carriers, 3: 295, Coari

carriers, physiology, 2: 107, Sköld

circulating anticoagulants, 3: 192, Singer circulating anticoagulant assoc. w. pseudoglobulin fraction of plasma, 2:

412, van Creveld

concepts, 7: 90, Pavlovsky

diagnosis, 4: 231, 7: 90, Quick

female cases, 4: 150, Israels, 4: 151, Merskey, 4: 223, Anonymous

forms, syndromes, 7: 89, Koller, 7: 91, Stefanini, 7: 91, Tocantins

globulin substance, 3: 186, Conte Marotta hematoma & diabetes insipidus, 7: 225, Jamieson

in Swiss isolates, 2: 103, Fonio, 3: 189, Lanini

Negro cases, 2: 103, Griffiths, 3: 92, Younge, 3: 296, Lambotte-Legrand pediatrics, 1: 110, Quick

PTC deficiency, 7: 223, Bersagel, 8: 200, Hill

review, 7: 87, Brinkhous sporadic, 2: 202, Althoff terminology, 7: 89, MacFarlane thrombocytes, 3: 300, Parrow twins, 2: 211, Quick

two groups, 6: 472, Soulier

variations in Switzerland, 8: 198, Fonio

w. hematoma, 2: 203, Bischoff

hemophilia A

variation in family, 7: 449, Fantl w. parahemophilia, 7: 451, Oeri

hemophilia A & B

prothromboplastin deficiencies, 7: 449, Fantl

hemophilia B, 8: 205, Verstraete hemophilia, canine, 2: 103, Graham

hemophilia-like syndrome see pseudohemophilia

hemophilia-like disease

women, 1: 108, Hewlett

hemophilia, new concept, 1: 110, Quick hemoptysis

& telangiectasia, 5: 102, Hastings-James hemorrhagic diathesis, 1: 112, Zuccola, 2: 207, Imerslund

see also afibrinogenemia, bleeding, diacyclothrombopathy

atypical, 2: 284, Baldini

comp. rev., 8: 199, Grasset

epistaxis, 2: 287, Gambacorta

fibrinogen deficiency, 2: 290, Revol syndromes, 5: 289, Rocha

w. PTC deficiency, 7: 447, Amato Willebrand's dis., 2: 410, Lelong

hemorrhagic telangiectasia, 1: 107, Goldman pathology, 2: 212, Saksela

hepatic cirrhosis, 3: 295, Farina, 2: 202, Anonymous

hepatitis, chronic

thalassemia, 5: 286, Englert

hepatolenticular degeneration, 5: 104, Nayrac

see also Wilson's dis.

liver biopsy; amino-aciduria, 5: 288, Nayrac

hepatosplenomegaly

w. telangiectasia & ascites, 3: 393, Ashby hepatosteatosis

 w. jaundice, congen., 4: 386, Holzel hereditary spinal sclerosis

retinal & choroid aberrations, 2: 107, Stadlin

heritability

fitness, 1: 226, Haldane

onset age, polygenic syndromes, 1: 226, Harris hermaphroditism

—see also pseudohermaphroditism androgynoid, 3: 90, Soyer intersex diagnosis, 5: 291, Williams intersex endocrines, 5: 186, Bauer sex determination, 2: 412, Wesolowski true, 4: 384, Brewer, 5: 285, Berardinelli,

7: 90, Pirner

hernia, 7: 225, Kousmanen

diaphragmatic, 3: 188, Heron, 3: 394, Delattre, 5: 288, Philipp

inguinal, 1: 230, Weimer

heterospecific pregnancy

see also hemolytic disease of newborn ABO, hemolytic disease of newborn, 7: 225. Johnstone, 7: 452. Schiff

maternal agglutination, 3: 85, Fortunato heterotopia

synd. w. mental defic., retinitis, brain degen., 3: 298, Hagen

heterozygote

detection & selective advantage, 8: 197, Boyd

serology of AO & BO, 6: 297, Gosse

hip

see also osteochondr-

dislocation, 2: 102, Dubousquet, 4: 149, Dindo

dysplasia, triplets, 5: 288, Prochazka dystrophy, 1: 224, Arslanian

Hippel-Lindau disease see Lindau dis.

histology

chromosomes, 3: 298, Denues Hodgkin's disease, 7: 90, Schier

Holmes syndrome

olivo-cerebellar atrophy, 2: 209, Mayoux

test, for abnormalities, 1: 226, Haldane homozygosity

see also isolate

developed by hemol. dis., 6: 297, Huser homozygote disadvantage & inbreeding, 8: 203, Reeve

hormones

& retinitis pigmentosa, 2: 207, Hegner horns, iliac, 4: 147, Bock

see also nail-patella syndrome

human genetics

see also linkage; penetrance

& clin. medicine, 2: 205, dell'Acqua, 4: 149, Fraser

& clin. med.: dominants, 1: 107, Fraser & clin. med.: recessives, 2: 103, Fraser

& insurance medicine, 1: 108, 2: 208, Kallmann

& internal medecine, 2: 208, Loffler

& pathology, 1: 110, Reimann, 1: 112, Taylor

applications, 1: 112, Touraine, 8: 61, Snyder, 8: 202, Neel

clin. research, 4: 147, Böök

eugenic counseling, risk figures, 4: 148, Carter

Galton lecture, population structure, 3: 400, Wright

inbreeding & linkage, 2: 103, Haldane new knowledge, 5: 290, Verschuer recombination freq., 2: 205, Finney rise of, 2: 105, Kemp

syllabus for course, 1: 230, Strandskov text book, 1: 230, Stern

Huntington's chorea, 7: 227, Souder EEG prediction, 4: 225, Harvald

Hunt's myoclonus

w. ataxia, 8: 55, Agostini Hunt syndrome, 2: 206, Girard Hurler-Pfaundler syndrome see gargoylism

hybridization

see race mixture

hydroa vaccininiformia

in neuro-ectodermal synd., 2: 209, Michatowski

hydrocephaly, 1: 106, Chapman, 2: 101, Bickers, 5: 106, Zimmer, 5: 289, 5: 409, Schockaert

& microcephaly, 3: 393, Brenner

& related anomalies: etiology, 6: 298, MacMahon

etiology, 3: 89, Polman

MZ twins, 6: 470, Klein

hydronephrosis, 7: 451, Raffle

hydrophthalmia

& cataract in isolate, 6: 297, 7: 88, Gianferrari

& microcornea, 8: 199, Francois

MZ twins, 3: 398, Potts

hyperbilirubinemia, 2: 288, Jamra

hypercholesteremia, 1: 111, Stecher, 3: 91, Wilkinson

see also stenosis, aortic

diet & chol. levels, 2: 211, Reimer

w. arteriosclerosis, 3: 91, Thannhauser w. thyrotoxicosis, 1: 112, Wilkinson

w. thyrotoxicosis, 1. 112, which

w. xanthomatosis, 1: 111, Schick

w. xanthomatosis & coronary dis., 5: 190, Pomerantz hypereosinophilia

constitutional, 3: 295, di Guglielmo

hyperhidrosis syndrome, 2: 101, Böök

hyperlipemia, 4: 148, Bruton, 4: 386, Hetzel w. coronary dis. & xanthoma, 2: 202, Al-

xanthomatosis, 7: 89, Lever

hyperorexia & amorexia, 5: 191, Tolstrup

hyperostosis

cortical, congenital, 5: 405, Barba

cortical, infantile, 4: 147, Boyes

cortical: sex & intersex, 7: 226, Paltrinieri diaphyseal, 5: 284, Baggio

frontal bone, 2: 202, Appel

hyperphalangy

toe V, 7: 91, Venning

hyperplasia

endometrial, 7: 227, Vogel gingival, 2: 287, Garn

maxillary bone, 3: 394, Despons

hypertelorism, polydactyly syndrome, 3: 189, Keizer

hypertension, 6: 370, Tremonti, 7: 224, Chiuini, 7: 448, D'Alonzo

cancer, 1: 225, Dhotel

constitution, obesity & diabetes, 8: 196,

coronary disease, obesity, diabetes, 7:452, Thomas

longevity, 5: 291, Weiss

nephritis, 3: 297, 4: 147, Beretta

pregnancy toxemia, 8: 201, Kologlu race, environment, 6: 295, Bays

renal glomeruli, 3: 84, Beretta twins, 4: 385, Flynn, 4: 389, Sheldon

hyperthyroidism

& colon carcinoma, 2: 204, Cheskin

hypertrophy

see also Dejerine-Sottas dis.

hypertrophy, cardiac, 4: 384, Bland see also cardiomegaly

hypertrophy, colon

see also megacolon, pyloric stenosis

hypertrophy, cutaneous & periosteal, 7: 87, Binder

hypertrophy of extremities, 3: 85, de Seze hyperuricemia, 3: 187, Giraud

hypocalcemia

in pseudohemophilia, 2: 101, Aimes hypochromic anemia, 3: 91, Thiele

hypofibrinogenemia, 5: 105, Revol stillbirth, maternal Rh, 5: 190, Ratnoff

hypoglycemia

pancreatic adenoma, 5: 106, Vesalio Guzman

hypophyseal dwarfism, 8: 58, Kirchhoff

hypoplasia of femur, 5: 288, Pfandler

of orbit, 8: 205, Urrets-Zavalia

hypoplastic anemia

see Fanconi's synd.

hypopotassemia & paralysis

EEG, 7: 452, Saunders

hypoproconvertinemia, 7: 453, Wurzel

hypoproteinemia, 2: 104, Homburger hypoprothrombinemia, 1: 110, 8: 60, Quick

hypotelorism, ocular, 8: 61, Schachter hypothyroidism

MZ twins, 7: 453, Warkany

hypotrichosis, 2: 287, Friederich, 3: 89, Pajtaš, 7: 89, Ludwig

in neuro-ectodermal synd., 2: 209, Michatowski

hysteria

MZ twins, discor., 1: 229, Paterson

icthyosiform erythroderma, 4: 225, Fitzgerald

see ervthroderma

ichthyosis, 3: 298, Ellis

fetal, 3: 190, Marie, 6: 365, Boulgakow

icterus gravis & kernicterus, neonatal no blood group antagonism, 8: 55, Bakker

icterus, hemolytic

& elliptocytosis, 5: 406, Druez

during pregnancy, 4: 150, Johnson icterus precox

& hemolytic disease of newborn, 1: 106,

idiocv

see also amaurotic, phenylpyruvic

& cataract, 1: 229, Schachter

iliae horns

see also nail-patella synd.

& nail dystrophy, 1: 230, Thompson

& other anomalies, 4: 147, Böck

& other anomalies w. renal dysplasia, 2: 288. Hawkins

ilium chondrosarcoma

& exostoses, 4: 151, Monro

ilium osteitis, 8: 196, Arlet

immunology, 1: 227, Irwin

taxonomy, evolution, anthropology, 1:224, Boyd

imperforate anus, 8: 197, Cochran

& rectal fistulae, 2: 211, Robertson

w. abnormal rectum, 1: 111, Suckling

inbreeding

see also consanguinity

& homozygote disadvantage, 8: 203, Reeve

& linkage: association of characters, 2: 103, Haldane

comprehensive book, 2: 103, Fisher inbreeding coefficients, 2: 102, Cruden, 3: 188. Hazel

incisor tooth

supernumerary, 5: 285, Bornemann

incompatibility, serological

see also iso-immunization, transfusion reaction

ABO, 6: 298, Matsunaga

ABO, Rh. 2: 204, De Kromme, 4: 386, Gurevitch, 6: 301, Wiener, 7: 227,

ABO & liver cirrhosis, 6: 471, Reiffenstuhl

A subgroups, 2: 285, Cazal Rh, infertility, 7: 452, Rosenvasser Rh, with no hemolysis, 6: 471, Pigeaud anti-E. 6: 472, Speiser anti-S, transfusion, 7: 448, Brandes physico-chem., 7: 88, Filitti-Wurmser

pregnancy, 3: 298, Hirszfeld & mental deficiency, 3: 399, Soulairac, 4: 148, Desclaux, 4: 153, Zwerling

index of racial likeness

revised, simplified, 6: 299, Penrose

Indian, American

see also distribution, geographical mixture, white & Negro, 1: 228, Meier indifference to pain, 2: 202, Aranda Vega Indonesia, 8: 201, Luan Eng infant's health

nutrition during pregnancy, 2: 203, Burke infection, toxic

MZ twins, 7: 87, Blechmann

iso-immunization, 5: 105, Rezende

Rh incompatibility, 7: 452, Rosenvasser insanity, 5: 102, Elsaesser

see also neuroses, psychoses

insanity & mental retardation, 1: 230, Stampa

insemination, artificial see artificial

instincts, 8: 59, Lorenz

insulin

shock, variation, 2: 214, Winkler

insurance

medicine & genetics, 1: 108, Kallmann

intelligence, 1:229, Pickford, 8:204, Thomp-

& fertility, 2: 203, Burt

aptitude, socioeconomic level, 2: 291,

deafness, 3: 89, Oleron

fertility, 3: 400, Warburton, 4: 229, Shuey, 6: 468, Anonymous, 7: 87, Asdell

finger ridge count, 3: 395, Fang isolates in Mountains, 6: 297, Herndon MZ twins, factor analysis, 8: 56, Blewet retardation, 4: 148, Daussy

internal medicine, 2: 208, Loffler

intersex

see hermaphroditism

interventricular septal defect, 2: 214, Vakil intestinal carcinoma, 3: 398, Pridgen intestinal polyposis, 3:90, Rowntree, 5:187, Dukes

w. stomach involvement, 3: 86, Halsted intestine, large

see pyloric stenosis

adenoma, 6: 299, Pereira

intestine, small

adenoma, 1: 231, Williams

involutional psychoses, 3: 299, Kallmann differentiation, 4: 226, Kallmann

fissures & pigment, 6: 473, Wichmann structure trait, 8: 205, Waardenburg iris malformation

see corneal dysplasia

iron metabolism disorder

see hemochromatosis, methemoglobine-

thalassemia, 4: 225, Heilmeyer iso-immunization

> see also incompatibility, transfusion reaction

A, B, 1: 226, Hubinont, 2: 104, Hubinont & anemia, 1: 230, Smith

& infertility, 5: 105, Rezende

anti-Miso-agglutination, 7:225, McIntyre cases, Algerian Moslems, 5: 407, Laffont energy of isohemagglutinins, 2: 205, Filitti-Wurmser

E-sensitization in CD mother of healthy CDE child, 4: 148, Dickgiesser

in pregnancy, unusual, 5: 187, Fischer maternal, Rh: Vogt's synd., 2: 209, Mu-

physico-chem., 3: 187, Filitti-Wurmser, 7: 88, Filitti-Wurmser

iso-immunization syndrome, maternal, 5: 103, Kaiser

isolates, endogamous

albinism, Darien Islands, 3: 87, Keeler bone & nail dysplasia, linkage, Switz., 3: 191, Pfändler

bone dysplasia, Switz., 3: 300, Pfändler eye dis. & oligoph., Switz., 2: 210, Pfändler

eye dis., Switz., 2: 411, Pfändler eye mutations, Switz., 2: 290, Pfändler hemophilia, Switz., 2: 103, Fonio, 3: 189, Lanini

hydrophthalmos & cataract, 6: 297, Gianferrari

hydrophthalmos & cataract, in Alps, 7: 88, Gianferrari

incidence of defects, Sweden, 4:384, Böök keratosis & nervous dis., Switz., 2:288, Jequier

muscualr atrophy & neuritis, 4: 227, Luban

oligophrenia, Switz., 8: 205, Wieser

prog. muse. dystrophy, Switz., 2: 411, Pfändler

psychoses, Sweden, 2: 107, Sjögren

rare traits, negative eugenics, 2: 104, Hofsten

schizophrenia & mental defic., Sweden, 7:87, Böök

7 traits in 6 groups, Bombay, 2: 107, Sanghvi

thrombopathy, Aland Islands, 5: 189, Jurgens

isolate development

by hemol. dis., 6: 297, Huser

Jakobs-Creutzfeldt disease

spastic pseudosclerosis, 3: 87, Jacob

Jaksch's anemia twins, 4: 389, Saggese

twills, 4: 369, Sagges

Japanese race

taste blindness, 1: 111, Suzuki

jaundice

t

acholuric, 1: 106, Cameron, 4: 231, 4: 386, Ingham

constitutional, atypical, 3: 191, Quattrin jaundice, hemolytic, 1: 106, Churg

infantile, 3: 188, Grundler

MN, 4: 150, Lacaz

w. cholecystitis, 2: 286, DeWeerd

w. hemolytic anemia, 8: 60, Papazian

w. hepatosteatosis, 4: 386, Holzel

w. mongolism & diabetes, 8: 61, Sher

w. ulcers, 3: 396, Konrad

jaundice, non-hemolytic, 1: 228, Mathewson, 3: 193, Stransky, 3: 300, Quattrin, 5: 290, Trincão

w. kernicterus, 4: 385, 5: 285, Crigler iaw

see also dental development, orthodon-

abnormalities, 8: 200, Hertel

& tooth anomalies, 3: 397, Maronneaud

& wisdom teeth, 3: 395, Friedrich

fibrous swelling, 3: 297, Caffey

giant-cell tumors, 3: 301, Waldron odontomas, 8: 196, Agazzi

torus mandibularis, 5: 288, Morress

jaw-wink syndrome, 1: 107, Falls jay isoimmunization

mutation from tumors cells, 4: 227, Levine

see Kidd

joint diseases, 6: 301, Stecher see also arthralgia, dislocation, hemar-

throsis, osteoarthritis

gout, spondylitis, Heberdeen's nodes, 5: 106, Stecher

Kahler's disease

multiple myeloma, 8: 202, Mandema

Kartagener's syndrome or triad bronchiectasis, sinusitis & situs inversus,

3: 185, Bergstrom, 5: 286, Hebel, 5: 290, Torgersen

Kell, 1: 227, Levine, 6: 368, Kelus see also Cellano

among Viennese, 3: 193, Speiser gene frequencies, 2: 212, Sanger

iso-immunization, 4: 228, Prokop, 6: 366, Dubiski, 7: 223, Carneiro, 8: 55, Andre

saline agglutinating, 1: 225, Dunsford Kell & Duffy

relationship indication, 7: 447, Barandun

Ken (anti-) serum, 1: 108 Hubinont keratitis, neuroparalytic, in isolate

& multiple nervous disorders, 2: 288, Jequier

keratodermia

w. optic atrophy, 2: 205, Dimsdale keratosis follicularis, 8: 203, Reynaers diff. diag., pemphigus, 4: 224, Dupont

keratosis, palmare et plantare, 2: 210, Nexmand, 4: 223, Bril, 2: 288, Isaacs,

Jaeger kernicterus, 3: 194, Vaughan

Rh incompatibility, 2: 203, Callegari

kernicterus, continued

w. non-hemolytic jaundice, 4: 385, 5: 285, Crigler

kernicterus & icterus gravis, neonatal without blood group antagonism, 8: 55, Bakker

Kidd, 3: 297, Allen, 3: 398, Race, 4: 150, Hunter, 4: 228, Race, 5: 408, Plaut & secretor, 6: 300, Sanger

race differences, 6: 300, Rosenfield

kidney

see cystinuria, polycystic kidney disease,

renal tubule, 7: 226, Payne

kidney aplasia

MZ twins, 5: 191, Waardenburg

kidney, contracted, juvenile nephronophthisis, 3: 395, Fanconi

kidney cysts, 2: 211, Rall, 5: 186, Alderman, 7:87 Arrigoni

kidney disease

chronic, bilateral, 8: 203, Poli

kidney tubule defect

glucose & amino acids, 8: 201, Luder

Klippel-Feil syndrome

MZ twin, discordant, 8: 55, Bauwens Rh incompatibility, 3: 189, Krátkova variations of expression, 2: 206, Godar w. deafness, 8: 198, Franceschetti

Klippel-Trenaunay syndrome

osteohypertrophy from hemangiectasis, 7: 90, Petschelt

knees, abnormal

w. elbows & nails abnormal, 2: 292, Wildervanck, 4: 388, Mosbech

Koebner's disease

see epidermolysis bullosa

koilonychia, 2: 288, Hellier

Krabbe's disease

brain sclerosis, 2: 410, De Lange

labile factor deficiency

w. syndactylism, 3: 394, De Vries

labyrinth

anomalies, 4: 228, Nager sclerosis, 6: 368, Montandon

lacrimal canals, supernumerary & ocular fistulas, 2: 212, Sédan

lacrimation defect

in dysautonomia, 5: 190, Riley lactation, capacity, 2: 210, Pfändler lamellar atelectasis, 8: 203, Pohlen

laterality

see dominance, asymmetry

Laurence-Moon syndrome, 2: 285, Bruni, 2: 291, Vague, 3: 186, Csorba, 4: 231, Kessel, 6: 468, Agarwal, 7: 226, O'Mahony

after grippe, pregnancy, 2: 210, Niederer confused symptom complex, 3: 189, Keifer diff. diag., 6: 297, Grebe

gonads, 2: 287, Francke

hypogonadism, 2: 103, Francke infancy case, 2: 107, Schürer

MZ twins, 8: 59, Moench new variety, 6: 367, Klein

w. deafness, 2: 285, Burns

Leber's disease, 2: 206, Gotfredsen, 4: 152, Tatarelli

see also optic atrophy

& deuteranopia, 2: 210, Paufique atypical heredity, 8: 205, Vignalou

lectins, plant agglutinins

similarities to ABO substances, 7: 448, Boyd

leg ache, 1: 108, Jeppson

legal processes

see paternity tests

Rh classification, 1: 105, Berger lens

see hepatolenticular degen., Marfan synd.

lens ectopia, 2: 289, Lund, 7: 450, Lafont in aniridia, 1: 106, Callahan

lentigo, 2: 290, Pipkin

leprosy, 4: 148, Campos, 5: 187, Fernandez Vautray, 5: 409, Ricou

leprosy & blood groups, 5: 190, Netto lethal anomalies

anatomical, 6: 297, 6: 470, 7: 88, Grebe Letterer-Siwe disease

incidence, 4: 388, Reese

leucocytes

see Pelger's nuclear anomaly anomalies, 2: 208, Lambin

fat vacuoles in musc. dyst., 6: 470, Jordans, leuconychia, 4: 150, Kruse

leukemia, 2: 202, Barbier, 3: 297, Anderson, 5: 289, Reilly, 7: 224, Guasch, 7: 226,

Morganti & Jaksch's anemia, 4: 389, Saggese & polycythemia, 3: 189, Lawrence

cancer among relatives, 7: 449, Kaliampetsos

hemopathies, 7: 225, Journoud Negro cases, 3: 300, Portmann

thrombi, 8: 203, Ritama

twins, 5: 190, Morganti, 5: 290, Stobbe

leukemia, eosinophilic & eosinophilia, 2: 206, Gray leukergy, 3: 295, Borecka leukocyte anomaly

granular, & endochondral dysostosis, 6: 370. Ullrich

nuclear, 8: 200, Iofin

leukoderma

see vitiligo

leukosis, acute, 3: 394, Debré

Lewis, 1: 108, Hubinont, 3: 300, Simmons, 3: 396, Grubb, 3: 399, Simmons

agglutination & inhibition, 1: 106, 3: 84, Brendemoen

& secretor, 3: 393, Andresen

& secretor, Australia, 3: 300, Simmons & secretor, correlation, 2: 409, Andresen case in Australia, 1: 108, Krieger

hemolysis in transfusion, 3:395, De Vries, 5: 186, Brendemoen, 7: 450, Lauer

hemolytic disease of newborn, 4: 226, Kelus, 6: 368, Mellone

hem. dis. newborn, w. Rh, 3: 295, Anonymous, 4: 224, Ceppellini

incompatibility, 6: 367, Guthof incomplete agglutinin, 2: 101, Andresen

pedigrees, 1: 229, Race substance, chem.-physiol., 1: 226, Grubb,

5: 186, Annison, 5: 189, Keewick, 4: 227, Manski

lichen planus

neurodermatitis, 3: 393, Arguelles

Lignac disease

see Fanconi syndrome

Lindau-Von Hippel disease, 4: 231, Moller, 4: 232, Soebo, 5: 288, Moller

see also crossing over

ABO, MN, phenylketonuria, 4: 388, Pen-

ABO, nail-patella synd., 8: 203, Renwick

ABO, red hair, 2: 411, Penrose

blood groups, 5: 407, Holt

blood groups, elliptocytosis, 6: 297, Goodall, 6: 298, Lawler

blood groups, red hair, PTC, eye color, 6: 297, Hauge

bone dysplasia, 3: 300, Pfandler hemophilia, 7: 87, Brinkhous

Lewis, secretor, 2: 409, 3: 393, Andresen

Lutheran, 3: 397, Mohr MN, sicklemia, 1: 111, Snyder

pachyonchia, 4: 386, Jackson

renal glycosuria, 3: 396, Houston

retinitis pigmentosa, 6: 367, Klein sicklemia, 2: 107, Snyder

linkage & inbreeding

association of characters, 2: 103, Haldane bone-nail dysplasia, in isolate, 3: 191, Pfändler

linkage, autosomal

research methodology, 3: 301, Taillard linkage, sex-chromosome, 6: 300, Sachs, 7: 90, Sachs

linkage tests

combinatorial formulation, 3: 395, Fisher Fisher's u-statistics, 4: 147, Bailey Penrose method, 4: 229, Taillard rare abnormalities, 4: 147, Bailey technique, 6: 300, Smith w. incomplete penetrance, 3: 184, Bailey, 4: 231, Sánchez-Monge

lip cleft, etiology, 8: 57, Gabka

lipemia

see hyperlipemia lipidoses, 8: 200, Herndon lipids, cerebral

in sclerosis & amaur. idiocy, 7: 88, Cum-

lipochondrodystrophy, 3: 395, Giampalmo see gargoylism

lipodystrophia, 1: 227, Keizer lipofibromatosis, intestinal

w. Meleda's disease, 4: 148, Dassen lipogranulomatosis, disseminated

diff. diag., new synd., 5: 187, Farber lipoid metabolism abnormality

see hyperlipemia

lipoid nephrosis

MZ twins, 3: 89, Prader Rh hemolytic dis., 2: 410, Fontaine

lipoidosis, histochemical, 8: 57, Diezal lipomatosis

syndr., diff. diag., 5: 186, Burman Little's syndrome, 3: 296, Martin Niclos MZ twins, 3: 188, Ingelrans

liver cirrhosis, 4: 389, Schindler

& ABO incompatibility, 6: 471, Reiffenstuhl

liver cysts

twins, 3: 193, Sylvest

liver disease

& galactosemia, 5: 102, Haas constitution, 6: 366, Gonzalez-Galvan Lobstein's disease, 4: 151, Marquezy, 4: 231,

see also osteogenesis imperfecta

Lobstein's disease, continued

w. Glanzmann's thrombasthenia, 5: 102, Gautier

w. hyperthyroidism & castration, 4: 147, Albeaux-Fernet

Loens test

see paternity tests Loffler's syndrome

twins, 4: 229, Shechter

longevity

blood pressure, 5: 291. Weiss

twins, 2: 104, Kallmann

Looster-Debray-Milkman syndrome, 2: 204, Dana

lung

see also azygous lobe, bronchial, Kartagener's syndr., pneumo-, pulmonary

aneurysm, 2: 106, Ravina

lung disease, unusual, 3: 192, Rutledge

lupus erythematosis, 4: 149, Gigli MZ twins, 3: 394, Davis

w. dermatosis, 4: 230, Tikhonov-Bugrov

Lutheran, 2: 410, Lawler

in Switzerland, 8: 200, Hollander linkages, 3: 397, Mohr

lymphedema, 2: 289, Mackmull, 2: 290, Schroeder

lymphocytes, agglutination, 1: 109, Ludewig lymphoma

see Hodgkin's dis.

rectal, MZ twins, 2: 206, Granet

struma lymphomatosa (Hashimoto), 5: 101, Craig

macular degeneration, 1: 106, Berkley, 5: 409, Szekler, 7: 87, Bérard

clin. & path., 7: 450, McFarland infantile type, 4: 390, Sun senile, 5: 188, Francois

macular lesions

w. retinal periphlebitis, 8: 196, Barut Madelung's deformity, 3: 394, Corcos, 8: 199,

malaria

& new blood factor, agglutinable, 3: 85, Butts

& sickling, 8: 56, Brass

male sev

see also hemochromatosis

trichorrhexis nodosa, 5: 289, Rousset malformation

see also abnormality, acropathy, anencephaly, cleft palate, Crouzon's disease, hare lip, imperforate anus, spina bifida & Rh incompatibility, 3: 296, Martini & Rh; theoretical, 8: 202, Mosler causal genesis, 3: 89, Polman cent. nerv. system, 3: 192, Record cent. nerv. syst., seasonal incidence, 3: 299, McKeown

cent. nerv. syst., sib risk, 3: 89, Record cent. nerv. syst., twins, 3: 398, Record classif. & freq., 3: 91, Stevenson dwarfism, arachnodactyly, 5: 289, Risetti expectancy, 8: 55, Anderson hands & feet, 5: 407, Lehmann maternal age, 7: 226, Murphy

nails, w. abnorm. elbows & knees, 2: 292, Wildervanck, 4: 388, Mosbech nipples, 1: 110, Romanus

pupil, rare type, 7: 87, Auvert parietal foramina, 1: 227, Lischi spinal, 6: 370, Theiler

malformation, congenital thalassemia, hemophilia, 4: 230, Tropeano upper extremity, 7: 450, Martin

malformation, fetal, 6: 367, Grebe causation, 3: 398, Penrose X-ray diag., 2: 410, Ferrario

malignancy marble bones, 1: 112, Uehlinger melanoma, 5: 188, Griefelt

melanoma, in Am. Negro, 2:285, Charache serological reaction, 7:449, Eisenstaedt tumors, 3:295, Gergelj

malocclusion

MZ twins, 1: 225, Cheney, 3: 193, Towend mammalian hereditary disease

model experiments, 7: 450, Nachtsheim mandibular-facial dysostosis, 2: 108, Waardenburg, 2: 287, Gayral, 2: 288, Keizer, 2: 290, O'Conner

see also Franceschetti's synd. & Vogt-Koyagani synd., 3: 190, Ludwig ontogeny, 2: 214, Waardenburg

w. various deformaties, 2: 206, Franceschetti

madibular torus, 5: 288, Moorress

manic-depressive psychosis, 3: 299, Kallmann, 4: 227, Merrell, 4: 390, Wilson

differentiation, 4: 226, Kallman mental disorders of relatives, 4: 389, Schulz

Maoris

blood groups, taste, secretor, 3: 399, Simmons

marble bones disease, 2: 207, Hesseling, 2: 285, Cocchi, 2: 291, Theilkas

marble bones, malignant, 1: 112, Uehlinger Marcus Gunn syndrome, 1: 107, Falls Marfan's syndrome, 3: 184, Azcoaga, 8: 197,

Calmettes

see also arachnodactyly cardiovascular aspects, 8: 202, McKusick cleft palate, 2: 106, Ross etiology, 1: 228, Moehlig

ocular symptoms, 3: 190, Mariotti w. ectopia lentis, 1: 109, Lutman

w. ectopia lentis, 1: 109, Lutman w. Ehlers-Danlos synd., 3: 398, Roederer marker genes

see chromosome markers retinitis, pigmentary, 6: 367, Klein

marrow, hypoplastic see Fanconi synd.

maternal age

epidemiologic inferences, 6: 298, Mac-Mahon

maternal age & parity

DZ twinning, 6: 298, McArthur maternal syndrome

isoimmunization, 5: 103, Kaiser mating, random, 6: 295, Bennett mauria syndrome

MZ twin, discord, 1: 108, Havranek May-Hegglin's blood anomaly, 3: 194, Undritz

measles, immunity, 5: 191, Thamdrup measurements, body, 1: 108, Howells medicine, clinical

& sex-linked traits, 3: 86, Fraser medical genetics, 5: 409, Snyder critique, 7: 88, Hasék in pediatrics, 6: 297, Fraser

heading problems, 3: 89, Penrose methods, perspectives, 4: 226, Lamy principles, 3: 299, Neel

value of publication, 5: 290, Touraine

megacolon, 2: 102, Elzas see also pyloric stenosis

megalopapilla, 2: 287, Franceschetti Meige's disease

lymphedema, 2: 289, Mackmull, 2: 290, Schroeder

melancholia, 4: 384, Binetti w. retinitis pigmentosa & epilepsy, 8: 61,

melanin

biochemistry, 2: 289, Lerner, 7: 88, Fitzpatrick melanoma, malignant, 5: 188, Griefelt in Am. Negro, 2: 285, Charache Meleda's disease

w. lipofibromatosis, intestinal, 4: 148, Dassen

Melkerson-Rosenthal syndrome

edema, face paralysis, scrotal tongue, 6: 469, Cavalca

memory, musical, 4: 230, Ashman Menière's syndrome, 2: 203, 2: 285, 1

Menière's syndrome, 2: 203, 2: 285, Brown meningitis, MZ twins

Friedlander's (discor.), 1: 111, Schwartzman

strept (concord.), 1: 108, Judge menopause

twins, 6: 299, Moretti

mental deficiency, 3: 298, Dahlberg, 4: 226, 4: 387, Kallman, 4: 148, Daussy see also oligophrenia

Bender Gestalt test, 4: 384, Bensberg fertility, 6: 300, Reed metabolic patterns, 4: 224, Cain Negros & whites compared, 7: 451, Port-

noy palm patterns, 2: 410, Fang palm ridge count, 2: 205, Fang periodic paralysis, 8: 198, Couston review, 4: 385, Fairweather

serological incompatibility, 3: 395, Glasser, 3: 399, Soulairac, 4: 148, Desclaux, 4: 153, Zwerling, 4: 229, Soulairac

stereognostic capacity, 3: 399, Sloan Swedish isolate, 7: 87, Book textbook, 1: 229, Penrose

w. amyotrophic syndrome, 4: 224, Chessa-Perle

w. ataxia & cataract, 2: 290, Richards

w. cataract, 5: 103, Kirman

w. epilepsy, adenoma, 5: 409, Solomons

w. insanity, 1: 230, Stampa

w. retinitis, brain degen., heterotopia (synd.), 3: 298, Hagen

w. spastic paralysis, 3: 88, Malzberg mental development

twins, 5: 105, Razzo

mental diseases, 3: 190, McColl

see also manic-depressive, oligophrenia & Rh, 7: 90, Prokop

classification of, 5: 105, Silveira methodology, 4: 388, Nieto

w. brain tumor, 2: 412, Wanner mental test ability, 8: 61, Smith mental traits

variation, 7: 87, Anastasi

metabolic errors, 1: 105, Beadle, 2: 291, Taggart

see also calcification, hemochromatosis

Garrod's work, 1: 229, Penrose mental deficiency, 4: 224, Cain

metabolic patterns

alcoholism, 1: 112, 1: 231, Williams

& disease: paper chromatography, 3: 301, Williams

schizophrenia, 4: 230, Young

metabolism, iron

in thalassemia, 2: 210, Perosa

metabolism, potassium

paralysis, 1: 109, Malagussi Valeri metaphyseal dysplasia, 6: 470, Hermel

methemoglobinemia, 6: 469, Fono, 6: 470, Hermann

clin. & biochem., 1: 107, Eder clin. & therapy, 8: 197, Chiarioni

methemoglobinemic cyanosis

new erythrocytic dis., 2: 409, Beritic, 3: 297, 4: 224, Codounis, 4: 224, Croizat,

new erythrocytie dis., 8: 198, Codounis metopic suture, 4: 230, Togersen

microcephaly, 2: 209, Martin

& hydrocephaly, 3: 393, Brenner microcornea

w. cataract & pup. memb., 2: 214, Waardenburg

w. hydrophthalmia, 8: 199, Francois microcythemia, 2: 213, Silvestroni constitutional, 3: 394, Cavazzini digestive dysfunctions, 2: 411, Mattei review, 6: 370, Silvestroni

microphthalmia & anomalies, 1: 108, Kronenberg

microphthalmos

& anophthalmos, 2: 107, Sjøgren Migraine, 6: 472, Whitty, 7: 449, Goodell, 8: 199, Goodell

milium

pseudo-milium colloid, 2: 284, Anonymous milk productivity, 2: 210, Pfändler

Milroy's disease

cortisone therapy, 8: 56, Dencker

miscarriages, 3: 300, Pescetto

anomalies, anatomical, 6: 297, Grebe 49 cases, 7: 88, Grebe

mitosis aberration

cancer, 2: 208, Lettre, 2: 212, Schairer, 3: 91, Timonen, 3: 193, Therman

MN

& ABO, combination frequencies, 1: 224, Boltz

anti-M agglutinin, placenta-penetrating, 3: 299, Jakobowicz

anti-M agglutinins, natural, 4: 147, Battegay, 5: 191, Wiener

anti-M iso-agglutinin, 7: 225, McIntyre anti-N agglutinin, 2: 211, Phansomboon errors in determination, 7: 451, Piertrusky hemolytic jaundice, 4: 150, Lacaz hemolytic disease of newborn, 3: 90, Spei-

ser

hemolytic-like dis., 1: 107, Gasser linkage, phenylketonuria, 4: 388, Penrose linkage, sicklemia, 1: 111, Snyder M & pregnancy, 1: 224, Bowley N, weak, 2: 208, Krah subdivisions, 2: 107, Sanger substances, physiol., 8: 58, Hohorst transfusion hemolysis, 2: 212, Schwer-Körner, 2: 292, Wiener

variants of M, 2: 207, Jakobowicz weak N, 2: 208, Krah

MNS

pedigrees, 1: 229, Race U.S. Negros, 3: 397, Neel

mongolism general, 4: 384, Bertinchamps, 7: 225, Ingalls, 7: 450, Mautner

among rels., 1: 227, Lelong, 4: 388, Oliver, 7: 89, Morris, 8: 62, Windorfer

chromosome complement, 5: 190, Mittwoch incidence, 2: 210, Penrose, 5: 188, Hin-

richs, 4: 148, Carter diag., incidence, etiol., 4: 151, Oster

etiology, 7: 226, Penrose etiology & pathology, 7: 88, Gérard-

Lefebvre maternal age, 4: 388, 7: 226, Penrose prenatal factors, 2: 214, Vialatte

embryopathy, 6: 299, Moretti fingerprints, 3: 396, Holt

palm patterns, 2: 106, Penrose, 2: 286, 2: 409, Cummins

empiric risk figures, 2: 285, Böök, 3: 393, Benda

sex incidence, 4: 150, Hug Jamaican Negros, 8: 200, Jelliffe normal intelligence, case, 6: 366, Cant physchological traits, 6: 295, Blacketer-

Simmonds

& cretinism, 2: 287, Gronemeyer

& congen. heart dis., 5: 102, Granata & other mental retardation, 7: 88, Gold-

& other mental retardation, 7: 88, Goldstein

twin, dise., 2: 108, Warner, 3: 186, Cook, 3: 186, Crozier, 4: 228, Posteraro, 6: 368, Morris

twins, MZ, 4: 384, Bencini

mononucleosis infections, hepatitic form

MZ twins, 5: 189, Karst monsters, 1: 111, Shrewsbury

morbus cordis

w. achondroplasia & ectodermal dysplasia, 4: 226, Keizer

w. myoclonus, 1: 107, Elliott

Morgagni's syndrome

MZ twins w. schizophrenia & goiter, 6: 468, Aschner

Morgagni-Stewart-Morel syndrome, 2: 202, Appel

morphea

circumscribed scleroderma, 4: 229, Rodriguex Lorenzo

Morquio's disease, 4: 226, Jackson see chondrodysplasia

mortality

see also perinatal

fetal & neonatal, 2: 289, Miller

mosaic

see chimera

mosaic structure of agglutinogens, 5: 191, Wiener

mother-child combinations, 5: 103, Komatsu multinuclearity

erythrocytes, 4: 390, Wolff

multiple births, 5: 190, Mayer

& fecundity, 3: 89, Nichols

& superfetation, 3: 300, Salfelder

incidence, 6: 367, Guttmacher incid. & sex ratio, 5: 105, Record

multiple exostoses, 2: 106, Rose, 4: 226,

Jackson multiple sclerosis, 3: 88, MacKay, 4: 149, Euziere, 6: 299, Muller

& amyotrophic lateral sclerosis, 8: 201, Kurland

symptoms, 3: 192, Schrader

muscle disorder

see also Chvostek's sign, hernia, myasthenia, ptosis

of ear, in synd., 2: 207, Hanhart of eye, motility, 2: 106, Pau

of sternum, in twins, 4: 229, Taniguchi w. ataxia & deafness, 3: 190, Matthews muscular atrophy, 2: 108, Vignes

see also amyotrophy, Charcot-Marie disease, progressive muscular atrophy

muscular atrophy, neural

& Friedreich's ataxia, 6: 370, Stucki

& hypertrophic neuritis, in isolate, 4:227, Luban

muscular atrophy, peroneal

Charcot-Marie, 3: 397, Ostergaard, 6: 368, Lidge

muscular atrophy, progressive, infantile, 2: 101, Brandt, 2: 203, Brandt, 4: 224, Brown

course & sympts., 2: 285, Brandt diag. by biopsy, 8: 60, Rosenberg

muscular atrophy, spinal, 4: 151, Poirier muscular disorder

facial "tic", 2: 202, 2: 204, Barraquer muscular dystrophy, 4: 150, Levison, 5: 101, Corner

facioscapulohumeral, 2: 291, Tyler in No. Ireland, 8: 204, Stevenson mutation rate, 8: 196, Becker MZ twins, 7: 447, Beckett pentose & P in urine, 1: 109, Minot

recessive, 3: 191, Pfändler w. 2 other dis., 5: 288, Pfändler

muscular dystrophy, progressive, 2: 101, Boyes, 4: 152, Tyler, 5: 284, 6: 295, Becker

di-genic pelvic type, 4: 228, Pintus Duchenne type, 2: 104, Hanhart fat vacuoles in leucocytes, 6: 470, Jordans heart conditions, 4: 230, Zatuchni w. retinitis pigmentosa, 3: 192, Reinberg muscular sclerosis, 5: 285, Cordier

w. blepharoptosis, 5: 287, Lowenthal musical memory, 4: 230, Ashman mutation & selection

degen. evolution, 8: 202, Nachtsheim mutation rate, 2: 104, Haldane

chemicals & radiation, 7: 87, Auerbach chondrodystrophy & epidermolysis bullosa, 5: 285, Book

estimation (Dahlberg), 2: 102, Dahlberg modification, Dahlberg method, 7: 453, Yogol

muscular dystrophy, 8: 196, Becker retinoblastoma, 8: 61, Vogel mutation rate, continued radiation induction, 8: 204, Slatis rate processes theory, 5: 103, McElroy mutation, somatic

see cancer

& cancer, 8: 196, Bauer, 8: 197, Burdette Jay, from tumor cells, 4: 227, Levine mute MZ twins

one congen. deaf, 7: 91, Wildervanck myasthenia, 2: 208, Levin, 2: 285, Csorba myasthenia gravis, 2: 105, Labranche, 4: 227, McKeever

early form, 6: 296, Bornstein myelencephalic blebs

see Bonnevie-Ullrich synd.

myeloma

asplastic, 3: 185, Borin
multiple, 8: 202, Mandema
myelomeningocele, 1: 112, Wilner
myocardiopathy, 5: 101, Dell'Acqua
myoclonic cerebellar dyssynergia
w. ataxia, 8: 55, Agostini

myoclonic epilepsy, 4: 152, Sole Sagarra & glandular obesity, 3: 184, Andre van Leeuwen

clin., anat., EEG, 7: 448, De Ajuriaguerra clin. & autopsy, types, 4: 225, Ford Negros, 8: 200, Janssen pathology, 1: 109, Morse

mvoclonus

& morbus cordis, 1: 107, Elliott electroencephalograms, 1: 109, Littlejohn Ramsay-Hunt synd., 2: 206, Girard myoclonus syndrome

jaw disorder & epilepsy, 3: 92, Yde

myopathy, 1: 228, Mikula facio-scapulo-humeral, 7: 451, Nielsen myopia, 3: 193, Sondermann

MZ twins, 2: 102, Burns myopia & ophthalmoplegia w. other dysplasias, 3: 192, 8

w. other dysplasias, 3: 192, Salleras myositis

see calcinosis

myotonia atrophica, 6: 298, Linquette w. neurofibromatosis, 8: 201, Kissel myotonia congenita, 2: 207, Hirsch, 4: 386,

Gordon assoc. w. cranial synostosis, 6: 472, Strahm

sibs, clin., 8: 61, Tobler myotonic contraction, 1: 112, Tyler myotonic dystrophy, 4: 148, Dell'Acqua, 6: 301, Voto Bernales

congenital defects, 7: 748, Caughey

isolate, 7: 225, Klein

psychometric research, 5: 187, Colombati Steinert's disease, 8: 197, Boudin w. atypical tapeto-retinal degen., 5: 405, Begaux

myxedema, 8: 205, Zondek & xanthomatosis, 5: 187, Curtius nail-patella syndrome, 2: 285, Brixey & ABO linkage, 8: 203, Renwick

in Rothmund's Werner's synds., 2: 103, Franceschetti

nails, abnormal, 3: 91, Wildervanck koilonychia, 2: 288, Hellier leuconychia, 4: 150, Kruse pachyonchia & linkage, 4: 386, Jackson w. elbows & knees abn., 2: 292, Wilder-

vanck, 4: 388, Mosbech

nails, atrophy w. stunted eyebrows, lashes, 1-224, Borner

nails, dysplasia linkage, bone dysplasia, 3: 191, Pfandler

nails, dystrophy, 3: 297, Sprafke & iliac horns, 1: 230, Thompson in hypotrichosis, 2: 287, Friederich pigmentation syndrome, 8: 202, Moon-

nails, hypoplasia

Adams

w. dislocation of patella & radius, 1: 231, Wildervanck

nature nurture issue, 3: 298, Hogben neck abnormalities

see Bonnevie-Ullrich synd., pterygium colli, torticollis

necrosis adipose neonatorum, 4:387, Jersild Negro, African

albinism incidence, 5: 186, Barnicot Negro, American

mixture, white & Indian, 1: 228, Meier MNS, 3: 397, Neel

various pedigrees, 1: 226, Gates

Negro race

& white, mental defic., 7: 451, Portnoy EEG, 6: 299, Mundy-Castle Gaucher's dis., 1: 225, Choisser glaucoma, 4: 390, Venable hemoglobinopathies S. A. F. 8: 20

hemoglobinopathies S, A, F, 8: 204, Singer

hemophilia, 3: 92, Younge mongolism, 8: 200, Jelliffe myoclonic epilepsy, 8: 200, Janssen ovalocytosis, 3: 296, Lambotte PTC taste deficiency, 2: 409, Barnicot rare blood group antigen, 3: 299, Ikin Rh, 2: 108, Waller, 2: 212, Sacks, 2: 212, Santos

spherocytic anemia, 3: 85, Butterworth taste blindness, diabetes, 3: 193, Terry telangiectasia case, 3: 189, Kleinschmidt neoplasms

female genitalia, & Rh, 2: 208, Leopardi neoscrine (hormone)

obesity-hyperglycemia synd., 6: 368, Mayer

nephritis, 3: 187, Duverne, 4: 151, Perkoff, 4: 226, Herzog

see also renal skeletal dis.

& hypertension, 3: 84, 3: 297, 4: 147, Beretta

nephrogenic osteopathy

from inorganic phosphate, 3: 192, Schneider

nephronophthisis

contracted kidney, juvenile, 3: 395, Fanconi

nephropathies

hemolytic dis., Rh & ABO, 5: 408, Mittiga

nephroproteinosis

w. dysproteinosis & plasmocytomatosis,6: 468, Cacciari

nephrosis

4,

hydronephrosis, 7: 451, Raffle lipoid; MZ twins, 3: 89, Prader lipoid; Rh hemolysis, 2: 410, Fontaine

nerve cell nucleus morphological sex differences, 3: 84, Barr nerve deafness, 5: 101, Dolowitz

nervous disorders

see also ache, amyotonia, myasthenia,

"tie"

cerebro-spinal degen., 6: 369, Raybaud methodology, 4: 388, Nieto multiple, & keratitis, 2: 288, Jequier progressive rigidity, 2: 412, Urechia

nervous system
see also malformations
physiology, 8: 199, Ginsburg
vascular tumors, 7: 452, Silver

virus diseases, 8: 203, Sabin nervous system disorders see also optic atrophy anatomy, 4: 228, Posthumus

w. osteosclerosis, 8: 197, Cartellieri nervous system malformations seasonal incidence, 3: 299, McKeown neuralgia

see also arthralgia

facial, 1: 106, Castañer Vendrell

neural muscle atrophy & ataxia, 8: 198, Conrad

neuritis, hypertrophic

& muscular atrophy, 4: 227, Luban neuro-anemic syndrome, 1: 106, Canelas neuroblastoma

sympathetic ganglia, 4: 153, Zimmerman neurodermatitis, 3: 393, Argüelles-Casals neuroectodermal dysplasia, 3: 193, Tegelaers various types & Recklinghausen's disease, 2: 288, Hein

neuroectodermal pigment dysplasias, 2: 214, van Bogaert

neurofibromatosis, 3: 296, Schmitz, 4: 228, Pineda Munayco, 6: 469, Gasalla Chacón

cranial lacunae, 1: 226, Gilbert-Dreyfus myotonia atrophica, 8: 201, Kissel MZ twins, 2: 411, Sillevis Smitt MZ twins, EEG, 6: 472, Troch pheochromocytoma, 2: 286, Davis pseudoarthrosis, 2: 104, Jacobs

Recklinghausen's dis. sarcoma, 5: 190, Preston

sarcomatous degeneration, 7: 450, Kohn skeletal deformity, 3: 192, Sillevis Smitt tuberous sclerosis, 1: 147, Borberg, 3: 393, Borberg

neurolemnocytomatosis, 4: 228, Pineda Munayco

neurolipomatosis

syndr., diff. diag., 5: 186, Burman neurological abnormality

see spina bifida

neurological disorder, 2: 412, Svendsen see also acropathy, spastic, tremor convulsion, 6: 299, Ounsted

eclampsia, 5: 405, Bassett, 6: 366, Cimberle

pain insensitivity, 2: 202, Aranda w. psychiatric disorder, EEG, 7: 452, Shimoda

neurology

review lit., 4: 229, Thums

neuro-muscular disease, 8: 204, Tyler neuro-muscular trait

tongue folding, 1: 112, Whitney

neuro-osteological dysgenesis, 2: 209, Mar-

neuropathy

see also Dejerine-Sottas dis., progressive hypertrophic neuropathy

atypical amyloidosis of peripheral nerves, 5: 186, Andrade

phenylketonuria, 3:84, Alvord

sensory, 7: 449, Heller

neuro-psychiatric diseases

infantile, 2: 410, Gallot

neuroses, 4: 386, Henry, 3: 189, Leuba, 4: 389, Slater

see also cerebellar synd., dysphoria, melancholia

& constitution, 1: 227, Kretschmer

blood group incompatibility, 4:388, Nunes digestive, 2: 214, Vague

obsessional, 5: 105, Riser

twins, 6: 300, Shields

neuroticism, 4: 149, Eysenck

neuro-vascular dystrophy, 2:214, Wadulla nevus epithelioma, 3: 194, Weyde

nevus flammeus, 1: 111, Shelley, 4: 230, Tramer

nevus vasculosis

causing limb hypertrophy, 7: 90, Petschelt

Niemann-Pick disease, 5: 408, Pfändler & Gaucher's dis., 7: 227, Rodriguez Acuña

diff. diag. Tay-Sachs dis., 6: 296, Driessen

histologic, twins, 1: 225, Didion

ocular manifestations, 7: 225, Malatesta

Niemann's disease see lipoidosis

night blindness

& choroidoretinal aberrations, 2: 410, Falls

nipples

malformation, 1: 110, Romanus

Nonne's disease

see lymphedema

nose deformity, 4: 388, Nieuwenhuizse

nuclear anomaly

of leukocytes, 8: 200, Iofin

nucleic acid

in testis, 3: 295, Giarola

nuclei, erythrocytes

multinuclearity, 4: 390, Wolff

nyctalopia, 2: 210, Perez Arciniega

European case, 2: 107, Salzmann

nystagmus, 1: 225, 2: 102, Cuendet, 2: 214, Vesterdal

& eye muscle paralysis, 2: 207, Hüfler

in deafness synd., MZ twins, 7: 223, Balavoine

in vestibular synd., 2: 102, Devic

w. amblyopia & astigmatism, x-linked 2: 409, Cuendet

obesity, 2: 208, Lauter

constitution, 6: 300, Scholten

w. diabetes, 8: 205, Vague

w. diabetes & fibromas, 4: 152, Touraine

w. diabetes & hypertension, 8: 196, Bauer w. myoclonic epilepsy, 3: 184, Andre van Leeuwen

obesity-hyperglycemia syndrome

& neoscrine, 6: 368, Mayer obsessional neurosis, 5: 105, Riser

obstetrics, 5: 103, 5: 189, Malcovati

occlusion abnormality

twins, 6: 298, Kloeppel

ochronosis

see alcaptonuria

ocular anomalies & diseases, 5: 186, Bose asymmetry & dominance, 3: 301, Walls in arachnodactyly, 3: 193, Sloboziano in Willebrand-Jurgens thrombopathy, 5:

187, Forsius hypotelorism, 8: 61, Schachter

ocular signs

constitutional dis., 5: 187, Dunphy

odontogenesis imperfecta, 5: 290, Thorsen w. osteogenesis, 1: 231, Winter

odontology, 7: 227, Vallois

odontomas of jaw, 8: 196, Agazzi

oesophagus abnormality, 7: 224, Crichlow Oguchi's disease, 2: 203, Caccamise

see nyctalopia

oligodactyly

& other malformations, 5: 407, Lehmann oligodontia

etc. dysplasia, 8: 61, Stern

oligophrenia, 2: 411, Roberts

& epilepsy, 2: 412, Svendsen

& growth, 4: 228, Peiser

& maternal diabetes, 2: 107, Schachter

& mult. eye defects in Swiss isolate, 2: , 210, Pfändler

& schizophrenia, syndrome, 5: 289, Schachter

book, 1: 229, Penrose

in synd. w. cataract & ataxia, 3: 90, Sjogren

Swiss isolate, 8: 205, Wieser

w. spastic paral., cranial dyst. & cataract,2: 204, Cordier

olivo-cerebellar atrophy Holmes synd., 2: 209, Mayoux onychondysplasia see nail-patella synd. opalescent dentine, 1: 229, Roberts see dentinogenesis

ophthalmological disorders, 4: 385, Falls

paternity tests, 4: 229, Rieger various; counseling endogamy, 5: 285, Biro

various, review, 3: 295, del rio Cabanas ophthalmology, 3: 190, Melanowski, 3: 393, Anonymous, 4: 389, Rife, 5: 409,

twin research, 2: 412, Waardenburg ophthalmoplegia

retinal degen., 2: 285, Chamlin

w. myopia & dysplasias, 3: 192, Salleras Oppenheim's amyotonia

& muscular atrophy, 3: 185, Brandt optic atrophy, 4: 387, Lodberg see also atrophy

Leber's, 2: 101, Bird, 3: 399, Tatarelli, 4: 388, Müller

Leber's & allied nervous diseases, 5: 285, Bereday

w. color blindness, 8: 58, Jaeger

w. keratodermia, 2: 205, Dimsdale

w. Recklinghausen's dis., 2: 102, Dressner optic nerve atrophy, 2: 207, Hambresin optometry, 6: 301, Stiles

organic disease, 5: 106, Verschuer

orthodontics, 3: 186, Cheney, 8: 198, De Coster

& animal genetics, 2: 410, Grüneberg MZ twins, 1: 225, Cheney, 3: 193, Towend twins, 2: 411, Rittinen

Osler's disease see Rendu-Osler's dis., 6: 471, Maschke ossea fragilita see fragility

osseous dysplasia, 3: 300, Pfändler

linkage, nail dysplasia, 3: 191, Pfändler osseous dystrophy

see also cleido-cranial dysostosis, exostoses, gargoylism

nomenclature, 4: 150, Jackson osseous granuloma, 3: 298, Creyssel ossicles, iliac, 4: 147, Bock osteitis deformans (Paget's dis.) MZ twins, 4: 383, Aschner osteitis fibrosa cystica, 2: 104, Jacobs

sarcomatous degeneration, 7: 450, Kohn osteitis of ilium, 8: 196, Arlet

osteoarthritis, digital

MZ twin's fingers, 6: 301, Stecher Heberden's nodes, 7: 227, Stecher osteo-arthropathy, 4: 389, Rogers osteo-cartilaginous growths, 8: 203, Paw-

lowska

osteochondritis

foot, 6: 300, Shands

osteochondritis dissecans, 3: 400, Zellweger, 7: 89, Laurent, 8: 199, Gardiner, 8: 203, Pick

osteochondritis of hip, 8: 199, Gila osteochondrodystrophy, 4: 226, Jackson, 6: 469, Francia

osteochondrosis of hip

w. 2 other dis., 5: 288, Pfändler osteodystrophy, renal origin, 3: 398, Piéri osteogenesis imperfecta, 1: 226, Gruber, 1: 231, Wicinski, 2: 212, Seedorff, 3:

231, Wicinski, 2: 212, Seedorff, 3: 185, Baumann-Schenker, 4: 226, Jackson, 4: 385, Gain, 6: 298, Jankiewicz, 6: 298, 6: 368, Malaguti, 6: 468, Alekseeva, 7: 452, Sala, 8: 197, Boncompagni

see also Lobstein's syndrome

& blue selerotics, synd., 5: 289, Ruedemann

callus formation, 6: 472, Strach diag, in utero, 6: 367, Hortemo histochemistry, 7: 88, Follis MZ twins & mother, 6: 469, Gedda Negro infant, 2: 291, Scott teeth & tooth germs, 7: 447, Bergman tooth development, 4: 387, Kostlan Vrolik's dis., 2: 286, Fortina w. odontogenesis, 1: 231, Winter

w. thrombasthenia; new synd., 5: 286, Gautier

osteogenesis imperfecta precox

assoc. w. other malformations, 4: 389, Sala

osteogenesis imperfecta tarda, 6: 472, Scott osteogenic disease, 7: 448, Bosc

exostoses & chondromas, 3: 187, Desgrez osteohypertrophy

from hemangiectasis, 7: 90, Petschelt osteolysis, 5: 188, Giaccal, 8: 57, Harms osteomegalic dystrophy

diabetes insipidus, 6: 368, Mamou osteo-neural dysgenesis, 2: 209, Martin osteopathia dysplastica

clubbed fingers, 5: 101, Crecelius osteopathy

see also toxopachyostosis

osteopathy, continued

deficiency, 2: 204, Dana

dysplastic, 4: 384, Crecelius

osteopecilia, 4:152, Vulpian, 4:390, Vulpian, 8:202, Ordonneau

osteopetrosis, 4: 226, Jackson, 5: 288, Metelka

new type, 4: 384, Bonomini

osteopoikilosis, 4:390, Svab, 5:288, Metelka osteosclerosis

& nervous degeneration, 8: 197, Cartellieri

osteomyelosclerosis, 7: 448, Decastello otosclerosis, 2: 106, 2: 290, Pfändler, 3: 87, Kopetzky

& color blindness, complete, 2: 411, Mac-Gregor

MZ twins, 2: 286, Fox, 6: 296, Fowler, 8: 200, Hall

outbreeding & probability, 5: 103, Komatsu ovalocytosis, 7: 448, Dewi

see also elliptocytosis

& sicklemia, 1: 225, Fadem

in Congo Negro, 3: 296, Lambotte-Legrand

MZ twins, 1: 225, De Asúa

ovarian agenesis

see Turner's synd.

ovarian cancer, 2: 289, Liber

Owren's disease

see parahemophilia

oxycephaly, 1: 227, Lindsay & acrocephalosyndactyly, 3: 296, Moffie

& cutis frontis gyrata, 3: 87, Karabanow twins, MZ, 4: 385, Franceschetti P, 2: 104, 2: 207, 2: 410, Henningsen, 3: 185,

Cazal, 3: 188, Grosjean, 4: 227, Lille 85 English families, 2: 212, Sanger incidence, Sao Paulo, 3: 299, Lacaz

variants in 3 races, 3: 88, Miller P & hemolysis, 3: 396, Krah

anti-c isoimmunization, 8: 198, Dzierzkowa

clinical significance, 3: 299, Orth

pregnancy, 1: 107, Dunsford, 3: 88, Mata de la Campa

Rh: twins, 3: 398, Schmidt

pachyderma

periostosis of digits, 3: 85, de Seze skin folds, anat., 3: 85, Franceschetti

pachyonchia congenita

& linkage, 4: 386, Jackson

pachyostosis

toxopachyostosis, 7: 453, Weismann

Paget's disease, 3: 88, Lievre

see osteitis deformans

pain, indifference to, 2: 202, Aranda Vega palmar fascia

see Dupuytren's contracture

palm prints

see also dermatoglyphs simian line, 6: 301, Tillner palsy, cerebral, 5: 284, Alder

pancreas

see cystic fibrosis

pancreatic adenoma

hypoglycemia, 5: 106, Vesalio Guzman pancreatitis, 5: 285, Comfort

panhematopenia

see also anemia, asplastic splenic, 6: 299, Ramon Guerra

panmyelophthisis

see Fanconi synd.

parahemophilia, 2: 213, Stransky, 4: 389, Stohlman

blood factor absence, 8: 196, Belle w. hemophilia A, 7: 451, Oeri

paralysis, 3:88, Lewis

see also paraplegia, periodic, spasmodic, spastic

potassium metabolism, 1: 109, Malaguzzi Valeri

paralysis agitans, 2: 105, Mjönes Parkinson's dis., 1: 107, Dereux

paralysis, eyes ophthalmoplegia, 2: 285, Chamlin

w. paraplegia & cerebral disorders, 4: 223, Alajouanine

paralysis, facial

Melkerson synd., 6: 469, Cavalca paralysis, paroxysmal, 7: 451, Panman paralysis, periodic, 1: 230, Soysa, 8: 55, Ardle

paralysis, progressive, 2: 289, Nagliati

paralysis, pseudobulbar pontocerebellar type, 5: 288, Mutrux

parameters, genetic

scoring systems, 2: 103, Finney

paramyoclonus multiplex see Friedreich's ataxia

paranoia, 3: 88, Leonhard

retinitis pigmentosa & ataxia, 6: 473, Winnik

paraplegia, 5: 284, Appel

& ataxia, 4: 226, Landau

w. cerebral disorders & eye paralysis, 4: 223, Alajouanine

w. feeblemindedness in Schilder's disease, 5: 188, Heuyer

paraplegia, spasmodic, 3: 393, Appel, 7: 90, Nayrac

Strumpell-Lorrain type, 5: 190, Michaux paraplegia, spastic, 1: 110, Philipp, 4: 228, Peron, 5: 289, Schwarz

w. amyotrophy & pes cavus, 2: 287, Garland

parental age

, see also mongolism

effects on offspring, 7: 224, Cowdry parietal foramina, 1: 227, Lischi

parity & maternal age

DZ twinning, 6: 298, McArthur

Parkes-Weber syndrome

osteohypertrophy from hemangiectasis, 7:90, Petschelt

Parkinson's disease, 1: 107, Dereux paralysis agitans, 2: 105, Mjönes parodontitis, 2: 286, 2: 410, Dubois-Prévost parotitis

see sialectasis

paroxysmal choreoathetosis

w. epilepsy, 5: 105, Pryles

paroxysmal neuralgia, 1: 106, Castaner paroxysmal paralysis

potassium metab. disorder, 7: 451, Panman

paroxysms

see Menière's synd.

patella hypoplasia, 2: 206, Franciosi, 7: 227, Unger

see also nail-patella synd.

w. radius dislocation, 1: 231, Wildervanek paternity tests, 2: 203, Brenlla Losada, 2: 291, Tarsitano, 5: 287, Lehmann, 6: 469, Domenici

ABO, 5: 103, Lons

anthropological, 6: 365, Böök

blood groups, 2: 101, Boyd, 2: 411, Planques, 4: 149, Forbes, 4: 225, Frankowska-Stochowa, 4: 383, Anonymous, 5: 285, Davidsohn, 6: 366, Dahr

blood groups, book, 5: 100, Andresen blood groups, limits, 5: 284, Anonymous critique of heredity, 5: 407, Ludwig fingerprints, 3: 400, Wendt finger ridge counts, 3: 297, Brodhage

finger ridge & skin thickness, 6: 365, Baitsch

in mother's absence, 7: 90, Planques Kell & Duffy, 7: 447, Barandun law case briefs, 8: 55, Anonymous

Loens' method, 5: 101, Dahr, 5: 104, Ponsold, 5: 105, Schmidt, 5: 106, Van Marwyck, 5: 189, Manz, 6: 469, Dahr, 7: 225, Hompesch, 7: 226, Püschel

Loens' method, critique, 3: 190, Löns, 6: 366, Dahr, 7: 452, Sachs

Loen's method, problem of, 7: 227, Schwarzfischer

new method, 7: 90, Ruffie

ophthalmological, 4: 229, Rieger positive proof, 5: 102, Heine

PTC taste, 4: 148, Cardullo

Rh, 1: 229, Ottensooser, 2: 410, Jonsson Rh & Loens' method, 5: 189, Manz

Rh & Loens' method, 5: 189, Manz serological, 3: 394, Dahr, 8: 56, Clauberg statistical methods, 7: 228, Wichmann

vertebral column variations, 3: 188, Hofsten

pathology, 1: 110, Reimann, 1: 112, Taylor, 8: 203, Pavlenko

pediatrics, 8: 57, Fanconi

counseling, risk figures, 4: 384, Book

Pelger's nuclear anomaly, 1: 227, Klausgraber, 2: 289, Mendonça, 2: 291, Soyka, 3: 87, Knorre, 3: 89, Nachtsheim, 3: 193, Szymkiewicz, 3: 193, Tagliaferro, 3: 194, Undritz, 6: 295, Baltzer, 6: 370, Zitka, 7: 224, Forteza Bover, 7: 224, Gutensohn, 7: 226, Plum, 7: 448, Churý

anat., path. of newborn, 2: 208, Klein & blood dyscrasias, 5: 284, Alder freq., Czechoslovakia, 7: 453, Vosátková homozygous form, 5: 102, 5: 286, Haver-

kamp legal importance, 5: 289, Schilling

myeloid reactions, 2: 107, Schuster pemphigus (Hailey-Hailey disease), 1: 109, Miller, 1: 110, Rosenthal, 2: 291, Schwarz, 3: 188, Gougerot, 4: 230, Zoon, 6: 367, Hailey, 7: 449, Ingram

cortisone treatment, 6: 472, Wehnert diff, diag., keratosis follicularis, 4: 224, Dupont

penetrance

incomplete, & linkage estimation, 4: 231, Sanchez-Monge

low: linkage detection, 3: 184, Bailey pentosuria, 1: 228, Macumber, 3: 191, Rangier

in musc. dystr., 1: 109, Minot peptic disorders, 1: 105, Bateman peptic ulcer, 2: 286, Doll, 2: 411, Molgaard, 3: 89, Plotz, 3: 185, Bauer & sex, 2: 104, Ivy

perinatal mortality, 2: 289, Miller, 2: 291, Sutter, 7: 452, Schlesinger

& consanguinity, 2: 291, Sutter Rh, in Egypt, 4: 225, El-Dewi

periodic disease, 6: 296, Calligaris, 6: 472, Siguier

rheumatic form, 6: 369, Siguier periodic paralysis, 1: 230, Soysa, 2: 106, Myers, 6: 296, Corsi

EEG, 2: 106, Perelson

hypo-potassemia: EEG, 7: 452, Saunders mental defect, 8: 198, Couston

pathogenesis, 2: 214, Ziegler

periosteal & cutaneous hypertrophy, 7: 87, Binder

periosteal dysplasia, 7: 89, Kaplan periostosis

see pachydermia

peritoneal disorders, 3: 297, Burdzik pernicious anemia, 2: 202, Baggi

w. thalassemia, 2: 204, Crosby pernicious anemia of Biermer, 3: 394, Debré

perodactylia, 8: 56, Deganhardt personality

& intelligence, 6: 300, Scott Rorschach test, 5: 409, Schachter twins, 6: 300, Shields twins, MZ, 4: 389, Schwesinger

variation, 4: 389, Slater

w. spastic paraplagia & amyotrophia, 2: 287, Garland

Peutz-Jegher's syndrome see polyposis of colon

Pfaundler-Hurler syndrome, 7: 90, Savage see gargoylism

Pfeiffer's disease

MZ twins, 5: 189, Karst

phalange number, V toe, 7: 91, Venning phenocopies, 8: 196, Bamatter

phenylketonuria

linkage w. ABO, MN, 4: 388, Penrose pleiotropy, 4: 388, Penrose

phenylpyruvic idiocy, 1: 227, Imperato, 1: 228, Mautner, 2: 108, Warthen, 2: 286, Delay, 3: 187, Fernandes, 4: 148, Cowie, 4: 224, Cantor, 4: 387, Martin, 5: 100, Benassi, 5: 101, Cantor, 6: 295, Andreani, 6: 296, Fraccaro, 6: 368, Mautner, 6: 468, Andreani, 6: 470, Lusso, 7: 224, Cawte,

7: 450, Meregalli, 8: 59, Lang, 8: 200, Jervis

excretion, phenylalanine, 3: 188, Jervis hair color dilution, 3: 394, Cowie in Swedish institutions, 2: 289, Larson metab. error, 2: 108, Waelsch metab. error & hypopigmentation, 3: 186,

Delay metab. error, constancy, 3: 185, Borek microbiol. & chem., 2: 211, Prescott neuropathology, 3: 84, Alvord pathological physiol., 5: 105, Schrappe pathology, 6: 469, Corsellis therapy, glutamic acid, 2: 205, Delay treatment, 8: 62, Woolf

tyrosine metab. & blondism, 8:56, Dancis phenylthiourea taste, 1:226, Harris see PTC taste

pheochromocytoma

w. neurofibromatosis, 2: 286, Davis phlebitis

retinal periphlebitis, 8: 196, Barut phosphate excretion

schizophrenia, 8: 58, Hoagland

phosphate metabolism
see nephrogenic osteopathy synd.

phosphorus in urine in musc. dystr., 1: 109, Minot

phosphorus metabolism

turnover in sicklemic blood, 5: 186, Branson

photodermatosis, 3: 86, Franzolin physical anthropology

see also race, anthropometry & genetics, 4: 389, Strandskov prognathism, 8: 203, Schenderlein traits, twins, 3: 400, von Verschuer

physiology of nervous system, 8: 199, Ginsburg

piebaldness

partia! albinism, 7: 449, Jahr see also vitiligo

pigment

hair, microscopic, 8: 197, Birbeck hair, race differences, 7: 226, Pezard skin, w. intestinal polyposis, 7: 90, Savage syndrome, dystrophy of nails, 8: 202, Moon-Adams

pigment dysplasias, neuro-ectodermal, 2: 214, van Bogaert

pituitary disorder

w. dwarfism & polydaetyly, 4: 228, Richet pituitary tumor syndromes, 8: 202, Matarazzo placentas of twins, 1: 111, Sinclair Placenta's role

in Rh hemolytic disease, 2: 214, 3: 91, Van Bolhuis

plant agglutinins

similarities to ABO substances, 7: 448, Boyd

plasmocytomatosis

w. nephroproteinosis & dysproteinosis,6: 468, Cacciari

pleiotropy

albinism & other traits, 3: 87, Keeler blood groups, 2: 292, Whiting phenylketonuria, 4: 388, Penrose

pneumonia, 2: 284, Anglade

pneumothorax simplex, 2: 284, Berlin poikiloderma

in Rothmund's & Werner's synds., 2: 103, Franceschetti

poliomyelitis, 4: 390, Worster-Drought, 7: 225, Mallardi

& allergy, 2: 289, Locke

& sicklemia simulation, 3: 395, Gordon twins, 4: 231, Herndon

twins, MZ, 4: 150, Haumeder, 8: 198, Farmer

poliosis, 4: 231, Gilman

w. alopecia & uveitis, 4: 233, Benedict w. uveitis & vitiligo, 4: 231, Flynn

polycystic affections see cysts

polycystic kidney disease, 2: 105, Morganti, 2: 205, Fergusson, 2: 287, Giordano,

7: 87, Arrigoni polycythemia & leukemia, 3: 189, Lawrence polydactyly syndrome

w. dwarfism, infantilism, 4: 228, Richet polygenic inheritance

sibs' correlation, 3: 396, Karn

syndrome, sibs' onset ages correl., 1: 226, Harris

polyphalangy

fifth toe, 6: 301, Venning

polyposis, 2: 284, Anonymous, 4: 227, Mayo see also intestinal

colon, 2: 212, Schantz, 3: 186, Clark, 4:
149, Dye, 4: 227, Martinez, 5: 289,
Schaffer, 6: 298, McCarty, 7: 450,
Martin Allende

colon, & cancer, 8: 205, Vigoni colon & rectum, 8: 205, Woolf diffuse, 7: 448, Casanova Diaz

intestinal w. pigmentation of face & digits, 7: 90, Savage population, genetical structure Galton lecture, 3: 400, Wright

population genetics, 3: 399, Schnack see also isolates

ABO gene freq. ests., 3: 193, Stevens & radiation, 2: 412, Wright blood groups, 2: 203, Boyd gene freq. stability, 8: 203, Penrose

Hardy-Weinberg law, 3: 88, Moree morph. & genetic traits, 6: 300, Sanghvi outbreeding, gene distrib., 5: 103, Komatsu

population limitation

selective, 5: 102, Hogben

porphyria, 3: 297, Calvy, 5: 285, Bolgert, 8: 198, Dean

coproporphyria, 8: 196, Berger late chronic form, 7: 447, Beretervide w. erythrodontia & anemia, 8: 61, Were-

mowicz posture & mimicry

twins, 8: 199, Gedda

potassium metabolism disorder

hypopotassemia & paralysis, 7: 452, Saunders

in paralysis, 1: 109, Malagussi Valeri in paroxysmal paralysis, 7: 451, Panman in periodic paralysis, 8: 55, Ardle

Pott's disease see spondylitis

precocity

see also growth

sexual precocity, 1: 111, Schachter, 4: 225, Engstrom, 5: 287, Jacobsen

prenatal diseases, 6: 297, Grebe prepuce, aplasia, 4: 387, James preventive medicine

eugenics, 5: 407, Herndon

rogeria

in hypotrichosis, 2: 287, Friederich in new synd. chain, 5: 290, Touraine new type, 2: 101, Bamatter prognathism, 8: 203, Schenderlein prognosis of disease, 8: 199, Gedda

progressive hypertrophic interstitial neuropathy, 3: 298, 4: 148, Creutzfeldt

progressive muscular atrophy see also Charcot-Marie disease

progressive muscular dystrophy, 5: 284,

Swiss isolate, 2: 411, Pfändler progressive rigidity, 2: 412, Urechia protanopia

& red blindness, 2: 290, Pickford

proteins

see dysproteinemia

pseudarthrosis

w. neurofibromatosis, 2: 104, Jacobs pseudoglioma, 3: 191, Pajtas pseudoglioma blindness, 1: 231, Wilson pseudohemophilia

see also thrombasthenia, Willebrand-Jurgens dis.

from hypocalcemia, 2: 101, Aimes pseudohermaphroditism, 1: 107, Deming female, 3: 185, Bentinck pseudopelade

w. chondrodystrophy & atrophoderma,2: 204, Curth

pseudosclerosis, spastic, 3: 87, Jacob psoriasis, 4: 148, Cordero, 8: 61, Steinberg see also Brocq's dis.

etiol. & sympt., 3: 399, Tiedemann psychiatry

acromegaly, 3: 297, Blickenstorfer & eugenics, 7: 449, Kallman review, 4: 229, Thums, 4: 389, Slater twin studies, 5: 407, Kammerer

psychological traits, 8: 201, Lazzeroni careers, 3: 399, Ullman individual differences, 7: 87, Anastasi methodological, 1: 111, Smith

psychological traits, twins & anthropological, 3: 400, Verschuer expression & behavior, 8: 204, Spindler

psychology see also behavior

self-consciousness, twins, 3: 397, Lezine social, 4: 230, Van der Heyden psychoses, 5: 106, Vizzotto, 8: 197, Carpi-

tella

see also dementia, demonomania, dyslexia, manic-depressive anorexia & hyperorexia, 5: 191, Tolstrup

& cholinesterase, 4: 149, Glasson & Rh, 7: 90, Prokop

aggressive: MZ twin, 4: 390, Wheelan climacteric, 5: 287, Knoll

compulsive, 7: 90, Rudin

depression, MZ twins, 3: 190, Lustig differentiation, 4: 226, Kallman EEG study, 7: 452, Shimoda

hebephrenia, twins, 3: 295, 5: 186, Boittelle

hysteria, MZ twin, 1: 229, Paterson infantile, 2: 410, Gallot manic depressive, 4: 227, Merrell

melancholia, 4: 384, Binetti, 8: 61, Sciorta

obsessional, 5: 105, Riser paranoia, 3: 88, Leonhard, 6: 473, Winnik psychotic behavior, 8: 200, Kallman psychotic syndrome, 3: 88, Lingjaerde Swedish isolate, 2: 107, Sjögren twins, 2: 288, Kallman, 5: 409, Slater variation of types, 3: 299, Kallman

psychosomatic patterns childhood, 2: 412, Sontag

PTC (phenyl-thio-carbamide) taste, 3: 297, Boyd chemistry, measurement, 2: 104, Harris

chemistry, measurement, 2: 104, Harris forensic validity, 5: 189, Klein in Denmark, 4: 388, Mohr in Malaya, 8: 201, Lugg linkage w. red hair, eye color, blood

groups, 6: 297, Hauge
Negroes & Chinese, 2: 409, Barnicot

paternity tests, 4: 148, Cardullo physiology, 2: 102, Cohen sib pairs, 4: 386, Harris thresholds, 4: 384, Barnicot

w. goiter & diabetes, 2: 207, Harris

PTC (plasma thromboplastin component) see also hemophilia deficiency, 7: 223, Bersagel, 7: 447, Amato

deficiency w. hemophilia, 8: 200, Hill pterygium, 4: 149, Enroth

pterygium colli, 2: 205, Fournier, 3: 396, Laplane

see also Bonnevie Ullrich synd. in Bonnevie-Ullrich & Turner syndromes, 3: 398, Rossi

ptosis, 2: 410, Gutman, 3: 87, 3: 189, Jonkers

atypical, 2: 106, Pau blepharophimosis & other eye abnorms., 3: 189, Klein

puberty

delayed, 5: 285, Decourt precocious, 1: 111, Schachter

pulmonary disease

unusual type, 3: 192, Rutledge

pulmonary fibrosis

MZ twins, 3: 191, Peabody pulmonary stenosis, 5: 285, Coblentz

pupillary membrane, atavistic w. cataract & microcornea, 2: 214, Waardenburg

pupil malformation

rare type, 7: 87, Auvert purpura, 7: 89, Jackson

thrombocytopenic, in twins, 7: 88, De Spirito pyelonephritis, 4: 151, Perkoff pygmies, Congo

Rh frequencies, 2: 104, Hubinont pyloric stenosis, 1: 229, Planson, 2: 101, Adlington, 2: 105, Lamy, 3: 297, Carter, 3: 396, Huang, 4: 224, Christiaens, 7: 450, Lamy, 8: 59, Nielsen

etiol. & developmental, 2: 213, Torgersen familial incidence, 4: 387, McKeown incidence, Dundee, 4: 387, Lawson

twins, 3: 300, Powell, 3: 301, Wagner, 6: 299, Metrakos

twins, DZ, 2: 104, Hughes

twins, MZ, 1: 227, Lamy, 2: 206, Garrison, 2: 411, Schaper, 4: 385, Cunningham, 6: 301, Wait

pyorrhea see parodontitis quintruplets, 5: 188, Gedda

see also distribution & specific racial names

basic concept, 7: 448, Dahlberg cancer, 3: 295, Farias Rodriguez dermatoglyphs, 2: 292, Wolfe hypertension, 6: 295, Bays morphol. & genetic traits, 6: 300, Sanghvi Negros & whites, EEG, 6: 299, Mundy-Castle

structure & definition by blood group studies, 4: 384, Boyd

race mixture

blood dyscrasias, 5: 100, Ashman blood groups, Dominican Republic, 4: 223,

Alvarez ear lobes, 8: 57, Gates gene freq., 2: 203, Boyd

hybrids & history, 5: 106, Snell Negro, Indian & white, 1: 228, Meier sociolog. & biol., 1: 225, Dickinson

racial anthropology

blood groups, 2: 409, Boyd hair & pigment, 7: 226, Pezard

racial likeness coefficient revised, simplified, 6: 299, Penrose radiation

& mutation, 8: 204, Slatis & population genetics, 2: 412, Wright radiation damage, genetic, 2: 289, 5: 288, Muller

& chemical mutagens, 7: 87, Auerbach atomic explosions, 3: 187, Fabergé mothers irradiated, 3: 189, Kaplan, 5: 105, Rubin quantitative inferences, 1: 107, Evans risks, 4: 231, 4: 386, Howard healthy males treated, 1: 227, Korbler radiation dosage, 4: 147, Boag radiation resistance

in biol. & med., 8: 61, Schubert radius deformity

see Madelung's deformity, nail-patella

w. hypoplasia of nails & patella, 1: 231, Wildervanck

Ramsay-Hunt syndrome, 2: 206, Girard random mating theory, 6: 295, Bennett Raymond's ataxia

atypical, 2: 285, Chiaramonti recessives

estimation of frequency and ascertainment methodology, 4: 383, Bailey

recessivity clin. med., 2: 103, Fraser

Recklinghausen's disease see neuroectodermal dysplasia

biochemical changes, 3: 399, Telfer w. Dupuytren's & Charcot-Marie dis., 5: 106, Ventura

w. optic atrophy, 2: 102, Dressner rectum

see also anus

abnormalities, congen., 1: 111, Suckling lymphoma, MZ twins, 2: 206, Granet red cell fragility

hemolytic disease, Rh (d), 7: 449, Greenwalt

red hair, linkage

ABO, 2: 411, Penrose

blood groups, PTC, eye color, 6: 297, Hauge

Refsum's syndrome, 2: 211, Refsum Reiter's syndrome, 4: 225, Fabregoule cardiac complications, 3: 194, Trier relationship coefficients, 3: 188, Hazel renal diabetes, 7: 452, Rieppi renal dwarfism

MZ twins, 3: 299, Milne

renal dysplasia

iliac horns & other anomalies, 2: 288, Hawkins

renal glycosuria

linkage, 3: 396, Houston

renal skeletal disease

rickets-like, lethal, 3: 395, Eder renal Tubule defects, 7: 226, Payne

Rendu-Osler's disease, 2: 203, Bourne, 3: 185, Breda, 6: 471, Maschke

respiratory disease
pneumonia, 2: 284, Anglade
stridor, 2: 103, Finlay
unusual, 3: 192, Rutledge
reticuloendotheliosis
incidence, 4: 388, Reese
retinal
see also choroidoretinal

see also choroidoretinal angiomatosis, cystic, 7: 89, Merle changes, in Friedreich's staxia, 2: 213, Stadlin

retinal degeneration, 8: 198, Elwyn
see also macular
angioid streak, 3: 399, 4: 389, Streiff
cochleo-vestibular, w. ataxia, 3: 298,
Francois

Francois ophthalmoplegia, 2: 285, Chamlin pigmental, w. deafness & amentia, 3: 191, Peterson

retinal detachment, 2: 212, Santoni juvenile, 4: 149, Feigenbaum possibly X-linked, 3: 301, Sorsby sex-linked, 7: 89, Kleinert

retinal dystrophy pigmented, 5: 106, Sjögren unusual, 2: 213, Sorsby w. deafness, 4: 386, Holmgren retinal fundus changes

& diseases, 4: 152, Woltman retinal glioma, 8: 205, Vogel

see glioma retinal microaneurysms & sicklemia, 5: 187, Edington retinal periphlebitis

w. macular lesions, 8: 196, Barut retinitis, exudative

Coats disease, 3: 191, Pajtáš retinitis pigmentosa, 3: 399, Sorsby auditory troubles, 2: 202, Appelmans cystinuria, 1: 225, Brooks diabetes insipidus, 2: 214, Zondek dominant, 1: 110, Rehsteiner, 2: 207,

Heuscher-Isler, 3: 300, Rywlin dystrophia myotonica, 2: 103, Gotfredsen epilepsy & melancholia, 8: 61, Sciorta Fuchs' atrophy, 2: 203, Bourquin hormones, 2: 207, Hegner malformed erythrocytes, 2: 284, Bassen marker genes, 2: 411, 4: 152, Rywlin, 6:

367, Klein paranoia & ataxia, 6: 473, Winnik progr. musc. dystrophy, 3: 192, Reinberg pseudo dominance, 6: 297, Franceschetti synd. w. cerebellar degen., heterotopia, mental defic., 3: 298, Hagen vitiligo, sine pigment, 6: 469, Gordon X-linked, 8: 205, Weiner retinoblastoma, 2: 106, Reese, 2: 205, Falls, 2: 284, Anonymous, 3: 395, 4: 225,

2: 284, Anonymous, 3: 395, 4: 225, Falls, 5: 290, Sovik, 6: 471, Mascati, 8: 60, Reese

& malformations, 8: 202, Neubauer mutation rate, 4: 388, Neel, 8: 61, Vogel retinography

hemeralopia, 8: 201, Latte retrobulbar neuritis, 4: 152, Tatarelli retrolental fibroplasia

blood groups, 6: 369, Paul reversed asymmetry

see dextrocardia, situs inversus Rh, 1: 108, Levine, 1: 227, Klein, 2: 106, Race, 4: 152, Speiser, 6: 471, Picazo Guillen, 8: 205, Zacharias anti-C, 5: 104, Matsunaga

anti-c, 3. 104, Matsunaga anti-c & -E, dual sensitization, 6: 366, Dunne

anti-c<sup>+</sup>& -P, 8: 198, Dzierzkowa anti-d, 3: 86, Hill

anti-D in cde/cde, 2: 213, Staveley anti-D & -E without stimuli, 7: 88, Grove-Rasmussen

anti-E & -e, 3: 187, Gilbey anti-f, 5: 409, Rosenfield, 6: 300, Sanger, 7: 89, Jones

biochemistry, 3: 296, Manski chromosome r\*(CdE), 4: 224, Ceppellini, 4: 386, Grove-Rasmussen chromosome CDuE, 3: 393, Boorman chromosome C\*dE(R,v\*), 5: 101, Dunsford

chromosome deletion, 3: 89, Race chromosome, unusual, 2: 290, Sanger Cu, 3: 398, Race Cw, 2: 105, Lawler, 7: 224, Cazal

 $C^w$  &  $D^u$ , 2: 412, van Loghem  $D(Rh_0)$ , 1: 112, Waller, 3: 188, Howe D, allele of, 2: 205, Delaney

Du, 1: 230, Stratton, 2: 411, Renton, 3: 85, Eldon, 5: 191, Tortora, 8: 58, Henninot

E gene, new allele, 2: 285, Ceppellini E<sup>u</sup>, 3:85, Ceppellini E<sup>w</sup>, 8: 57, Greenwalt clinical effects, 5: 104, Mollison clin. signif., 4: 388, Mayr, 5: 287, Jankovic, 7: 453, Vodovotz

conserved blood, 2: 285, Brunner

determination tech., 2: 288, Lang, 3: 399, Speiser, 4: 230, Umnova, 7: 227, Tortora

determination tech., in urine, 3: 90, Siegert

determination tech., errors, 7: 451, Piertrusky

differences, DZ twins, 3: 396, Haile factor Ry, 2: 288, Johnstone

factors R \* & ry, 2: 108, Wiener

factor rhw, 1: 231, 2: 108, Wiener

genotype CdE/cde in Negros, 3: 191; Phansomboon

hapten, 1: 106, Carter

hog reagent, 1: 105, Barnard

inheritance, 1: 111, Strandskov, 5: 408, Race

inheritance-mult. preg., 5: 189, La Torretta

inheritance-150 fams., 2: 410, Lawler

legal aspects, 1: 105, Berger medicolegal, 1: 112, Wiener

nomenclature, 1: 228, Mourant, 2: 203, Boyd, 2: 206, Guest, 2: 214, van Loghem, 2: 286, Ducey, 2: 288, Lang, 3: 194, Wiener, 3: 295, Benassi, 3: 400, Wiener, 5: 409, Wiener paternity tests, 1: 229, Ottensooser, 5: 189, Manz

physiology, 2: 207, Gyöngyössy, 2: 286, Evans

practical importance, 1: 110, Ruffié rare antibody, 1: 106, Dahr

rare genotypes, 1: 227, Lawler

rare genotype A<sub>4</sub>cD<sup>4</sup>e/cde, 5: 187, Dunsford

serological principles, 8-61, Schwenzer serology & clinic, 5: 190, Nevanlinna subgroups, significance, 6: 367, Hoffbauer typing, antenatal, 2: 284, Aldridge, 5: 187, Dunne

Rh & disease, 4: 152, Trampuz Banti disease, 2: 210, Nussy dysphoria, 3: 185, Bindewald green teeth, 5: 103, MacRae hearing disorders, 7: 451, Rauch infant health, 7: 452, Singh infertility, 7: 452, Rosenvasser Klippel-Feil syndrome, 3: 189, Kratkova neoplasms, females, 2: 208, Leopardi thalassemia, 6: 368, Muratore

Rh & malformation theoretical, 8: 202, Mosler Rh & mental deficiency, 3: 395, Glasser Rh & mental diseases, 7: 90, Prokop Rh & race

Egypt, 4: 225, El-Dewi Negros, 2: 108, Waller, 2: 212, Sacks, 2: 212, Santos

3 racial groups, 3: 398, Pomerance Rh incompatibility

ABO, 2: 204, De Kromme, 2: 410, Lucia, 4: 386, Gurevitch, 7: 227, Walsh ABO, A<sub>1</sub>A<sub>2</sub>, 8: 200, Heisto

ABO, relations, Swiss isolate, 6: 299, Moor-Jankowski

& consanguinity, 3: 189, Laffont antigen competition, 3: 300, Polishuk Duffy, 6: 299, Mohr isoimmunization, 1: 227, Levine isosensitivity, 3: 396, Lah & other blood groups, 2: 205, Diamond

6000 examinations, 7: 224, Christians Rh incompatibility, pregnancy, 1: 110, Potter ABO, 2: 285, Boorman, 6: 301, Wiener ABO & anti-C, 8: 205, Wiener abortion, 1: 107, Glass, 5: 104, Mayr C antibody, O serum, 7: 452, Unger clin., 1000 white cases, 4: 387, King coagulation defect, 3: 194, Weiner control, 7: 226, Roca de Viñals early diag., 6: 369, Pohl fetal wastage, 8: 201, Kelsall genetic aspects, 6: 301, Sussman habitual abortion, 4: 228, Pothmann hemolytic dis. in Toronto, 7: 88, Donohue Lewis, 4: 224, Ceppellini necropsy, 3: 398, Ranström no hemolysis, 6: 471, Pigeaud P in twins, 3: 398, Schmidt placenta permeability, 2: 409, De Kromme,

2: 412, van der Spek prenatal tests, 7: 447, Anonymous primigravidae, 3: 91, Weiner rare case, 7: 226, Palagi therapy, 7: 223, Callegari titre; persistence of antibodies, 4: 230, Wiener

37 cases, 7: 225, Jaffe

Rh incompatibility, transfusion accidents, 7: 226, Petersohn delayed reaction, 4: 150, Lacombe isolated anti-E, 6: 472, Speiser persistence of antibodies, 3: 193, Speiser, 4: 230, Wiener

Rh sensitization tests

w. enzyme-treated red cells, 3: 301, Wiener rheumatic fever, 4: 227, Meneses Hoyos

rheumatic heart disease, 2: 101, Beers

& sicklemia, 5: 190, Plachta

rheumatism, 4: 389 Smyth, 5: 286, Gray cardioarticular, 5: 190, Salazar Mallen in periodic disease, 6: 369, Siguier

rheumatoid spondylitis

cortisone treatment, 5: 287, Kupperman rhinopathy, allergic, 8: 197, Clerici

rhinophyma, 4: 387, Kulenkampff & lingual goiter, 5: 287, Kulenkampff

cervical, 2: 290, Purves

flaring, 8: 196, Aschner

rickets, renal

dwarfism, cystinosis, 1: 112, Ullrich

rickets, vitamin-D resistant w. cranio-stenosis, 7: 87, Coleman

ridge count

asymmetry, 7: 88, Holt

Rietti-Greppi-Micheli Syndrome erythrocytic anomaly, 2: 409, Bussi

progressive, 2: 412, Urechia

ringed hair, 2: 284, Ashley

risk figures counseling, pediatrics, 4: 384, Böök

Roger's disease interventricular septum, 2: 214, Yakil

Romberg's disease

facial hemiatrophy, 5: 286, Franceschetti Romberg's syndrome

vestibular-cerebellar synd., 2: 102, Devic Rorschach test

twins, 5: 409, Schachter

Rothmund's syndrome

& Werner's, 2: 208, Maeder

diff. diag. from Werner's synd. 2: 103, Franceschetti

in new chain, 5: 290, Touraine

Roussy-Levy syndrome

club foot, areflexia, ataxia, scoliosis, 6: 299. Pintus

run test for Mendelism

& retinal glioma, 8: 205, Vogel

S & s, 3: 298, Coombs, 4: 387, Levine

transfusion incompat., 7: 448, Brandes salivary gland swelling, 6: 300, Smith saliva test

see sex determination (prenatal) sampling methods, 4: 148, Cochran

sarcoidosis, 6: 301, Voltz

& tuberculosis, 2: 203, Bickerstaff

sarcomatous degeneration

& neurofibromatosis, 5: 190, Preston neurofibromatosis, osteitis, 7: 450, Kohn Schilder's disease, 5: 188, Heuver

schizophrenia, 2: 102, Essen-Möller, 2: 103, Gordon, 2: 287, Gerard, 3: 192, Semerari, 3: 194, Wittermans, 3: 299, Kallmann, 4: 226, Hurst, 8: 203,

& epilepsy, 3: 296, Mitsuda

Pescetto

& oligophrenia, synd., 5: 289, Schachter chapter of textbook, 4: 386, Gillies

constitution, 100 cases, 5: 105, Rego diag., EEG, 4: 386, Hurst

diff. diag., 4: 226, Kallman

diff. diag. encephalopathy, 8: 202, Parfitt

hebephrenia, 3: 295, 5: 186, Boittelle metabolic patterns, 4: 230, Young

phosphate excretion, 8: 58, Hoagland review, 2: 210, Pastore

Swedish isolate, 7: 87, Böök

392 pedigrees, 7: 91, Wahl schizophrenia, MZ twins, 1: 226, Gardner w. goiter & Morgagni's synd., 6: 468, As-

chner Schwartzman phenomenon

erythroblastosis fetalis, 1: 231, Wiener

sclera, blue

see osteogenesis imperfecta

scleroderma, 6: 471, Rees

ichthyosiform, 3: 185, Boncinelli in Rothmund's & Werner's synds., 2: 103,

Franceschetti

scleroderma, circumscribed

morphea, 4: 229, Rodrigue

sclerosis, 8: 202, Nayrac

see also artherosclerosis

amyotrophic, 8: 201, Kurland & calcification, 4: 226, Hengeveld

diaphyseal, 2: 106, Ribbing

labyrinthine, 6: 368, Montandon

osteosclerosis, 2: 411, MacGregor, 8: 197,

Cartellieri

sclerosis, brain, 2: 410, De Lange sclerosis, cerebral, diffuse, 6: 469, Erak

sclerosis, disseminated, 4: 151, Pratt

& cerebral lipids, 7: 88, Cumings No. Ireland, 7: 450, Millar

Scotland, 7: 449, Hadley

sclerosis, multiple

& amyotrophic, 8: 201, Kurland symptoms, 3: 192, Schrader

sclerosis, muscular

w. blepharoptosis, 5: 287, Lowenthal sclerosis, tuberous, 1: 109 Miles, 2: 205, Fontan, 3: 395, Dickerson

& neurofibromatosis, 1: 147, Borberg, 3: 393, Borberg

scoliosis

Roussy-Levy synd., 6: 299, Mutrux sebaceous cyst, 2: 202, Amerlinck sebaceous glands

acne, 8: 198, Conraths

secretor factor

see also various blood groups

& ABO, 5: 105, Sanger

& blood groups: physiol., 3: 88, Morgan

& Kidd, 6: 300, Sanger

& Lewis, 3: 393, Andresen

& Lewis, Australian whites, 3: 300, Simmons

& Lewis, correlation, 2: 409, Andresen selection

see also ABO & disease, abortion, blood group incompatibilities, fertility, heterospecific pregnancy, sex ratio, stillbirth

childhood deaths, 1: 230, Wergeland & eugenics, 1: 230, Stern

fitness, 1: 226, Haldane, 1: 229, Penrose genetic basis, acq. char., 5: 102, Espinasse

genetic basis, acquired char., 5: 106, Waddington, 5: 284, Begg, 5: 291, Waddington

homozygote disadvantage, 8: 203, Reeve mortality, perinatal, 2: 289, Miller, 4: 225, El-Dewi

probabilities of gene association, 5: 103, Marchand

recessives & mult. sel., 4: 383, Bailey sex ratio & ABO, 4: 383, Allan

sibship size limitation, 5: 102, Hogben sibs' survival, 3: 396, Karn

speciation & Darwinism, 7: 225, Kozo-Polianski

selection & ABO incompatibility, 4: 390, Struthers, 6: 298, Matsunaga, 8: 201, Kirk

Australia, 2: 409, Bryce

excess O mothers w. hemol. dis., 8: 205, Unger

fertility of O & A women, 5: 407, Kirk polymorphism, 8: 197, Brues

selection & mutation

degen. evolution, 8: 202, Nachtsheim

selection, negative

theoretical, gene freq., 3: 298, Hofsten selective advantage of heterozygote

detection, 8: 197, Boyd selective survival

& maternal factors, twins, 5: 103, Karn self-consciousness

twins, 3: 397, Lézine

senility

dementia, 2: 102, Cresseri

glaucoma, 8: 204, Tornquist

gout in women, 2: 291, Violle

macular degeneration. See macular premature, new syndr., 5: 290, Touraine

skin, in progeria, 2: 101, Bamatter twin studies, 1: 227, Kallmann

sensory atrophy

synd. w. ulcers of extremities, 4: 223, Boudin

sensory neuropathy, 7: 449, Heller septal defect, 2: 214, Vakil

sequential analysis, 2: 107, Schützenberger serological reaction

in malignancies, 7: 449, Eisenstaedt serology of aborted fetus, 5: 102, Hirzfeld sex

chromosome theory of, 4: 147, Bogomolov combinations & sequences, 4: 225, Gini facio-scapulo-humeral myopathy, 7: 451 Nielsen

intersexuality, 5: 186, Bauer, 5: 291, Williams

peptic ulcer, 2: 104, Ivy sex chromosome

& clin. med., 3: 86, Fraser linkage, 6: 300, 7: 90, Sachs

sex determination, 2: 108, Turpin, 3: 187, Gini, 3: 194, Turpin, 4: 390, Van Lint

in hermaphroditism, 2: 412, Wesolowski voluntary, 2: 411, Pichezzi

sex determination, prenatal, 4: 229, Siliquini, 5: 406, Colacurci, 5: 407, Marchetto, 5: 408, Mimet

Rapp-Richardson test, 7: 448, Claría Omeldo, 8: 196, Bauer

saliva test, 5: 289, Rapp, 6: 369, Roemer, 6: 471, Reiger

sex differences

EEG, 6: 300, Smith

in electrodermatogram, 7: 223, Baitsch morph. of nerve cell nucleus, 3: 84, Barr sex ratio, 1: 230, Strandskov, 2: 209, Myers,

2: 288, Lancaster, 5: 407, Lienhart

sex ratio, continued

& ABO, 4: 383, Allan, 5: 105, Sanghvi,

7: 225, Johnstone

& convulsion, 6: 299, Ounsted

& war, 1: 224, Anonymous

anencepahlus, 5: 288, MacMahon

at birth, 4: 224, Dahlberg

change at birth, 4: 151, Lowe

diabetics, 4: 386, Harris

extremes, 2: 105, Myers

family size, 3: 399, Thomas

in large sibships, 2: 107, Schützenberger,

2: 108, Turpin

hypotheses, 4: 227, McMahan

maternal age, 3: 88, Lowe

maternal age, Japan, 7: 227, Takahashi

primary & natal, 3: 394, Dahlberg rural, urban; race diffs., 1: 111, Strands-

kov

secondary, 4: 223, Bernstein

unisexual sibships, 4: 384, Bernstein

sex sequences & combinations, 3: 395, Gini

sextuplets, 5: 190, Mayer

sexual precocity, 5: 287, Jacobsen

constitutional, 4: 225, Engstrom

sexual retardation

see Turner's synd.

sexual trimorphism, 8: 59, Masters

sialectasis

salivary gland swelling, 6: 300, Smith

Sibs' intercorrelations

birth weight, gestation time, survival,

3: 396, Karn

sickle cell hemoglobin

& hemoglobinopathy, new, 4:387, Kaplan sickle cell trait

& thalassemia, combined, 7: 225, Humble

genetic variation, 4: 388, Neel

high altitude flying, 7: 224, Conn

sicklemia, 1: 110, Neel, 2: 213, Silvestroni,

2: 213, Stewart, 2: 214, van der Sar,

2: 412, Silvestroni, 3: 397, Neel,

4: 232, Silvestroni, 5: 104, Neuda

amino acid composition, 3: 192, Schroeder

& hemarthrosis, 5: 101, Capriglione

& hemoglobin A & S, 8: 59, Morgan

& MN, linkage, 1: 111, Snyder

& ovalocytosis, 1: 225, Fadem

& pseudo-ophiasis, 1: 225, Cornbleet

& retinal microaneurysms, 5: 187, Edington

& rheumatic heart dis., 5: 190, Plachta

& tuberculosis, 5: 191, Weiss, 6: 301, Vandepitte

anti-sera against erythrocytes, 3: 192, Schneider

bone changes, 6: 470, Ivy

circulation, metabolism, 5: 287, Heyman

diagnosis, 8: 60, Raper

diag. by electrophoresis, 7: 447, Bergen

erythrocyte physiology, 2: 411, Serra

hematuria, 7: 452, Vernier

hemoglobin content, 3: 301, Wells

homozygote & heteroz., 4: 150, Lehmann in air flight, 7: 452, Smith

incidence, 3: 299, Margolies, 4: 389,

Schwartz 7 207 S

incidence & age, 7: 227, Scott in newborn, 1: 226, Granady

linkage relationships, 2: 107, Snyder

malaria protection, 7: 87, Allison

molecular char., 2: 106, Pauling mutation rate, 8: 205, Vandepitte

phosphorus turnover in blood, 5: 186,

Branson

physico-chem., 5: 405, Bertinotti

physiology, 1: 106, Callender, 1: 107, Dick-

stein, 1:110, Pauling, 2:210, Neuda,

3: 89, Perutz physiol., molecular orientation, 3: 188,

Harris

physiol., O2 & pH, 3: 189, Lange

placentae, microscopy, 3: 185, Bickenbach

pregnancy, 3: 185, Beacham protein electrophoresis, 3: 187, Fenichel

rheumatic fever simulation, 3: 297, Caccamo

S & F, 4: 389, Singer

SC, CC & CA, 7: 450, Morgan

thalassemia heterozygote, 5: 284, Banks

w. hematuria, 8: 58, Hoefnagel

w. splenic abscess, 8: 59, Mason

sicklemia & hemoglobin C, 8: 203, Scott diff. diag. by paper EPH, 6: 369, Schneider

sicklemia & poliomyelitis simulation, 3: 395,

sicklemia, distribution

Africa, 8: 198, Edington

African negros, 3: 297, van den Berghe

Assam, 5: 406, Dunlop

Bantus, 1: 224, Beet, 8: 197, Budtz-Olsen

Brazilian white, 7: 87, Anonymous

Egypt, 4: 147, Abbasy

Greece, 3: 394, Choremis

India, 5: 405, Anonymous

Jamaica, 7: 89, Jelliffe Kenya & Sudan, 7: 88, Foy Negros, coastal S. C., 2: 291, Switzer Sicily, 3: 89, Powell Sierra Leone, 8: 203, Rose Sudan, 3: 84, Abbott Surinam, 5: 285, Collier Turkey, 8: 196, Aksoy Uganda, 2: 105, Lehmann, 2: 286, Elsdon-Dew white race, 5: 284, Bartsokas Yemen, 4: 194, Dreyfuss Yemenite Jews, 4: 385, Dreyfuss sicklemia distr. & blood groups Aegean, 8: 205, Vulpis South India, 5: 103, Lehmann sicklemia-thalassemia, 4: 390, Wasserman anemia & bone necrosis, 6: 300, Reich w. chronic hemolytic anemia, 4: 390, Stur-

silicoses twins, 8: 60, Parrisius simian line or crease twins, 6: 301, Tillner sinus, frontal

1,

2,

n

n

9,

in bronchiectasis, 2: 213, Torgersen sinusitis

see Kartagener's syndrome situs inversus, 3: 88, Leininger see also dextrocardia, Kartagener's syndrome

& associated abnormalities, 1: 108, Johnson

cardiac vessels, 2: 291, Torgersen synd. w. absent spleen, etc., 6: 299, Polhemus visceral asymmetry, 2: 108, Torgersen

size allometry, 3: 296, Reeve skeletal abnormalities, 8: 196, Aschner see osteochondr-

& neurofibromatosis, 3: 192, Sillevis Smitt skeletal disease, renal

rickets-like, lethal, 3: 395, Eder skin

see also cutaneous, ectoderm-, epidermelectro-conductibility, 7: 447, Baitsch electrodermatogram variation, 7: 223, 7: 447, Baitsch

thickness, 6: 365, Baitsch skin abnormality

see also nevus, pachyderm, vitiligo dystrophy, synd., 1: 225, Francois folds, 3: 85, De Seze, Franceschetti lentigo, 2: 290, Pipkin morphea, 4: 229, Rodriguez nipples, 1: 110, Romanus piebald, see vitiligo senescence, in progeria, 2: 101, Bamatter skin disease

see also dermatology, epidermolysis, erythema, pemphigus infections, 5: 409, Touraine

lesions, in Bourneville's dis., 2: 208, Leuret

rhinophyma, 4: 387, 5: 287, Kulenkampf trichorrhexis, 5: 289, Rousset X-linked, 5: 289, Proppe

skin disorder, 2: 213, Touraine, 2: 214, van Campenhout

see also anhidrosis, Ehlers-Danlos synd., epidermolysis, kerat-, neurodermatitis, scleroderma

colloid papule, 2: 284, Anonymous photodermatosis, 3: 86, Franzolin prepuce aplasia, 4: 387, James

w. senescence, new syndrome chain, 5: 290, Touraine

skull

parietal foramina, 1: 227, Lischi skull deformity

see cranio-, oxycephaly skull sutures, 3: 399, Torgersen smiling, 8: 58, Koehler

social psychology, 4: 230, van der Heyden see also personality

twins in science, 4: 223, Anderson socioeconomic level

aptitude, intelligence, 2: 291, Stern sociology

see behavior

somatic diseases Finland, 3: 298, Heino

somatic tissue

chromosome number variation, 3: 301, Therman

mutation & cancer, 8: 197, Burdette somatology, 8: 199, Gunther see anthropometry

somatotyping

constitution & disease, 3: 190, Morris spasmodic ataxia, 8: 198, De Benedetto spasmodic paraplegia, 3: 393, Appel, 5: 290, van Bogaert

muscular tone, physiology, 3: 91, Thomas

spasms

see also Chvostek's sign, myoclonus etiology, 1: 108, Klotz

spastic paralysis, 1: 110, Phillip, 2: 209, Martin, 2: 284, Bickerstaff, 5: 289, Schwarz, 5: 290, van Bogaert

& ataxia, 4: 226, Landau

of Strumpell, 2: 206, Freund

spinal, 5: 290, Sioli

spinal, unusual transmission, 3: 186, Chessa-Perle

w. ataxia & atrophy, 1: 227, Kilbourne
 w. cranial dystr., oligophrenia & cataract,
 2: 204, Cordier

w. mental deficiency, 3: 88, Malzberg spastic pseudosclerosis, 3: 87, Jacob speciation

& Darwinism, 7: 225, Kozo-Polianskii speech disorders

& ABO, 1: 106, Darlington

in twins, 5: 407, Luchsinger spermatozoa

determ. dosage ABO phenotypes, 2: 213, Sjovall

morphology, 1: 106, Culp spherocytic anemia

see also hemolytic anemia

Negro race, 3: 85, Butterworth

spherocytosis, 3: 88, Li, 3: 88, Marson, 4: 230, Young, 8: 56, Campbell, 8: 205, Young

& hemolytic anemia, 6: 301, Young fragility, ABO hemolytic disease, 3: 398, Robinson

hemagglutinins, 3: 301, Wright

Spielmeyer-Vogt disease

juvenik amaurotic idiocy, 7: 227, Thiébaut

spina bifida, 1: 106, Chapman, 1: 109, Mills, 3: 84, Bianco, 3: 87, Keizer see also hydrocephaly

etiology, 3: 89, Polman, 6: 298, MacMahon myelomeningocele, 1: 112, Wilner

spinal-cerebral atrophy

Holmes synd., 2: 209, Mayoux

spinal cord & column

developmental errors, 1: 227, Jackson spinal malformations, 6: 370, Theiler spinal progressive muscular atrophy, 4: 151,

Poirier spinal selerosis

see Friedreich's ataxia

spino-cerebellar degeneration, 7:90, Nayrac spleen

Banti's disease, 2: 210, Nussy, 5: 188, Hauge

absence w. situs inversus, etc., 6: 299, Polhemus

splenic panhematopenia, 6: 299, Ramon Guerra

splenomegaly & anemia, 5: 104, Masuda spondylarthritis see ankylosing

spondylarthritis ankylosis, 2: 204, De Blécourt

spondylarthrosis ankylopoitica, 3: 185, Böni spondylitis

see also joint dis.

in MZ twins, 3: 193, Stephens rheumatoid, 5: 287, Kupperman

spondylolysis

anomalies of vertebrae, 6: 300, Siehl in twins, 8: 204, Trifaud

spondylosis deformans, 3: 397, Lob Stargardt's disease

& tapeto-retinal degeneration, 2: 206, François

w. tapeto-retinal degen., 1: 225, Francois statistics

see also factor analysis, inbreeding, linkage, mutation rate estimation, population genetics, sampling

ascertainment of recessives, 4:383, Bailey blood group analysis, 3:298, Fisher, 3: 396, Huron

correlation, onset age of sibs, polygenic syndrs., 1: 226, Harris

detection of linkage, 6: 300, Smith

discriminatory analysis, 2: 106, Quenouille

est. gene fieq., 7: 223, Boyd

est. gene fréq. blood groups, 2: 203, Boyd, 4: 149, Fisher

factorial study of constitution, 5: 188, Howells

Hardy-Weinberg modif. small pops., 3:88, Moree

homogeneity test, 1: 226, Haldane inbreeding coefficients, 2: 102, Cruden methods, 4: 231, Fischer nature, nurture, 3: 298, Hogben

probability, gene distribution, 5: 103, Komatsu, 5: 103, Marchand

probability in out breeding, 5: 103, Komatsu

random mating, 6: 295, Bennett recombination freq., 2: 205, Finney relationship coefficients, 3: 188, Hazel sampling methods, 4: 148, Cochran scoring systems in parameters, 2: 103,

Finney

transformation of discrete variables, 8: 198, David

truncated binomial distribution, 1: 225, Finney

twin data analysis, 8: 196, Allen Weinberg's method, 5: 104, Ogawa tature

students & parents, 5: 286, Durnin steatorrhoea, 2: 284, Bartley, 4 223, Bergq-

vist Steinert's disease, 8: 197, Boullin, 6: 301, Voto

see also myotonic dystrophy in new synd., 5: 290, Tourain stenosis

aqueduct of Sylvius, 2: 101, Bickers stenosis, aortic, calcific

in xanthomatosis & hyperchollesteremia, 7: 448, Boas

stenosis, pulmonary

see pulmonary stenosis

stereognostic capacity mental defectives, 3: 399, Sloan

sterility, 3: 91, Stern see blood group incompatibility spermatozoa disease, 3: 92, Williams

spermatozoa disease, 3: 92, V sterilization epilepsy, 4: 387, Lundin

Germany, 5: 191, Schubert North Carolina, 2: 285, Bradway, 4: 149, Gamble

Sweden, 2: 104, Hofsten

Virginia, 2: 211, Prichard sternal muscle

twins, 4: 229, Taniguchi

stillbirth anomalies, anatomical, 6: 297, Grebe case., 7: 88, Grebe

hemolytic disease of newborn, 7: 223, Allen

risk, w. parity & mat. age, 6: 470, Hoogendoorn

sex ratio, cause & gestation, 3:299, McKeown

stillbirth, twin

sex & mat. age, 3: 299, Lowe, 4: 151, Lowe stomach

see also pyloric stenosis & intestinal polyposis, 3: 86, Halsted cancer 7: 453, Videbaek strabismus, 2: 102, Dahlberg, 3: 298, Dahlberg, 4: 232, Schlossman, 5: 104, Medeiros

& eye dis., MZ twins, 2: 287, Granström dimness of vision, 3: 193, Strazzi MZ twins, 8: 205, Weekers

Rh, hemolytic dis., 3: 85, Corrado vertical component, 8: 197, Capalbi

stridor, 2: 103, Finlay structure, genetical

of hopulations, 2: 412, Wright struma lymphomatosa, 5: 101, Craig Strumpell-Lorrain's spastic paralysis, 2:

206, Freund atypical, 2: 285, Chiaramonti sugar metabolism

see pentosuria

superfetation, 4: 226, Kehrer

& multiple births, 3: 300, Salfelder supernumerary ears, 2: 105, Miller sutures of skull, 3: 399, Torgersen sweat

see anhidrotic ectodermal dysplasia hyperhydrosis synd., 2: 101, Böök Sydenham's chorea, 4: 152, Schachter sympathicoblastoma

MZ twins, 6: 470, Lee syndactyly

& other malformations, 5: 407, Lehmann w. labile factor deficiency, 3: 394, De Vries w. oxycephaly, 3: 296, Moffie syndrome

see also association & specific names ant. eye segment, 1: 107, Falls deafness, amentia, retinal pigment degen., 3: 191, Peterson

syndrome, maternal, lethal isoimmunization, 5: 103, Kaiser syndrome, new

see nephrogenic osteopathy syndromes, polygenic

correlation, sibs' onset ages, 1: 226, Harris synostosis, cranial

w. epiphyseal dystr., 1: 226, Giraud w. myotonia congenita, 6: 472, Strahm syphilis, 2: 209, Michel

syringomyelia, 1: 227, Jackson

tactual form perception see stereognostic

tapeto-retinal degeneration, 1: 106, Carreras atypical, w. myotonia, 5: 405, Begaux w. cochleo-vestibular, 2: 206, Francois

w. Stargardt dis., 1: 225, 2: 206, Francois taste

see also PTC taste

taste, continued

antithyroid substs., 3: 189, Kalmus, 2: 409, Boyd

phenylthiourea & anti-thyroid subst., 1: 226, Harris

taste blindness

Japanese, 1: 111, Suzuki

to PTC & other compounds, 2: 102, Cohen, 3: 297, Boyd

w. diabetes, Negros, 3: 193, Terry taste sensitivity, 3: 394, Dethier Tay-Sachs disease

see also amaurotic idiocy, infantile diff. diag., Niemann-Pick dis., 6: 296, Driessen

teeth, 2: 212, Schachter, 3: 187, Gabriel see also orthodontics

absence upper lat. incisors, 2: 105, Mandeville

premolar aplasia synd., 2: 101, Böök teeth, absent, 1: 225, Erwin teeth, green

& Rh incompatibility, 5: 103, MacRae teeth, wisdom, lower, 3: 395, Friedreich telangiectasia, 1: 107, Goldman, 2: 287,

elangiectasia, 1: 107, Goldman, 2: 287, Frazier, 3: 86, Garland, 4: 231, Miles & hematuria, 1: 225, Campbell & hemoptysis, 5: 102, Hastings James clinical, 7: 227, Taits

G. I. hemorrhage, 7: 449, Hardt
G. I. hemorrhage, rev. lit., 8: 62, Williams
necropsy, histol., 3: 400, Vischer

Negro case, 3: 189, Kleinschmidt, 6: 370, Theron

non-familial, 2: 203, Bourne pathology, 2: 212, Saksela pulmonary aneurysm, 5: 189, Kushlan w. epistaxis, 2: 287, Gambacorta w. hepatosplenomegaly & ascites, 3: 393, Ashby

telangiothrombopathic constitution, 2: 211, Quattrin

test, Bender Gestalt

mental defectives, 4: 384, Bensberg

see adrenogenital synd.

tetanus

& glandular insufficiency, 3:91, Uhlemann thalassemia, 1: 225, Chini, 2: 213, Silvestroni, 3: 184, Astaldi, 3: 186, Colarusso, 3: 189, Knoll, 3: 190, Mele, 3: 194, Vecchio, 3: 296, Perosa, 5: 100, Bianco, 5: 102, Janbon, 6: 297, Gatto, 7: 449, Frontali, 8: 196, Adra

& epilepsy, 5: 288, Portier

& hypersplenia, leukothrombopenic, 6: 370, Thiele

& Rh, 6: 368, Muratore

bone changes, Chinese, 3: 296, Liu

bone marrow, 3: 185, Bianco, 3: 396, Hamilton

chromatography, 3: 398, Sansone chronic hepatitis, 5: 286, Englert cytochemical, 7: 447, Astaldi diagnosis, 7: 223, Bousser district nosologic syndrome, 7: 447, Bagni distribution, Thailand, 7: 89, Minnich erythrocyte survival, children, 3: 87, Kap-

hemoglobin studies; two-dimensional chromatography, 7: 451, Penati

hemopoietic abnorm., 5: 105, Schwarz-Tiene

iron, cobalt & anemia, 4: 225, Heilmeyer iron metabolism, 2: 210, Perosa isoimmunization factors, 2: 205, Folena mechanism: erythrocyte physiology, 3: 86, Hamilton

neuro-hemolytic synds., 5: 191, Sarrouy N-terminal hemoglobin, 8: 61, Schapira odontostomatological aspects, 6: 299, Nieddu

osmotic resistance, 3: 301, Tancredi paper chromatography, 7: 451, 8: 60, Penati physico-chem., 5: 405, Bertinotti physiology, 1: 107, Dickstein, 3: 193, Tan-

credi, 3: 395, Gallo, 7: 448, Careddu, 8: 57, Diacono

sideremia, 6: 296, Cugudda unusual complications, 5: 190, March w. pernicious anemia, 2: 204, Crosby

w. sicklemia, 4: 390, Wasserman, 5: 284, Banks, 7: 225, Humble

w. sicklemia & chronic hemolytic anemia, 4: 390, Sturgeon

w. sicklemia, anemia & bone necrosis, 6: 300, Reich

w. sickling as symptom, 5: 101, Caminopetros

thalassemia, alkali resistant hemoglobin physiology, 6: 295, Agnisetta vs. hemoglobin F, 8: 203, Perosa

thalassemia & hemophilia

congen. malformations, 4: 230, Tropeano thalassemia, distribution, 2: 107, Silvestroni

Algeria, 4: 388, Portier

Amer. Indian, 2: 290, Prouty

Australia, 2: 291, Tebbutt

Burma, 8: 60, Perabo

Ceylon, 3: 298, da Silva

Chinese, 3: 85, DeMarsh, 4: 229, Silver-

Indonesia, 8: 201, Luan Eng

Iran, 6: 471, Pouya, 7: 451, Nuyken

Italy, 2: 213, 2: 291, Silvestroni 5: 106, Timpano

Kurdistan, 7: 450, Matoth

Malta, 4: 151, Mooney

Mexico, 6: 297, Gomez Del Campo

Negros, 1: 225, Coffey, 1: 229, Schwartz, 3: 89, Navarro, 6: 365, Banks

non-Mediterranean peoples, 3: 192, Silver North Africa, 5: 199, Portier, 6: 472, Sarrouv

Sicily, 3: 89, Powell

Thomsen's disease, 8: 61, Tobler

Thomson's poikiloderma congenita

in new synd. chain, 5: 290, Touraine thrombasthenia, 1: 228, McLaughlin, 3: 185,

Burgstedt w. osteogenesis imperfecta, new synd., 5:

286, Gautier thrombasthenia, Glanzmann's, 1: 105, Alcaraz

w. Lobstein's dis., 5: 102, Gautier

thromboangitis obliterans, 7: 448, Biddlestone

thrombocytes

in hemophilics, 3: 300, Parrow

thrombocytic dysmorphy

new type, 2: 290, Revol

thrombocytopathic purpura, 7:89, Jackson in twins, 7:88, De Spirito

thrombopathy, 6: 370, Walther

see Willebrand-Jurgen's dis.

thrombopathy, uncertain type, 2:211, Quattrin

thromboplastin B (PTC) deficiency see PTC deficiency

thumb, tri-phalangeal, 4: 226, Krivanek thyroid

hypothyroidism, MZ twins, 7: 453, Warkany

taste, anti-thyroid subst., 1: 226, Harris, 2: 409, Boyd, 3: 189, Kalmus

tumors, 8: 204, Springer

thyrotoxicosis

w. hypercholesterolemia, 1: 112, Wilkinson

"TIC", painful, 2: 202, Barraquer Bordas trigeminal nerve, 2: 204, Castaner-Vendrell

tissue grafting

blood group classif., 3: 295, Baroni

toes

fifth: polyphalangy, 6: 301, 7: 91, Venning second, long, 2: 106, 4: 231, Romanus clubbing, 2: 214, Wurl deformity, 6: 298, Larson

misshapen, 3: 187, Garber

ankyloglossia, 6: 470, Hermans

clover-leaf shape, 1: 226, Hoch, 3: 91, Whitney

tumors, 8: 204, Springer

tongue folding, 1: 112, Whitney

in Chinese, 1: 109, Liu

tongue frenulum syndrome

& tooth absence, 3: 86, Garate

tongue, scrotal

Melkerson synd., 6: 469, Cavalca tooth anomalies, 1: 112, Van Campenhout, 5: 102, Hausser, 8: 200, Hertel

see also dental, ectodermal, enamel, opalescent dentin, orthodontics

absence, w. frenulum syndrome, 3: 86, Garate

amelogenesis imperfecta, 4: 229, Stones & jaw anomalies, 3: 397, Maronneaud agenesia, embryology, 7: 451, Politzer

Ebenstein's synd., tricuspid valve, 6: 369, Nocker

supernumerary incisor, 5: 285, Bornemann tooth decay, 3: 395, Grahnen, 4: 227, Leimgruber, 4: 383, Aye, 2: 411, Rittinin, 2: 412, Stranski

tooth development, 8: 200 Hals

in osteogenesis imperfecta, 4: 387, Kostlan

tooth dysplasia

Capdepont's disease, 3: 186, Corbeil

tooth eruption, 8: 200, Hatton tooth form

odontology, 7: 227, Vallois

MZ twins, 1: 228, Nicolas, 6: 367, Immertreu

twins, 2: 411, Rittinen

torticollis, 5: 408, Pfändler

torus mandibularis, 5: 288, Moorress

toxi-infection

MZ twins, 7: 87, Blechmann

toxopachyostosis, 7: 453, Weismann-Netter toxoplasmosis

& eye dis., MZ twins, 2: 287, Granstrom twins, 3: 187, Farquhar, 5: 408, Michaux transfusion incompatibility

see also hemolytic disease of newborn, incompatibility

ABO, 5: 187, Dahr

anti-S, 7: 448, Brandes

Duffy, 5: 287, Hutcheson

Lewis, 3: 395, De Vries, 7: 450, Lauer

P. 3: 299, Lacaz

Rh, feto-placental edema, 1: 107, Grégoire

transfusion isoimmunization

antigens, E, c & K, 6: 369, Schwarz

transposition of viscera

see situs inversus

Treacher-Collins syndrome, 1: 111, Straith see also mandibulo-facial dysostosis

tremor, 2: 204, Critchley, 3: 85, Feldmann, 8: 200, Jager

benign, 3: 394, 5: 187, Davis

trichorrhexis nodosa

predominant in males, 5: 289, Rousset trigeminal nerve disorder, 2: 202, Barraquer

see also "tic"

triplets

hip dysplasia, 5: 288, Prochazka

tuberculin allergy, 3: 299, Palmer . tuberculosis, 1: 229, 2: 106, Popper, 2: 409,

Cardis, 3: 184, Anonymous, 4: 148, Champy, 6: 298, Maltarello

& constitution, 3: 394, Burkhardt & sarcoidosis, ass'n, 2: 203, Bickerstaff

& sicklemia, 5: 191, Weiss, 6: 301, Vandepitte

consanguinity, 5: 290, Turpin

tumor

see also adenoma, aneurysm, angioma, brain tumor, Brooke's tumor, cysts, fistulas, glioma, hemangio-, hematoma, hyperostosis, lymphoma, melanoma, myeloma, rhinophyma, sarcoidosis, sclerosis (tuberous), Wilms' tumor, xanthoma

brain, in twins, 6: 470, Kuhnen carotid, 1: 230, Sprong chondrosarcoma of ilium, 4: 151, Monro lingual, thyroid, 8: 204, Springer

malignant, 3: 295, Gergeli mutations, 8: 197, Burdette

neuroblastoma, 4: 153, Zimmerman

of jaw, giant cell, 3: 301, Waldron odontomas of jaw, 8: 196, Agazzi osseous granuloma, 3: 298, Creyssel pheochromocytoma, 2: 286, Davis pituitary, 8: 202, Matarazzo retinal glioma, 8: 205, Vogel twins, MZ, 6: 470, Lee vascular, of nervous system, 7: 452, Silver tumor cells

chromosomes of, 8: 58, Koseki mutation, of Jay, 4: 227, Levine tune deafness, 2: 105, Kalmus

Turner's syndrome, 1: 109, Moss, 2: 287, Grivaux, 2: 289, Llamas, 5: 102, Granrud, 7: 448, Décourt

& Bonnevie Ullrich synd., 2: 412, Ullrich, 3: 398, Rossi, 4: 390, Vevt

clin., etiol. & sympt., 3: 393, Albeaux-Fernet

w. deafness, 3: 398, Perrault

twinning, 4: 385, Dahlberg

data analysis, 8: 196, Allen embryology, of, 7: 225, Hamilton

frequency, Australia & Italy, 7: 89, Mc-

frequency, Britain, 4: 389, Stocks frequency changes, 6: 298, McArthur frequency, Italy, 5: 407, McArthur

heredity, 2: 107, Slater

heredity, envir., 4: 390 Torgersen

heredity, pedigrees, 3: 91, Waterhouse twinning, DZ

mat. age & parity, 6: 298, 7: 89, McArthur statistical, 5: 103, McArthur

twinning, physiology

monoamniotic pregnancy, 7: 448, Crouch ontogeny, embryology, 3: 90, Serment placentas, 1: 111, Sinclair single amnion case, MZ, 1: 225, Delascio stillbirths, by sex & mat. age, 3: 299, 4:

151 Lowe studies, ambiguities in, 2: 106 Price studies, methods, 2: 289, Lenz third type, 4: 151, Mijsberg, 5: 408, Mat-

sunaga uterus bi-cornuate, 6: 365, Bhagwat uterus pseudo-didelphus, 2: 204, Colaco zygosity & blood groups, 3: 184, Assus zygosity diagnosis, 2: 102, Dahlberg, 6:

296, Brietinger, 8: 204, Smith, 8: 205 Zazzo

zygosity by skin graft, 7: 223, Balavoine twins

see also multiple births

abnormal traits, fetal, 3: 296, Marmey, 8: 204, Taniguchi

achievement, scientific, 4: 223, Anderson achondroplasia (Dz), 6: 300, Slungaard

acne (MZ), 8: 198, Conraths adaptability, 8: 199, Glass

aggression, psychopath. (MZ), 4: 390,

Wheelan aging, longevity, 2: 104, Kallmann albinism, total (MZ), 6: 470, Hanhart allergy, 5: 187, Carbonera allergy, (MZ), 5: 407, Klein

alopecia areata (MZ), 2: 104, Hendren anemia, Jaksch's, 4: 389, Saggese

anencephaly, (MZ), 2: 206, Grebe, 3: 91, Wiese, 7: 450, Lin

anencephaly & Klippel-Feil synd. (MZ), 8: 55, Bauwens

anthropological traits, 4: 230, Verschuer birth weight, & maternal factors, 5: 103, Karn

bronchial tree forms (MZ), 4: 223, Ando carcinoma of cervix (MZ), 3: 193, Stocking cardiomegaly, 5: 409, Tumay

cardiopathy (DZ), 5: 285, Bertoye cerebral spastic paralysis (MZ), 3: 188, Ingelrans

Chvostek's sign (MZ), 4: 150, Klotz circulat. abnormality, disc. (MZ), 8: 203,

Rankin congen, deafness, disc. (MZ), 2: 208, Luchsinger

cystic fibrosis of pancreas, 2: 204, Corner cystic fibrosis of pancreas (MZ), 6: 301, Teplitz, 8: 60, Raubitschek

deaf & hearing mutes (MZ), 7:91, Wildervanck

deafness, congenital (MZ), 8: 202, Matzker

deformed elbow, knee & nail (MZ), 4:388, Mosbech

dentition, precocious, prenatal, 6: 468, Briasco

denture & tooth forms (MZ), 1:228, Nicolas

depression, psychotic (MZ), 3:190, Lustig diabetes, 7:447, Allan

Ehlers-Danlos synd., 6: 366, Dorsch epilepsy, 2: 289, Little, 3: 189, Kammerer,

5: 101, Castells, 6: 298, 8: 201, Lennox

epilepsy (MZ), 4: 148, Daly, 8: 59, Lamy erythema (MZ), 5: 407, Grunhagen

erythema, exudative (MZ), 2: 214, van Doormaal

eye dis., various (MZ), 2: 287, Granstrom growth, 6: 301, Tisserand-Perrier handedness (MZ), 2: 290, Rife

hare lip, cleft palate (MZ), 3: 400, 4: 230, Wildervanck

heart dis., congen., disc. (MZ), 5: 291, Wade

heart, septal defect (MZ), 4:385, Forsyth hemolytic disease, variability, 5: 290, Vaughan

hemophilia, 2: 211, Quick hydrocephalus (MZ), 6: 470, Klein hydrophthalmia (MZ), 3: 398, Potts hypertension, 4: 389, Sheldon hypertension (MZ), 4: 385, Flynn hypothyroidism (MZ), 7: 453, Warkany hysteria, disc. (MZ), 1: 229, Paterson intelligence, factor analysis (MZ), 8: 56, Blewet

jaw occlusion abnorm., 6: 298, Kloeppel kidney aplasia (MZ), 5: 191, Waardenburg Laurence-Moon syndrome (MZ), 8: 59, Moench

leukemia, 5: 190, Morganti leukemia (MZ), 5: 290, Stobbe lipoid nephrosis (MZ), 3: 89, Prader liver cysts, 3: 193, Sylvest Loffler's syndrome, 4: 229, Shechter lupus erythematosis (MZ), 3: 394, Davis lymphoma, rectal (MZ), 2: 206, Granet major discordances (MZ), 4: 386, Grebe Mauria synd. (MZ), 1: 108, Havranek meningitis, 1: 111, Schwartzman meningitis (MZ), 1: 108, Judge menopause, 6: 299, Moretti mental development, 5: 105, Razzo mongolism, discordant, 2: 108, Warner, 3:

186, Cook, 3: 186, Crozier, 4: 228, Posteraro

mongolism (MZ), 4: 384, Bencini Morgagni's synd., goiter & schizophrenia (MZ), 6: 468, Aschner

muscular dystrophy (MZ), 7: 447, Beckett myopia (MZ), 2: 102, Burns neurofibromatosis (MZ), 2: 411, Sillevis

Smitt, 6: 472, Troch nervous system malformations, 3: 398, Record

neuroses, personality, 6: 300, Shields Niemann-Pick dis., histolog., 1: 225, Didion twins, continued nystagmus, deafness synd. (MZ), 7: 223, Balavoine ophthalmology, 2: 412, Waardenburg orthodontics (MZ), 1: 225, Cheney, 3: 193, Towend osteitis deformans (MZ), 4: 383, Aschner osteoarthritis of fingers (MZ), 6: 301, Stecher osteogenesis imperfecta (MZ), 6: 469, Gedda otosclerosis (MZ), 2: 286, Fox, 6: 296, Fowler, 8: 200, Hall ovalocytosis (MZ), 1: 225, De Asua oxycephaly (MZ), 4: 385, Franceschetti oxycephaly & cutis frontis gyrata (MZ), 3: 87, Karabanow personality (MZ), 4: 389, Schwesinger poliomyelitis, 4: 231, Herndon poliomyelitis (MZ), 4: 150, Haumeder, 8: 198, Farmer posture & mimicry, 8: 199, Gedda psychological test (Rorschach), 5: 409, Schachter psychological traits, 3:400, Verschuer psychology: behavior differences, 8: 204, Spindler psychoses, 2: 288, Kallmann, 5: 407, Kammerer, 5: 409, Slater psychoses: hebephrenia, 5: 186, Boittelle psychoses: hebephrenia (MZ), 3: 295,

Boittelle psychoses: schizophrenia (MZ), 1: 226, Gardner pulmonary fibrosis (MZ), 3: 191, Peabody pyloric stenosis, 3: 300, Powell, 3: 301, Wagner, 6: 299, Metrakos pyloric stenosis (DZ), 2: 104, Hughes pyloric stenosis (MZ), 1: 227, Lamy, 2: 206, Garrison, 2: 411, Schaper, 4: 385, Cunningham, 6: 301, Wait renal dwarfism (MZ), 3: 299, Milne Rh & P, 3: 398, Schmidt self-consciousness, 3: 397, Lezine senescence, 1: 227, Kallmann silicoses, 8: 60, Parrisius simian line, 6: 301, 7: 91, Tillner speech disorders, 5: 407, Luchsinger spondylitis (MZ), 3: 193, Stephens sternal muscle, 4: 229, Taniguchi strabismus (MZ), 8: 205, Weekers studies, 4: 225, Gedda thrombocytopenic purpura, 7: 88, De Spirito

tooth & palate variation, 2: 411, Rittnen tooth form (MZ), 6:367, Immertreu toxi-infection (MZ), 7:87, Blechmann toxoplasmosis, 3: 187, Farquhar, 5: 408, Michaux tumor, brain, 6: 470, Kuhnen tumor, Wilms (MZ), 4: 149, Gaulin tumors (MZ), 6: 470, Lee ulcers, 1: 229, Philipowicz ulcers, duodenal, 2: 287, Goodrich, 4: 385, Franquelo Ramos ulcers, gastro-duodenal (MZ), 3: 194, Vachon var. disorders (MZ), 1: 226, Gaffuri vitiligo (MZ), 3: 397, 4: 227, Mohr voice, 3: 192, Schilling voice identification (MZ & DZ), 8: 199, Gedda twins, conjoined asymmetries, zygosity, 5: 191, Walker twitching see myoclonus two-gene recessive muscular dystrophy, 4: 228, Pintus tyrosine metabolism & blondness in phenylketonuria, 8: 56, Dancis "U" incompatibility, 6: 301, Wiener & hemolytic jaundice, 3: 396, Konrad duodenal, 4: 387, McCormack duodenal: twins, 2: 287, Goodrich, 4: 385, Franquelo Ramos extremities, 4: 228, Passouant extremities, w. sensory atrophy, 4: 223, Boudin foot, 2: 288, Kelly habitual, 1: 231, Zschunke leg, 3: 184, Anning lentigo, 2: 290, Pipkin twins, 1: 229, Philipowicz, 3: 194, Vachon ventricular & duodenal, 8: 201, Lenz ulcers, G. I. duodenal, twins, 2: 287, Goodrich gastric & duodenal, separate inheritance, 4: 385, Doll gastro-duodenal, 1: 227, Levrat, 8: 199, gastro-duodena!, juvenile, 8: 201, Levrat gastro-duodenal, MZ twins, 3: 194, Va-

peptic, 3: 188, Grossman

see Madelung's deformity

ulna

unilaterality

see also asymmetry

achromatopsia, 5: 287, Knoll

Unverricht's disease

see myoclonus epilepsy

upper extremities

deformities, 2: 203, Birch-Jensen

urie acid

in gout, 7: 228, Wilson

in gout, men & women, 1: 231, Wolfson

uricemia in gout, 2: 108, Stecher

hyperuricemia, 3: 187, Giraud

urine excretion patterns, 7:87, Berry

urogenital system

anomalies, 1: 108, Guillemin

diseases, 3: 298, Goldstein

dysplasia, 3: 399, Ten Berge

uterus

cancer, 1: 106, Botella Llusia, 2: 203, Bro-

beck, 8: 59, Mayer

cancer, MZ twins, 3: 193, Stocking

uveitis

w. poliosis & alopecia, 4: 233, Benedict w. poliosis & vitiligo, 4: 231, Flynn

w. poliosis & vitiligo, 4: 231, Flynn variation

mental traits, 7:87, Anastasi

nature, nurture, 3: 298, Hogben

vascular abnormalities, 3: 399, Tiedemann

vascular disease

see also bleeding diseases

capillary fragility, 5: 408, Monto

vascular nevi, 1: 111, Shelley

vascular tumors

of nervous system, 7: 452, Silver

vasculo-neural dystrophy, 2: 214, Wadulla

vein-artery anastomosis

MZ twin, 8: 203, Rankin

blood factor, 8: 201, Levine

verrucosis, diffuse

in precancerous synd., 3: 188, Hufnagel

vertebrae

see also spondylitis

anomalies, 6: 300, Siehl

anomalous bridge, 8: 204, Selby

column growth, 5: 409, Tanner

paternity test, 3: 188, Hofsten

vertigo

see Menière's syndrome

vestibular-cerebellar syndrome, 2: 102, De-

vic

vestibulo-cerebellar aberration, 2: 209, Mar-

tin

virus disease

see also encephalitis, poliomyelitis

cytomegalic inclusion-body dis., 7: 447,

Bellamy

influenza & blood groups, 3: 298, Howe

of nervous system, 8; 203, Sabin resistance to, 5: 190, Sabin

visceral asymmetry

see situs inversus

vision, color, 6: 369, Pickford

see color blindness

vision, dimness

strabismus, 3: 193, Strazzi

vision, nocturnal

see nyctalopia

vitamin-D resistant rickets

w. cranio-stenosis, 7: 87, Coleman

vitiligo, 3: 193, Stüttgen, 3: 193, Teindel

see also piebaldness

twins, MZ, 3: 397, 4: 227, Mohr

w. retinitis pigmentosa sine pigment, 6:

469, Gordon

w. uveitis & poliosis, 4: 231, Flynn

Vogt-Koyagani syndrome

& Franceschetti synd., 3: 190, Ludwig

Vogt-Spielmeyer disease

see amaurotic idiocy, late

voice identification

twins, 3: 192, Shilling, 8: 199, Gedda

von Hippel's disease

see Lindau's disease

Vrolik's disease

see osteogenesis imperfecta

warts, diffuse

in precancerous synd., 3: 188, Hufnagel

weakness, muscular

see myasthenia

weight at birth, 5: 104, Penrose, 8: 203, Rob-

son

& maternal factors, twins, 5: 103, Karn

Weinberg's method, 5: 104, Ogawa

Werdig-Hoffmann's atrophy

& amyotonia (q.v.), 3: 185, Brandt

Werner's syndrome

& Rothmund's 2: 208, Maeder

diff. diag. from Rothmund's synd., 2: 103,

Franceschetti

in new chain, 5: 290, Touraine

white spot disease

morphea, 4: 229, Rodriguez Lorenzo

Willebrand-Jürgen's disease

pseudohemophilia, 1: 105, Barreras Areu,

1: 229, Ramon Guerra, 2: 410, Le-

long, 3: 90, Revol, 4: 388, Pecorella,

Willebrand-Jürgen's disease, continued 5: 409, Reimer, 6: 368, Küchel, 8: 59, MacFarlane

pseudohemophilia: Aland Isle isolate, 5: 189, Jürgens

pseudohemophilia: ocular changes, 5: 187, Forsius

thrombopathy, uncertain type, 2: 211, Quattrin

Wilms tumor, 8: 198, Fitzgerald MZ twins, 4: 149, Gaulin

Wilson's disease

aminoaciduria, 4: 232, Uzman sibs, clinical, 8: 59, Lichtenstein

wisdom teeth, lower, 3: 395, Friedrich word-blindness

see dyslexia

WRa

blood group, new, rare, 6: 367, Holman

xanthoma, 2: 101, Adlersberg cholesterol studies, 3: 85, Fowlkes

xanthoma of cornea

dystrophy, 2: 291, Sysi

xanthoma tuberosum w. hyperlipemia & coronary dis., 2: 202,

Alvord xanthomas, multiple albinism, complete, 5: 286, Graciansky xanthomatosis, 8: 204, Taylor

see also lipogranulomatosis, stenosis & cirrhosis, 3: 189, Lever

& diabetes insipidus, 7: 224, Gilbert-Dreyfus

from myxedema, 5: 187, Curtius

w. coronary dis. & hypercholesteremia, 5: 190, Pomerantz

xanthomatosis, hypercholesteremic, 1:111, Schick

& hyperlipemia, 7: 89, Lever

X-chromosome

ambliopia, astigmatism, nystagmus, 2: 409, Cuendet

ocular albinism, heterozygote, 3: 395, Falls

possible in retinal detachment, 3: 399, Sorsby

retinal detachment, 3: 301, Sorsby

skin diseases, 5: 289, Proppe

xeroderma pigmentosum, 2: 213, Ulicna-Zapletalova, 2: 284, Anonymous, 4: . 225, Gros

Japanese sibs, 1: 112, Weisman zygodactyly, 6: 296, Fraccaro

zygosity of twins

diagnosis, 2: 102, Dahlberg, 6: 296, Brietinger, 8: 204, Smith diagnosis, blood groups, 3: 184, Assus

## Information for Contributors

Editorial Policy: Papers will be considered for publication on condition that they are submitted solely to The American Journal of Human Genetics, and that they will not be reprinted or translated without consent of the editors. Each contribution will be read by two or more members of the editorial staff before notice is given of the paper's acceptance. Membership in the American Society of Human Genetics is not a prerequisite for publication in the Journal. Papers will be judged on the basis of their content in original data interpretation or review, and no limit is set as to the number of printed pages which a paper may contain.

MANUSCRIPTS SHOULD BE TYPEWRITTEN DOUBLE-SPACED THROUGHOUT, INCLUDING REFERENCES, TABULAR MATERIAL, AND FOOTNOTES. FOOTNOTES AND LEGENDS FOR FIGURES AND PLATES SHOULD BE TYPED ON SHEETS SEPARATE FROM THE TEXT, AND A SEPARATE TITLE-PAGE SHOULD BE PROVIDED. If, in addition to the original type-written copy, a duplicate copy, complete with figures, tables and references, is submitted, this will frequently speed publication.

Illustrations: Tables and illustrations should be planned to fit the Journal's type-page  $(4\frac{\pi}{6} \times 7\frac{\pi}{2} \text{ inches})$ . Exceptionally large tables and pedigree diagrams should be constructed in sections wherever possible, so as to avoid the need for folded inserts. Halftones and line drawings will be accepted in moderate numbers. Contributors will be expected to bear the excess cost of colored plates and half the cost for excessive numbers of black-and-white illustrations and tables.

References to the literature should be cited in the text by author's name and date of publication; e.g. (Commons et al., 1950). The bibliography should be arranged alphabetically by author and should be typed double-spaced on a separate sheet under the heading: REFERENCES. The data for each reference should be arranged as follows:

COMMONS, R. R., BARKER, O. C., & SHELTON, E. K. 1950. Sex-linked growth retardation and juvenile diabetes mellitus. J. Clin. Endocr. 10: 816-817.

Abbreviations for titles of medical periodicals should conform to the nomenclature adopted by the U. S. Army Medical Library, as published in the *Index-Catalogue of the Library of the Surgeon General's Office*, Fourth Series, volume 10.

Proofs and Reprints: Galley proofs and engraver's proofs will be sent to the author directly from the Waverly Press, together with an order blank for reprints. The corrected proof should be returned to the Editor and the reprint order should be sent to the Waverly Press.

Address all manuscripts and correspondence to the EDITOR, DR. ARTHUR G. STEINBERG, Western Reserve University, Cleveland 6, Ohio, U. S. A.

## The American Society

of Human Genetics was organized early in 1948. Its purpose is to encourage research in human genetics and to bring into closer contact the many investigators in Canada, Mexico and the United States who are interested in human genetic research and problems pertaining thereto. The Society held its first annual meeting at Washington, D. C., Sept. 11-13, 1948 at which time it adopted its constitution. Its Board of Directors consists of 5 elected officers, 6 other elected members, the 2 most recent past presidents and the editor.

## BOARD OF DIRECTORS

President

C. C. Li, Ph.D. School of Public Health University of Pittsburgh

Vice-President HAROLD F. FALLS, M.D. University of Michigan

GORDON ALLEN, M.D. National Institutes of Health TH. DOBZHANSKY, PH.D. Columbia University

President, 1958 W. C. BOYD, PH.D. Boston University Medical School

President-Elect L. C. DUNN, D. Sc.

Secretary W. J. SCHULL, PH.D. University of Michigan

E. J. GARDNER, Ph.D. Utah State University JOHN B. GRAHAM, M.D. University of North Carolina

President, 1959 MADGE T. MACKLIN, M.D. Ohio State University Medical School

Columbia University

Treasurer H. W. KLOEPFER. PH.D. Tulane University

N. E. MORTON, Ph.D. University of Wisconsin RICHARD H. OSBORNE, PH.D. Sloan-Kettering Institute, New York

Editor A. G. STEINBERG, Ph.D. Western Reserve University

## Information regarding membership

Membership in the American Society of Human Genetics is of three main types: (1) active, (2) corresponding, and (3) associate. Active membership is open to any resident of Canada, Mexico or the United States, who is interested in human genetic research. Four classes of active membership exist: regular, sustaining, life, and patron. The annual dues including subscription to the Journal are \$10.00 for a regular member and \$20.00 for a sustaining member. A life member contributes \$250 and a patron \$500 or more, and are members for life and receive the Journal for life without paying regular annual dues. Corresponding membership is open to residents of foreign countries; annual dues including subscription to Journal: \$10.00. A medical, dental or graduate student may become an active or an associate member. Annual dues for associate members are \$2.00, but do not include the Journal.

A person wishing to become a member must be nominated by two active members. Election is by the Board of Directors. Nomination blanks or further information pertaining to the Society may be obtained by writing to the Secretary, Dr. W. J. SCHULL, DEPARTMENT OF HUMAN GENETICS, UNIVERSITY OF MICHIGAN, ANN ARBOR, MICHIGAN.

